



Clients Served by the Ryan White HIV/AIDS Program 2021

HIV Care Outcomes: Viral Suppression

Vision: Healthy Communities, Healthy People

Released February 2023




Trends in Viral Suppression Among Clients Served by the Ryan White HIV/AIDS Program, 2010–2021

Select characteristics and priority populations



Viral Suppression among Clients Served by the Ryan White HIV/AIDS Program (non-ADAP), 2010–2021—United States and 3 Territories^a




Viral suppression: ≥ 1 OAHS visit during the calendar year and ≥ 1 viral load reported, with the last viral load result < 200 copies/mL.


^a Guam, Puerto Rico, and the U.S. Virgin Islands.



Viral Suppression among RWHAP Clients, by State, 2010 and 2021—United States and 2 Territories^a




IN 2010
69.5%
VIRALLY SUPPRESSED



IN 2021


89.7%
VIRALLY SUPPRESSED



Viral suppression: ≥1 OAHS visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.
^a Puerto Rico and the U.S. Virgin Islands.



Viral Suppression among Clients Served by the Ryan White HIV/AIDS Program, by Gender, 2010–2021—United States and 3 Territories^a




Viral suppression: ≥ 1 OAHS visit during the calendar year and ≥ 1 viral load reported, with the last viral load result < 200 copies/mL.

^a Guam, Puerto Rico, and the U.S. Virgin Islands.



Viral Suppression among Clients Served by the Ryan White HIV/AIDS Program, by Age Group, 2010–2021—United States and 3 Territories^a




Viral suppression: ≥ 1 OAH visit during the calendar year and ≥ 1 viral load reported, with the last viral load result < 200 copies/mL.

^a Guam, Puerto Rico, and the U.S. Virgin Islands.



Viral Suppression among Clients Served by the Ryan White HIV/AIDS Program, by Race/Ethnicity, 2010–2021—United States and 3 Territories^a




Viral suppression: ≥1 OAHS visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.

^a Guam, Puerto Rico, and the U.S. Virgin Islands.

^b Hispanics/Latinos can be of any race.



Viral Suppression among Clients Served by the Ryan White HIV/AIDS Program, by Housing Status, 2010–2021—United States and 3 Territories^a




Viral suppression: ≥ 1 OAHS visit during the calendar year and ≥ 1 viral load reported, with the last viral load result < 200 copies/mL.

^a Guam, Puerto Rico, and the U.S. Virgin Islands.



Viral Suppression among Clients Served by the Ryan White HIV/AIDS Program, by Race/Ethnicity, 2010 and 2021—United States and 3 Territories^a




Hispanics/Latinos can be of any race.

Viral suppression: ≥1 OAHS visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.

^a Guam, Puerto Rico, and the U.S. Virgin Islands.



Viral Suppression among Priority Populations Served by the Ryan White HIV/AIDS Program, 2010 and 2021—United States and 3 Territories^a



Hispanics/Latinos can be of any race.
 Viral suppression: ≥1 OAH visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.
^a Guam, Puerto Rico, and the U.S. Virgin Islands.




Viral Suppression Among Clients Served by the RWHAP, 2021

Select characteristics




Viral Suppression among Clients Served by the Ryan White HIV/AIDS Program, by Gender, 2021—United States and 3 Territories^a



N represents the total number of clients in the specific population.
Viral suppression: ≥ 1 OAH visit during the calendar year and ≥ 1 viral load reported, with the last viral load result < 200 copies/mL.
^a Guam, Puerto Rico, and the U.S. Virgin Islands.




Viral Suppression among Clients Served by the Ryan White HIV/AIDS Program, by Age Group, 2021—United States and 3 Territories^a



N represents the total number of clients in the specific population.
Viral suppression: ≥1 OAH visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.
^a Guam, Puerto Rico, and the U.S. Virgin Islands.




Viral Suppression among Clients Served by the Ryan White HIV/AIDS Program, by Race/Ethnicity, 2021—United States and 3 Territories^a



N represents the total number of clients in the specific population.
 Hispanics/Latinos can be of any race.
 Viral suppression: ≥1 OAHs visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.
^a Guam, Puerto Rico, and the U.S. Virgin Islands.



Viral Suppression among Clients Served by the Ryan White HIV/AIDS Program, by Health Care Coverage, 2021—United States and 3 Territories^a




N represents the total number of clients in the specific population.

Viral suppression: ≥1 OAHS visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.

^a Guam, Puerto Rico, and the U.S. Virgin Islands.



Viral Suppression among Clients Served by the Ryan White HIV/AIDS Program, by Housing Status, 2021—United States and 3 Territories^a



N represents the total number of clients in the specific population.
Viral suppression: ≥ 1 OAHS visit during the calendar year and ≥ 1 viral load reported, with the last viral load result < 200 copies/mL.
^a Guam, Puerto Rico, and the U.S. Virgin Islands.




Viral Suppression Among Clients Served by the RWHAP, 2021

Priority populations



Viral Suppression among Black/African American Women Served by the Ryan White HIV/AIDS Program, 2021—United States and 3 Territories^a



N represents the total number of clients in the specific population.


Includes females aged 13 years and older.

Viral suppression: ≥1 OAH visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.

^a Guam, Puerto Rico, and the U.S. Virgin Islands.



Viral Suppression among Black/African American Men Served by the Ryan White HIV/AIDS Program, 2021 —United States and 3 Territories^a




≥ 5 percentage points lower than Black/African American men overall



N represents the total number of clients in the specific population. Includes males aged 13 years and older.
Viral suppression: ≥1 OAH visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.
^a Guam, Puerto Rico, and the U.S. Virgin Islands.



Viral Suppression among Hispanic/Latina Women Served by the Ryan White HIV/AIDS Program, 2021—United States and 3 Territories^a



N represents the total number of clients in the specific population.

Includes females aged 13 years and older.


Hispanics/Latinos can be of any race.

Viral suppression: ≥1 OAH visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.

^a Guam, Puerto Rico, and the U.S. Virgin Islands.



Viral Suppression among Hispanic/Latino Men Served by the Ryan White HIV/AIDS Program, 2021—United States and 3 Territories^a



≥ 5 Percentage points lower
than Hispanic/Latino men overall

N represents the total number of clients in the specific population.

Hispanic/Latinos can be of any race.


Only includes men aged 13 years and older.

Viral suppression: ≥1 OAHS visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.

^a Guam, Puerto Rico, and the U.S. Virgin Islands.



Viral Suppression among Transgender Adults and Adolescents Served by the Ryan White HIV/AIDS Program, 2021—United States and 3 Territories^a




N represents the total number of clients in the specific population.
Includes transgender clients aged 15 years and older.

Viral suppression: ≥1 OAHS visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.

^a Guam, Puerto Rico, and the U.S. Virgin Islands.



Viral Suppression among Men Who Have Sex With Men (MSM) Served by the Ryan White HIV/AIDS Program, 2021—United States and 3 Territories^a




≥ 5 percentage points lower than MSM clients overall



N represents the total number of clients in the specific population. Includes males aged 13 years and older.
Viral suppression: ≥1 OAHs visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.
^a Guam, Puerto Rico, and the U.S. Virgin Islands.




Viral Suppression among Adults Aged 50 Years and Older Served by the Ryan White HIV/AIDS Program, 2021—United States and 3 Territories^a



N represents the total number of clients in the specific population.
Viral suppression: ≥1 OAHs visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.
^a Guam, Puerto Rico, and the U.S. Virgin Islands.




Viral Suppression among Youth Aged 13–24 Years Served by the Ryan White HIV/AIDS Program, 2021—United States and 3 Territories^a



N represents the total number of clients in the specific population.
Viral suppression: ≥1 OAHHS visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.
^a Guam, Puerto Rico, and the U.S. Virgin Islands.




Viral Suppression among Young, Black/African American Women Aged 13–24 Years Served by the Ryan White HIV/AIDS Program, 2021—United States and 3 Territories^a



N represents the total number of clients in the specific population.
 Viral suppression: ≥1 OAH visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.
 * Use caution when interpreting results based on small numbers.
^a Guam, Puerto Rico, and the U.S. Virgin Islands.



Viral Suppression among Young, Black/African American MSM (YBMSM) Aged 13–24 Years Served by the Ryan White HIV/AIDS Program, 2021—United States and 3 Territories^a




≥ 5 percentage points lower than young MSM overall



N represents the total number of clients in the specific population.
 Viral suppression: ≥1 OAHS visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.
^a Guam, Puerto Rico, and the U.S. Virgin Islands.



Viral Suppression among Clients with HIV Attributed to Injection Drug Use Aged ≥13 Years Served by the Ryan White HIV/AIDS Program, 2021—United States and 3 Territories^a



IDU, injection drug use.

Includes clients aged 13 years and older. Data represent clients who reported injection drug use as their transmission risk category; data may not reflect current behavior. Data do not include male-to-male sexual contact *and* injection drug use among male clients nor sexual contact *and* injection drug use among transgender clients.


N represents the total number of clients in the specific subpopulation.

Viral suppression is defined as ≥1 OAH visit during the calendar year and ≥1 viral load reported, with the last viral load result <200 copies/mL.

^a Guam, Puerto Rico, and the U.S. Virgin Islands.



Viral Suppression among RWHAP Clients, by Housing Status and among Key Populations with Unstable Housing, 2021—United States and 3 Territories^a



Viral suppression among priority populations with unstable housing



PWID, people who inject drugs (i.e., HIV attributed to injection drug use).

N represents the total number of clients in the specific population.

Viral suppression: ≥ 1 OAH visit during the calendar year and ≥ 1 viral load reported, with the last viral load result < 200 copies/mL.

^a Guam, Puerto Rico, and the U.S. Virgin Islands.

