

Ryan White HIV/AIDS Program

Annual Client-Level Data Report

Ryan White HIV/AIDS Program Services Report

2020



The *Ryan White HIV/AIDS Program Annual Client-Level Data Report* is published by the Division of Policy and Data, HIV/AIDS Bureau (HAB), Health Resources and Services Administration (HRSA), U.S. Department of Health and Human Services, Rockville, Maryland.

Data are presented for clients reported to the HRSA HAB Ryan White Services Report (RSR; non-AIDS Drug Assistance Program [ADAP]) data system for calendar years 2016 through 2020.

The *Ryan White HIV/AIDS Program Annual Client-Level Data Report* is not copyrighted and may be used and copied without permission. Citation of the source is, however, appreciated.

Suggested Citation

Health Resources and Services Administration. *Ryan White HIV/AIDS Program Annual Client-Level Data Report 2020*. www.hab.hrsa.gov/data/data-reports. Published December 2021.

Health Resources and Services Administration

Diana Espinosa..... *Acting Administrator*

HIV/AIDS Bureau, Health Resources and Services Administration

Laura W. Cheever, MD, ScM..... *Associate Administrator*

Heather Hauck, MSW, LICSW..... *Deputy Associate Administrator*

Antigone Dempsey, MEd..... *Director, Division of Policy and Data*

Tracy Matthews, MHA, RN..... *CAPT, USPHS; Deputy Director, Division of Policy and Data*

Chrissy Abrahms Woodland, MBA..... *Director, Division of Metropolitan HIV/AIDS Programs*

Susan Robilotto, DO..... *Director, Division of State HIV/AIDS Programs*

Mahyar Mofidi, DMD, PhD..... *CAPT, USPHS; Director, Division of Community HIV/AIDS Programs*

Jeanean Willis Marsh, DPM..... *CAPT, USPHS; Director, Office of Program Support*

Paul Belkin..... *Executive Officer, Office of Operations and Management*

Information about the Ryan White HIV/AIDS Program: www.hab.hrsa.gov

Educational and technical assistance materials about HIV and the Ryan White HIV/AIDS Program: www.TargetHIV.org

Acknowledgments

Publication of this report was made possible by the Ryan White HIV/AIDS Program grant recipients and subrecipients that provided RSR data to HRSA.

The HRSA HIV/AIDS Bureau would like to acknowledge the important work Ryan White HIV/AIDS Program recipients, subrecipients, and stakeholders have been doing in response to the coronavirus disease 2019 (COVID-19) public health emergency and the incredible efforts made to submit high-quality, complete RSR data in a timely manner during this time.

CONTENTS

Commentary	1
Technical Notes	12
References	19
Tables	21

Section 1. National-Level Data: Client Characteristics **21**

1a	Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2016–2020—United States and 3 territories.....	22
1b	Ryan White HIV/AIDS Program clients with HIV (non-ADAP), by year and selected characteristics, 2016–2020—United States and 3 territories.....	24
2	Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories.....	26
3	Ryan White HIV/AIDS Program clients (non-ADAP), by gender and selected characteristics, 2020—United States and 3 territories.....	27
4a	Male clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and age group, 2020—United States and 3 territories.....	29
4b	Female clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and age group, 2020—United States and 3 territories.....	29
4c	Transgender clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and age group, 2020—United States and 3 territories.....	30
5	Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and selected characteristics, 2020—United States and 3 territories.....	31
6	Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and selected characteristics, 2020—United States and 3 territories.....	33
7	Ryan White HIV/AIDS Program clients (non-ADAP), by health care coverage and selected characteristics, 2020—United States and 3 territories.....	35
8	Ryan White HIV/AIDS Program clients (non-ADAP), by HHS region and selected characteristics, 2020—United States and 3 territories.....	37

Section 2. National-Level Data: Retention in Care and Viral Suppression **39**

9	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2016–2020—United States and 3 territories.....	40
10	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2016–2020—United States and 3 territories.....	42
11a	Retention in care among women (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories.....	44
11b	Viral suppression among women (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories.....	46
12a	Retention in care among men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories.....	48

12b	Retention in care among men who have sex with men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories.....	50
12c	Viral suppression among men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories.....	52
12d	Viral suppression among men who have sex with men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories.....	54
13a	Retention in care among transgender adults and adolescents (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories.....	56
13b	Viral suppression among transgender adults and adolescents (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories.....	58
14a	Retention in care among youth and young adults (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories.....	60
14b	Viral suppression among youth and young adults (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories.....	62
15a	Retention in care among young men who have sex with men (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories.....	64
15b	Viral suppression among young men who have sex with men (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories.....	65
16a	Retention in care among young women (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories.....	66
16b	Viral suppression among young women (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories.....	67
17a	Retention in care among people with HIV attributed to injection drug use (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories.....	68
17b	Viral suppression among people with HIV attributed to injection drug use (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories.....	70
18a	Retention in care among clients served by the Ryan White HIV/AIDS Program (non-ADAP), by housing status and selected characteristics, 2020—United States and 3 territories.....	72
18b	Viral suppression among clients served by the Ryan White HIV/AIDS Program (non-ADAP), by housing status and selected characteristics, 2020—United States and 3 territories.....	74
Section 3. State- and EMA/TGA-Level Data: Client Characteristics		77
19a	Ryan White HIV/AIDS Program Clients (non-ADAP), by year and state, 2016–2020—United States and 3 territories.....	78

19b	Ryan White HIV/AIDS Program Clients (non-ADAP), by year and eligible metropolitan area and transitional grant area, 2016–2020—United States and Puerto Rico.....	79
20a	Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2020—United States and 3 territories.....	80
20b	Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico.....	82
21a	Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2020—United States and 3 territories.....	84
21b	Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico.....	86
22a	Ryan White HIV/AIDS Program clients (non-ADAP), by gender and state, 2020—United States and 3 territories.....	88
22b	Ryan White HIV/AIDS Program clients (non-ADAP), by gender and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico.....	90
23a-i	Male clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and state, 2020—United States and 3 territories.....	91
23a-ii	Female clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and state, 2020—United States and 3 territories.....	93
23a-iii	Transgender clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and state, 2020—United States and 3 territories.....	94
23b-i	Male clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico.....	95
23b-ii	Female clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico.....	97
23b-iii	Transgender clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico.....	98
24a	Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and state, 2020—United States and 3 territories.....	100
24b	Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico.....	101
25a	Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and state, 2020—United States and 3 territories.....	103
25b	Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico.....	104

Section 4. State- and EMA/TGA-Level Data: Retention in Care and Viral Suppression 105

26a	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by year and state, 2016–2020—United States and 3 territories.....	106
26b	Retention in care among Ryan White HIV/AIDS Program clients, by year and eligible metropolitan area and transitional grant area, 2016–2020—United States and Puerto Rico.....	108
27a	Viral Suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by year and state, 2016–2020—United States and 3 territories.....	110

27b	Viral suppression among Ryan White HIV/AIDS Program clients, by year and eligible metropolitan area and transitional grant area, 2016–2020—United States and Puerto Rico.....	112
28a	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2020—United States and 3 territories.....	114
28b	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico.....	116
29a	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2020—United States and 3 territories.....	118
29b	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico.....	120
30a	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2020—United States and 3 territories.....	122
30b	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico.....	124
31a	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2020—United States and 3 territories.....	126
31b	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico.....	128
32a	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and state, 2020—United States and 3 territories.....	130
32b	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico.....	132
33a	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and state, 2020—United States and 3 territories.....	134
33b	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico.....	136
34a	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and state, 2020—United States and 3 territories.....	138
34b	Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico.....	139
35a	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and state, 2020—United States and 3 territories.....	140
35b	Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico.....	141

COMMENTARY

The Ryan White HIV/AIDS Program (RWHAP) supports direct health care and support services for more than half a million people with HIV—more than half of all people with diagnosed HIV in the United States (U.S.) [1]. The RWHAP funds and coordinates with cities, states, and local community-based organizations to deliver efficient and effective HIV care, treatment, and support services for low-income people with HIV. Since it was established, the RWHAP has developed a comprehensive system of safety net providers who deliver high-quality, direct health care and support services. The RWHAP is critical to ensuring that individuals with HIV are linked to and retained in care, are able to adhere to medication schedules, and remain virally suppressed. People with HIV who reach and maintain an undetectable viral load can live a close to normal life-span and have effectively no risk of sexually transmitting the virus to an HIV negative partner. RWHAP services are crucial for attaining optimal HIV health outcomes among people with HIV, preventing further transmission of the virus, and—ultimately—ending the HIV epidemic in the U.S.

The Legislation

The U.S. Department of Health and Human Services (HHS), Health Resources and Services Administration (HRSA), HIV/AIDS Bureau (HAB) administers the RWHAP. In 1990, Congress passed the Ryan White Comprehensive AIDS Resources Emergency (CARE) Act to address the crisis of the HIV epidemic in the United States. This legislation has been amended and reauthorized four times—in 1996, 2000, 2006, and, most recently, in 2009 as the Ryan White HIV/AIDS Treatment Extension Act of 2009.

The RWHAP was funded at \$2.39 billion in fiscal year (FY) 2020 and is the largest federal program focused exclusively on HIV care, treatment, and support services. The RWHAP leverages other funding sources and health care coverage opportunities for people with HIV.

The RWHAP has five statutorily defined Parts that provide funding for medical and support services, technical assistance, clinical training, and the development of innovative models of care to meet the needs of different communities and populations affected by HIV:

- **Part A** provides funding to Eligible Metropolitan Areas (EMAs) and Transitional Grant Areas (TGAs) severely affected by the HIV epidemic. Grant funds assist eligible jurisdictions to develop or enhance access to a comprehensive continuum of high-quality, community-based care for low-income people with HIV through the provision of formula, supplemental, and Minority AIDS Initiative funds. Eligibility for RWHAP Part A grants is based, in part, on the number of confirmed AIDS cases within a statutorily specified “metropolitan area.” HHS uses the Office of Management and Budget (OMB) census-based definitions of a Metropolitan Statistical Area (MSA) to determine the geographic boundaries of an RWHAP metropolitan area, based on the boundaries in effect when a jurisdiction initially received RWHAP Part A funding. For all newly eligible areas, HHS bases the boundaries on current OMB MSA boundary definitions. To qualify for EMA status, an area must have reported more than 2,000 AIDS cases in the most recent 5 years and have a population of at least 50,000. To be eligible for TGA status, an area must have reported 1,000 to 1,999 AIDS cases in the most recent 5 years and have a population of at least 50,000. EMAs and TGAs range in size from one city or county to more than 26 different geographic entities; 11 EMAs/TGAs have service areas that cross state lines.
- **Part B** provides funding to all 50 states, the District of Columbia, the Commonwealth of Puerto Rico (hereafter referred to as Puerto Rico), the Northern Mariana Islands, American Samoa, Guam, the U.S. Virgin Islands, the Federated States of Micronesia, the Republic of the Marshall Islands, and the Republic of Palau (hereafter referred to collectively as state(s)/territory(ies)) to support HIV care and treatment services for low-income people with HIV.

- The RWHAP Part B grants include funding for the AIDS Drug Assistance Program (ADAP) to fund medication and health care coverage.
- **Part C** provides funding to local community-based organizations, community health centers, health departments, academic medical centers, and hospitals in 49 states, the District of Columbia, Puerto Rico, and the U.S. Virgin Islands to provide comprehensive primary medical care and support services in an outpatient setting for low-income people with HIV. The RWHAP Part C funds also may support capacity development grants to strengthen organizational infrastructure and develop, enhance, or expand access to high-quality primary medical care for people with HIV.
- **Part D** provides funding to local community-based organizations, community health centers, health departments, academic medical centers, and hospitals in 39 states and Puerto Rico to support family-centered HIV primary medical care and support services in an outpatient setting (directly or through contracts or memoranda of understanding) for low-income women, infants, children, and youth with HIV and their affected family members.
- **Part F** provides funds for the following programs:
 - The Special Projects of National Significance (SPNS) Program supports the development, implementation, and evaluation of evidence-based, evidence-informed, and emerging interventions for HIV care and effective service delivery systems for people with HIV. The RWHAP SPNS Program also supports the dissemination of successful interventions and supports the replication and integration of these interventions by RWHAP-funded recipients.
 - The AIDS Education and Training Centers (AETC) Program works to increase the number of health care providers who are competent and willing to counsel, diagnose, treat, and medically manage individuals with HIV by providing education, training, consultation, and clinical decision support to health care professionals at the local and regional levels.
 - The Dental Programs provide funding for oral health care for people with HIV and support training dental and dental hygiene providers.
 - The Minority AIDS Initiative provides funding to evaluate and address the disproportionate impact of HIV on Blacks/African Americans and other minority populations.

Together, the Parts of the RWHAP provide the public health infrastructure needed to ensure access to a wide range of core medical services (e.g., Outpatient Ambulatory Health Services, Medical Case Management, Mental Health Services) and support services (e.g., Non-Medical Case Management, Housing, Transportation, Food Bank/Home Delivered Meals) aimed at early diagnosis of HIV, linkage to care, retention in care, medically appropriate treatment, and sustained viral suppression.

Ending the HIV Epidemic in the U.S.

The RWHAP goals align with two complementary national efforts, the *Ending the HIV Epidemic (EHE) in the United States* initiative [2] and the *National HIV/AIDS Strategic Plan 2021–2025 (NHAS)*, to reduce new HIV infections by 90% by 2030. The EHE initiative, which began in FY 2020, intends to reduce new HIV infections to fewer than 3,000 per year by 2030 by focusing on increased linkage to, re-engagement in, and retention in HIV care and treatment. Reducing new infections to this level essentially would mean that HIV transmissions would be rare and meet the definition of ending the epidemic. Correspondingly, the *NHAS* aims to prevent new HIV infections, improve HIV-related health outcomes for those with HIV, reduce HIV-related disparities and health inequities, and achieve integrated and coordinated efforts to address the HIV epidemic. HRSA's RWHAP plays a key role in providing care and treatment to people with new HIV diagnoses, people with HIV who are re-engaged in care, and people with HIV who are in care but not virally suppressed, as well as continued care for the more than half a million people served by the RWHAP annually.

2020 RWHAP Client-Level Data Report Overview

This report is HRSA HAB's annual publication of national RWHAP client-level data from the RWHAP Services Report (RSR). The RSR data are HRSA HAB's primary source of annual, client-level data reported by more than 2,000 funded grant recipients and subrecipients.

Client-level RSR data are available beginning with the 2010 data and are used to assess the numbers and demographics of clients receiving RWHAP services, understand client HIV-related outcomes, and identify and address HIV-related disparities. This information is a crucial component of data-driven program decision-making and improved health equity. Project Officers at HRSA HAB can discuss the data with recipients to monitor and support their progress to improve HIV care and treatment for people with HIV. It is through the hard work of these providers and the RWHAP community that clients receive help every day.

This report includes data submitted to the RSR for all clients served by RWHAP Parts A, B, C, and D during calendar years 2016 through 2020, regardless of the source of RWHAP funding. That is, the data presented are not specific to any one Part, regardless of geographic area presented (e.g., state-level, EMA/TGA-level). RSR data do not include information about ADAP; all ADAP-related information is reported through the ADAP Data Report and is disseminated in another publication [3]. Although data presented here are "non-ADAP," many clients also receive ADAP services.

The RSR data presented in this report highlight the state of the RWHAP and include the demographic composition of clients served; socioeconomic factors, such as federal poverty level (FPL), health care coverage, and housing status; and the results of focused analyses to measure progress toward achieving select HIV-related clinical outcome indicators [4,5]. The data are inclusive of the overall RWHAP client population and priority populations. This report does not include the specific services provided to individuals. All tables include all clients served, regardless of the RWHAP services rendered (unless otherwise noted; e.g., viral suppression tables) or source of RWHAP funding (i.e., data from Parts A, B, C, and D are included in all tables).

Tables displaying demographic and socioeconomic data (Table 1a, Tables 2 through 8, and Tables 20a through 25b) include all RWHAP clients, regardless of HIV serostatus¹ (hereafter referred to as *HIV status*). That is, the data include people with HIV, as well as clients missing HIV status information (e.g., clients who receive services that do not require HIV status to be reported, such as Medical Transportation services) and clients who do not have HIV (i.e., the families of people with HIV are able to receive certain RWHAP services). In 2020, people with HIV represented 98.7% of all clients. Table 1b and tables displaying retention in care and viral suppression data (Tables 9 through 18b and Tables 26a through 35b) include only people with HIV who meet the criteria for the specified analysis (see Technical Notes). The tables include data reported from 50 states, the District of Columbia, Guam, Puerto Rico, and the U.S. Virgin Islands. However, due to reporting challenges during the coronavirus disease 2019 (COVID-19) pandemic, Guam's 2019 and 2020 RSR data are unavailable. Tables 19a through 35b display data by state and EMA/TGA. Readers are encouraged to review all table titles and footnotes carefully to ensure a complete understanding of the data presented.

Readers should interpret RWHAP retention in care and viral suppression data carefully. RWHAP recipients and subrecipients report RSR client-level data annually and the data are de-identified when reported. As a result, it is not possible to link client-level data across years, which affects how HIV-related outcomes are calculated in this report. Specifically, HRSA HAB measures retention in care among RWHAP clients with HIV who received at least one Outpatient Ambulatory Health Services (OAHS) visit before September 1 of the calendar year (i.e., January 1 through August 31), thereby

¹ The state of either having or not having detectable antibodies against a specific antigen, as measured by a blood test (serologic test). For example, HIV seropositive means that a person has detectable antibodies to HIV; HIV seronegative means that a person does not have detectable HIV antibodies (<https://clinicalinfo.hiv.gov/en/glossary/serostatus>).

allowing a second care visit to occur at least 90 days later during that calendar year. HRSA HAB measures viral suppression specifically among RWHAP clients who received at least one OAHS visit any time during the calendar year and who had at least one viral load test result reported; that is, viral suppression is among people with HIV who received medical care by RWHAP providers during the year and had at least one viral load test.

As a result of the above specifications about the retention in care and viral suppression calculations, the numbers of people with HIV included in these analyses are not equal to the total number of people with HIV served by the RWHAP; the subset of clients for retention in care analyses is 63% of the total RWHAP client population with HIV, and the subset for viral suppression is 65%. Clients not included in retention in care or viral suppression calculations may have received any other RWHAP service (e.g., Medical or Non-Medical Case Management, Housing, Transportation, Food Bank/Home Delivered Meals). It is also important to note that many of the clients not included in calculations for retention in care and viral suppression (i.e., those who did not receive RWHAP OAHS) receive medical care at RWHAP clinics, where primary medical care services are paid using non-RWHAP funding sources (e.g., private, public, or other health care coverage types), or receive care from providers outside the RWHAP system; these clients should not be presumed to be “out of care.”

Monitoring HIV-Related Health Outcomes

RWHAP recipients and subrecipients submit select client-level HIV-related clinical data (e.g., OAHS visit dates and viral load test results) to HRSA HAB that assist with monitoring progress toward achieving the goals of the EHE initiative. HRSA HAB uses these data to calculate retention in HIV medical care and viral suppression among clients receiving RWHAP OAHS. This report displays these data for the RWHAP client population of people with HIV receiving OAHS by demographics, state, and EMA or TGA (Tables 9, 10, and 26a through 35b).

Because of notable disparities, HRSA HAB enhanced its efforts to improve HIV-related health outcomes among several priority populations: women; people of transgender experience; gay, bisexual, and other men who have sex with men (MSM); Black/African American and Hispanic/Latino populations; youth (aged 13–24 years); young Black/African American MSM; young Black/African American women; people with injection drug use reported as a transmission category; and people with unstable housing. Tables 11a through 18b display retention in care (“a” tables as well as Table 12b) and viral suppression (“b” tables except for Table 12, which show those data in the “c” and “d” tables) for these priority populations.

Report Changes

HRSA HAB periodically updates the RSR to most accurately measure the full investment of the RWHAP and demonstrate its impact at the state and local levels. As a payor of last resort, RWHAP funds cannot be used to pay for services that have been or reasonably can be expected to be covered by another payment source. However, more recipients have been moving toward funding services with RWHAP-related funding (i.e., program income, pharmaceutical rebates). To fully measure RWHAP investments and impact, beginning with the 2019 data, HRSA HAB encourages recipients and subrecipients to also include RSR data on clients receiving services provided using RWHAP-related funding; this will become a reporting requirement for all RWHAP recipients and subrecipients beginning with the 2021 data year (to be reported in early 2022). The increased number of clients in the 2019 data likely reflect these reporting changes. It is important to note that this new reporting requirement did not replace the previous eligible scope reporting requirement, but rather expands upon the previous requirement.

HAB EHE initiative and RWHAP Fiscal Year (FY) 2020 Coronavirus Aid, Relief, and Economic Security (CARES) Act–funded recipients and service providers reported aggregate-level data through the EHE Triannual Module and COVID-19 Data Report systems (respectively). Client-level data for people with HIV receiving HAB EHE funded services and RWHAP FY 2020 CARES Act–funded services were included in the 2020 RSR data submission.

The COVID-19 pandemic emerged during the 2019 RSR data submission period and continued through the 2020 submission period. HRSA HAB acknowledges the incredible efforts recipients and subrecipients made to report data in a timely fashion throughout this time. Because of pandemic-related challenges, however, the U.S. territory of Guam was unable to submit data by the deadline needed for data processing. Therefore, the 2019 and 2020 data do not include Guam’s data, nor are these data shown for state/territory-specific tables (“a” tables from 19 to 35). Among RWHAP clients in all states and territories, the 2020 data reflect slightly decreased numbers compared to 2019, possibly due to a variety of pandemic-related factors, such as physical operation closures and shifts to telehealth service delivery (Table 1a).

HIGHLIGHTS OF ANALYSES

Ryan White HIV/AIDS Program Clients

The RWHAP serves more than half a million people each year. In 2020, 561,416 clients received services from RWHAP-funded providers (Table 1a). Among all RWHAP clients served in 2020, 98.7% (553,953) were people with HIV (Table 1b), which has been relatively consistent since 2016. From 2019 through 2020, the total number of RWHAP clients decreased by approximately 6,000, which may be due in part to factors related to the COVID-19 pandemic.

The age distribution is shifting among RWHAP clients. From 2016 through 2020, the percentage of clients in each 5-year age group from 40 to 54 years decreased (combined, 40.3% of the RWHAP population was aged 40–54 years in 2016, decreasing to 33.4% in 2020), whereas the percentage increased in each 5-year age group among those aged 55 years and older (combined, from 27.7% in 2016 to 34.6% in 2020; Table 1a). In total, this amounts to an increase of more than 41,000 clients aged 55 years and older in the five-year period, of whom nearly half (48.2% or 19,991 clients) were aged 65 years and older in 2020. In 2020, clients aged 65 and older accounted for more than one-quarter (27.4%) of those aged 55 and older.

Nearly three-quarters of RWHAP clients are from racial/ethnic minority populations. The percentage distribution of client race/ethnicity populations has remained consistent since 2016. In 2020, 46.6% of clients self-identified as Black/African American, 26.4% as White, 23.6% as Hispanic/Latino, and less than 2% each as American Indian/Alaska Native, Asian, Native Hawaiian/Pacific Islander, and people of multiple races (Table 1a).

The majority of RWHAP clients are male. In 2020, 72.0% of clients were cisgender male (i.e., non-transgender male; hereafter referred to as *male*), 25.9% were cisgender female (hereafter referred to as *female*), and 2.1% identified as transgender (1.8% transgender female [i.e., assigned male sex at birth]; 0.2% transgender male [i.e., assigned female sex at birth]; 0.1% clients with another gender identity; Table 1a). The gender distribution of RWHAP clients has remained largely consistent since 2016. Please see Technical Notes for additional information about gender categories.

By race/ethnicity, the ratio of males to females differed (Table 2). In 2020, the ratio for the overall RWHAP population was 2.8 males for every 1 female client. The ratio of White males to White females was 5.2 to 1 (82.9% and 16.0%, respectively), 3.5 to 1 for Hispanic/Latino males to Hispanic/Latina females (76.0% and 21.5%, respectively), and 1.9 to 1 for Black/African American males to Black/African American females (63.5% and 34.2%, respectively).

There were also gender variations by age group. The proportion of female clients linearly increased with age group, peaking among those aged 55–59 years. Compared to female clients, in 2020 there was a higher proportion of male clients aged 20–39 years and a lower proportion among those aged 40–59 years (Table 3). Similarly, higher proportions of transgender clients were aged 20–39 years and lower proportions were aged 55 years and older compared to both male and female clients.

Socioeconomic Factors and Health Care Coverage

Nearly two-thirds of RWHAP clients are living at or below 100% of the FPL. In 2020, 60.9% of clients were living at or below 100% FPL, a slight decrease from 2016 (62.8%; Table 1a).

The percentages of clients living at or below 100% FPL differ by race/ethnicity. The percentages of American Indian/Alaska Native, Black/African American, and Hispanic/Latino clients living at or below 100% FPL (67.5%, 66.0%, and 63.6% respectively) were higher than that among clients of other races (multiple races, 61.2%; Native Hawaiian/Pacific Islander, 58.9%; Asian; 52.3%; White, 50.0%; Table 5, percentages presented in the table are column percentages, and those presented here are row percentages).

Higher percentages of female and transgender female clients are living at or below 100% FPL compared to male clients. Among the 132,679 female clients with FPL information in 2020, 69.7% (92,500) were living at or below 100% FPL (Table 3). Among the 9,308 transgender female clients with FPL information in 2020, 77.2% (7,183) were living at or below 100% FPL. Comparatively, 57.4% of male clients (213,102 of 371,470) with FPL information were living at or below 100% FPL.

Approximately 80% of RWHAP clients have some form of health care coverage. Among all RWHAP clients in 2020, 30.8% were covered by Medicaid, 10.6% were covered by Medicare, 10.1% had private employer coverage, and 9.8% had multiple forms of coverage (Table 1a; multiple coverages include any combination of health care coverage types, *except* those who had Medicaid *and* Medicare [dual eligibility], which is displayed separately [7.5% of clients]. See Technical Notes for additional information). One-fifth (19.4%) of RWHAP clients had no health care coverage in 2020, which has been consistent since 2016.

Approximately 7% of RWHAP clients have temporary housing and nearly 5% have unstable housing. The distribution of RWHAP clients by housing status has remained relatively stable since 2016 (Table 1a). However, data illustrate a small increase in the percentage of clients with stable housing, from 86.1% in 2016 to 88.3% in 2020.

In 2020, by age group, the highest proportions of clients with temporary or unstable housing were among those aged 20–24 years (9.7% and 5.5%, respectively), 25–29 years (9.3% and 6.5%), 30–34 years (6.7% and 8.9%), and 35–39 years (8.5% and 6.5%) (Table 6; percentages presented in the table are column percentages, and those presented here and below are row percentages).

RETENTION IN CARE AND VIRAL SUPPRESSION HIGHLIGHTS

Retention in HIV Medical Care

HRSA HAB calculates retention in care among RWHAP patients with HIV who had at least one OAHS visit by September 1 of the measurement calendar year; patients are considered retained if they had a second visit at least 90 days after.

Retention in care remained relatively stable, at approximately 80% year-to-year during 2016 through 2020. In 2020, 79.4% of 346,796 OAHS patients were retained in HIV care (Table 9), a slight decrease (1.4 percentage points) compared to 2019. While these data do not delineate the factors contributing to this decrease, and similar minor fluctuations occurred in years prior, it is possible that the COVID-19 pandemic affected clients' access of services.

Across subpopulations, retention in care was generally consistent with the overall average (Table 9). However, a few subpopulations had lower retention in care percentages (lower than the national RWHAP average of 79.4% by at least 5 percentage points): patients aged 25–29 years (74.1%), patients with Veterans Administration (69.1%) health care coverage, and patients with unstable housing (72.7%).

Two trends emerge when examining retention in care among subpopulations from 2016 through 2020. First, retention in care was slightly lower among patients with income levels greater than 250% FPL year-to-year compared to those with lower income levels. Second, the percentage of patients retained in care by 5-year age group forms a reverse bell curve, with older and younger populations more likely to be retained and the lowest pinnacle occurring among those aged 25–29 years.

Viral Suppression

Viral suppression was calculated among people with HIV who had at least one OAHS visit and at least one viral load test during the measurement calendar year. Viral suppression was defined as a most recent viral load test result of <200 copies/mL.

Nearly 90% of RWHAP OAHS patients reached viral suppression in 2020. In 2020, 89.4% of 357,914 OAHS patients had a suppressed viral load at their most recent test (Table 10). From 2016 through 2020, viral suppression increased 4.5 percentage points, from 84.9% in 2016 to 89.4% in 2020; of note, despite the complexities that arose in the provision of care as a result of the COVID-19 pandemic, the percentage of patients achieving viral suppression increased by 1.3 percentage points from 2019 (88.1%) to 2020 (89.4%).

Young people aged 15–24 years made great progress improving viral suppression from 2016 through 2020. In 2020, viral suppression was 81.1% among patients aged 15–19 years and 81.4% among those aged 20–24 years (Table 10). Although these percentages are the lowest by age group, they reflect an approximately 10 percentage point increase for both of these groups from 2016 through 2020.

The percentage of transgender women (aged >13 years) reaching viral suppression continues to increase. In 2020, 84.2% of transgender women reached viral suppression, which reflects a 5.2 percentage point increase from 2016 (79.0%; Table 10).

Viral suppression improved for OAHS patients with temporary and unstable housing, but more work is needed. In 2020, 76.8% of patients with unstable housing reached viral suppression, compared with 72.0% in 2016 (Table 10). Viral suppression among this population remained around 72.0% from 2016 through 2018, so the more recent upward trend is encouraging. There was a 4.9 percentage point increase in viral suppression for patients with temporary housing from 2016 through 2020 (from 78.9% to 83.8%). By comparison, patients with stable housing saw steady improvements in viral suppression (approximately 1 percentage point increase each year, from 86.1% in 2016 to 90.4% in 2020). Patients with unstable and temporary housing continue to have disparately lower levels of viral suppression compared to those with stable housing.

Retention in Care and Viral Suppression Among Priority Populations

This section reviews overall retention in care and viral suppression in 2020 for each priority population and highlights the subpopulations with the lowest percentages. Generally, this includes subpopulations with outcomes at least 5 percentage points lower than that of the overall priority population. Data for subpopulations with numbers less than 100 are not included in the highlights because of the variability in percentages resulting from small numbers.

Black/African American women (Tables 11a/b): Overall, the percentages of Black/African American women retained in care (81.0%) and virally suppressed (88.4%) were relatively consistent with the national RWHAP averages (79.4% and 89.4%, respectively).

Among Black/African American women, retention in care was lowest within certain demographic subgroups, including those aged 25–29 years (75.6%) and those in HHS Regions 5, 8, and 10 (73.0%, 76.0%, and 70.1%, respectively; see Technical Notes for states/territories included in each region).

Percentages of viral suppression among Black/African American women were lowest among those in each 5-year age group from 15 to 34 years (range: 75.8%–81.9%), those with perinatal HIV (74.4%); and those with temporary (83.0%) or unstable (77.7%) housing. In all but four subpopulations of women, viral suppression was lower among Black/African American women than among women overall in that subpopulation. This trend intensified when comparing Black/African American women to White women. In some subpopulations, the proportion of Black/African American women who were virally suppressed was 10 to 15 percentage points lower than that of White women; notably, among those with perinatal HIV (12.6 percentage point gap).

Black/African American men (Tables 12a/c): The overall percentage of Black/African American men who were retained in care (78.1%) was relatively consistent with the national RWHAP average (79.4%) and the average among all men (78.7%), but the percentage of those who achieved viral suppression (86.0%) was slightly lower than the RWHAP average (89.4%) and the average among men overall (89.5%).

A lower percentage of Black/African American men were retained in care than the average among all men in more than half of subpopulation groups. Retention in care was lowest among those aged 25–29 years (72.8%); those in HHS Regions 5, 8, and 10 (71.5%, 66.3%, and 70.4%, respectively); those with Veterans Administration health care coverage (63.8%); and those with temporary (72.7%) or unstable (72.3%) housing.

Viral suppression was lowest among Black/African American men in each 5-year age group from 15 to 29 years (range: 78.0%–80.8%), those with perinatal HIV (75.7%), those with no health care coverage (80.2%), and those with temporary (80.1%) or unstable (75.1%) housing.

Percentages of Black/African American men who are virally suppressed were particularly lower than those of White men. This gap was the widest among those in each 5-year age group from 20 to 34 years, those with perinatal HIV or male-to-male sexual contact transmission categories; those living at or below 250% FPL; those with Medicaid, Medicaid and Medicare dual coverage, other plan, no coverage, and multiple health care coverages; and those with stable or temporary housing.

Hispanic/Latina women (Tables 11a/b): Overall, higher percentages of Hispanic/Latina women were retained in care (85.5%) and virally suppressed (91.1%) than the national RWHAP averages (79.4% and 89.4%, respectively).

Among Hispanic/Latina women, retention in care was lowest among those aged 20–24 years (78.7%) and 30–34 years (80.5%); those in HHS Regions 5, 7, 8, and 10 (79.1%, 78.0%, 71.7%, and 68.9%, respectively); those living at greater than 400% FPL (79.5%); and those with temporary housing (80.3%).

The lowest percentages of viral suppression were among Hispanic/Latina women in each 5-year age group from 20 to 34 years (79.6%, 81.4%, and 85.9%, respectively); those with perinatal HIV (77.6%), and those with temporary (85.5%) or unstable (77.8%) housing.

Hispanic/Latino men (Tables 12a/c): Overall, retention in care (81.9%) and viral suppression (91.4%) among Hispanic/Latino men were slightly higher than the national RWHAP averages (79.4% and 89.4%, respectively).

Retention in care was lowest among Hispanic/Latino men aged 25–29 years (76.4%); those with perinatal HIV (76.7%); those in HHS Region 5, 8, and 10 (75.2%, 68.8%, and 70.4%, respectively); and those with unstable housing (75.1%).

Viral suppression was lowest among Hispanic/Latino men aged 15–19 years (83.9%) and 20–24 years (85.6%); those with HIV attributed to male-to-male sexual contact *and* injection drug use (85.8%) or perinatal HIV (77.8%); and those with unstable housing (80.1%).

Transgender adults and adolescents (Tables 13a/b): Overall, retention in care (77.2%) for transgender adults and adolescents was relatively consistent with the national RWHAP average (79.4%), but viral suppression (84.5%) was lower than the RWHAP average (89.4%).

Among transgender patients, retention in care was lowest among those aged 20–24 years (69.4%); those in HHS Regions 5 and 6 (71.4% and 71.8%, respectively); and those with unstable housing (69.3%).

Viral suppression was lowest among patients aged 20–24 years (73.9%) and 25–29 years (79.0%) and those with temporary (77.2%) or unstable (71.6%) housing. Generally, Black/African American transgender patients had lower percentages of viral suppression across demographic subgroups compared with Hispanic/Latino and White transgender patients.

Given the low numbers within the various subpopulations for transgender people, caution should be used when interpreting the percentages in Tables 13a/b.

Gay, bisexual, and other MSM (Tables 12b/d): Overall, retention in care (78.8%) and viral suppression (90.3%) for males with HIV attributed to male-to-male sexual contact (MSM) was relatively consistent with the national RWHAP averages (79.4% and 89.4%, respectively).

Across nearly all racial/ethnic groups, retention in care for MSM was lowest among those in HHS Regions 5, 8, and 10 (71.3%, 70.1%, and 67.3%, respectively), those with health care coverage through the Veterans Administration (68.8%), and those with unstable housing (73.6%).

The lowest percentage of viral suppression among MSM was among Black/African American MSM (85.5%), particularly among those aged 15 to 19 years (75.3%), those with no health care coverage (79.9%), and those with temporary (79.1%) and unstable (74.9%) housing. Viral suppression was also lower than overall MSM average among Hispanic/Latino MSM aged 15–19 years (83.1%) and those with unstable housing (83.0%). Among all MSM regardless of race/ethnicity, viral suppression was consistently lowest among MSM in each 5-year age group from 15 to 29 years (range: 77.7%–85.3%) and those with temporary (84.6%) or unstable (78.4%) housing.

Youth aged 13–24 years (Tables 14a/b): Among youth overall, retention in care (76.3%) was slightly lower than the national RWHAP average (79.4%), and viral suppression (81.5%) was substantially lower than the national RWHAP average (89.4%).

Among youth, the lowest percentages of retention in care were among those who identify as transgender (69.8%); those in HHS Region 10 (62.8%); and those with temporary (70.4%) or unstable (69.6%) housing.

Viral suppression was lowest among youth who identify as transgender (74.2%); transgender youth with HIV attributed to sexual contact (73.5%); and youth with temporary (76.3%) or unstable (69.6%) housing.

Given the low numbers within the various subpopulations for youth, caution should be used in interpreting the percentages in Tables 14a/b.

Young Black/African American MSM (YBMSM), aged 13–24 years (Tables 15a/b): Overall, retention in care for YBMSM (75.4%) was lower than the national RWHAP average (79.4%), but consistent with the average for young MSM overall (76.3%). Viral suppression for YBMSM (80.4%) was lower than the national RWHAP average (89.4%) by a considerable difference of 9 percentage points, but only slightly lower than the average for young MSM overall (83.3%).

For YBMSM, the lowest percentage of retention in care was among those in HHS Region 6 (69.3%) and those with temporary housing (65.5%), and viral suppression was lowest among those with temporary (73.9%) or unstable (75.1%) housing.

YBMSM living at or below 100% FPL had notably lower viral suppression compared with other racial/ethnic groups. Specifically, viral suppression among YBMSM living at or below 100% FPL (78.7%) was 7.5 percentage points lower than that among young Hispanic/Latino MSM (86.2%) and 5.3 percentage points lower than that among young White MSM (84.0%).

Given the low numbers within the various subpopulations of young MSM and YBMSM, caution should be used in interpreting the percentages in Tables 15a/b.

Young Black/African American women, aged 13–24 years (Tables 16a/b): Overall, retention in care for young Black/African American women (78.0%) was consistent with the national RWHAP average (79.4%) and with the average for young women overall (77.7%). Viral suppression for young Black/African American women (77.4%) was considerably lower than the national RWHAP average (89.4%) and slightly lower than the average for young women overall (79.7%).

The lowest percentages of retention in care for young Black/African American women were among those in HHS Region 6 (71.1%) and those with temporary housing (72.3%).

Viral suppression for young Black/African American women was lowest among those with temporary housing (70.2%).

Given the low numbers within the various subpopulations of young women and young Black/African American women, caution should be used in interpreting the percentages in Tables 16a/b.

Patients with HIV attributed to injection drug use (Tables 17a/b): Overall, for patients with HIV attributed to injection drug use, retention in care (80.2%) and viral suppression (88.2%) were consistent with the national RWHAP averages (79.4% and 89.4%, respectively).

Among all patients with HIV attributed to injection drug use, retention in care was generally lower among younger age groups and increased as age group increased; however, by race/ethnicity, retention in care was particularly low among White patients in each 5-year age group from 25 to 49 years (range 61.3%–72.7%) and among Black/African American patients aged 30–34 and 35–39 years (67.9% and 7.18%, respectively). Regardless of race/ethnicity, low retention in care was seen among patients with no health care coverage (72.7%) and those with “other plan” health care coverage (71.6%), as well as among patients with temporary (73.3%) or unstable (71.1%) housing. Additionally, retention in care was low among White patients, particularly those in HHS Regions 5, 7, and 8 (63.8%, 71.3%, and 69.8%, respectively); those with no health care coverage (71.3%); and those with temporary (69.2%) and unstable (67.4%) housing.

Viral suppression was lowest among patients with HIV attributed to injection drug use in each 5-year age group from 25 to 44 years (range: 78.7%–81.7%); those with no health care coverage (81.2%) and those with unstable housing (73.8%), regardless of race/ethnicity. Among White and Hispanic/Latino patients, viral suppression was also lower among those with temporary housing (81.3% and 82.5%, respectively).

Data for patients with HIV attributed to injection drug use are based on patients who reported “injection drug use” as their transmission category and may not reflect current behavior.

Housing status (Tables 18a/b): Among RWHAP patients, those with temporary or unstable housing consistently have lower retention in care and viral suppression compared to those with stable housing. This section provides highlights from the retention in care and viral suppression tables focused on housing status among RWHAP OAHS patients.

Overall, retention in care was higher among OAHS patients with stable housing (80.3%), compared with those with temporary (74.7%) or unstable (72.7%) housing. By region, the lowest percentages of retention in care were among patients with unstable housing receiving services in HHS Regions 7, 8, and 10 (65.1%, 56.9%, and 60.7%, respectively); and among patients with temporary housing receiving services in HHS Regions 5, 8, and 10 (66.6%, 69.6, and 68.1% respectively). By race/ethnicity, the lowest percentages were among patients with unstable housing who were American Indian/Alaska Native (66.1%) and patients of multiple races with temporary or unstable housing (67.3% and 63.8%, respectively). By age group, retention in care was consistently lower among patients younger than age 30 across all housing status categories.

Overall, the highest percentage of viral suppression was among those with stable housing (90.4%), whereas percentages among patients with temporary (83.8%) and unstable (76.8%) housing were substantially lower. Among patients with unstable housing, viral suppression was lowest among patients aged 20–24 years (69.8%), American Indian/Alaska Native patients (64.3%), transgender female patients (71.1%), and those receiving services in HHS Regions 2 (70.1%) and 7 (71.4%).

Across all genders, a substantially greater proportion of patients with stable housing reached viral suppression compared with those who had temporary or unstable housing. For example, viral suppression among transgender females with stable housing (86.2%) was 8.7 percentage points higher than that among transgender females with temporary housing (77.5%) and 15.1 percentage points higher than that among those with unstable housing (71.1%). There were similar percentage point differences for male and female patients.

TECHNICAL NOTES

Ryan White HIV/AIDS Program Data

The Ryan White HIV/AIDS Program (RWHAP) Services Report (RSR) is the U.S. Department of Health and Human Services (HHS), Health Resources and Services Administration (HRSA), HIV/AIDS Bureau's (HAB) primary source of annual, client-level data reported by more than 2,000 grant recipients and subrecipients. These data allow HRSA HAB and its stakeholders to assess the numbers and demographics of clients receiving services, understand client HIV-related outcomes, and identify and address HIV-related disparities. Client-level RSR data have been used since 2010. Each year, HRSA HAB requires grant recipients and subrecipients that use RWHAP funds to provide core medical or support services during the reporting period to submit data to in a specified format [6].

This report includes data reported to the RSR for all clients served by the RWHAP Parts A–D during calendar years 2016 through 2020. Beginning with the 2016 calendar year data collection period, recipients and subrecipients reported data for all clients who met the recipient's eligibility requirements for RWHAP participation (which varies by recipient and is based on criteria such as HIV status, income, and residency) and received at least one of the core medical or support services for which the recipient or subrecipient received RWHAP funding, regardless of the actual funding used to pay for the services (i.e., some services may have been paid for by sources other than the RWHAP). Because more recipients have been moving toward funding services with RWHAP-related funding (i.e., program income; pharmaceutical rebates), beginning with the 2019 data, HRSA HAB encourages recipients and subrecipients to also include RSR data on clients receiving services provided using RWHAP-related funding; this will become a reporting requirement for all RWHAP recipients and subrecipients beginning with the 2021 data submission. This new reporting requirement did not replace the previous eligible scope reporting requirement; rather, it expands upon the previous requirement.

In addition to the expanded scope of reporting clients served using RWHAP-related funds, data for people with HIV receiving RWHAP fiscal year (FY) 2020 Coronavirus Aid, Relief, and Economic Security (CARES) Act–funded services and HAB Ending the HIV Epidemic (EHE)–funded services were included in the 2020 RSR data submission.

RSR data do not include information about the AIDS Drug Assistance Program (ADAP), which is reported through another data system. Although data presented in this report are “non-ADAP,” many clients included in the RSR data also receive ADAP services.

After removing personally identifying information, recipients and subrecipients submit data to HRSA HAB. Data are reported by RWHAP grant recipients and subrecipients in 50 states, the District of Columbia, and three territories—Guam, Puerto Rico, and the U.S. Virgin Islands. Five of the six U.S. Pacific territories (excluding Guam) do not submit client-level data and, therefore, are not included in this report.

Presentation of Data

The data in this report include information received by HRSA HAB for clients served during calendar years 2016 through 2020. Data are organized into four sections:

- Section 1 (Tables 1–8): National-level numbers and percentages of clients served by the RWHAP (non-ADAP), presented by selected demographic stratifications
- Section 2 (Tables 9–18b): National-level retention in care and viral suppression among patients receiving outpatient ambulatory health services (OAHS), presented by selected demographics and priority population

- Section 3 (Tables 19a–25b): State- and Eligible Metropolitan Area or Transitional Grant Area (EMA/TGA)–level numbers and percentages of clients served by the RWHAP (non-ADAP), presented by selected demographics
- Section 4 (Tables 26a–35b): State- and EMA/TGA-level retention in care and viral suppression among patients receiving OAHS, presented by selected demographics

Tables 1–3 and 5–8 display subtotals for each subpopulation, as well as the overall total. Subtotals are displayed to reflect the denominator used for the percentage calculation of each subpopulation. Because of missing data, the values in each column may not sum to the column total.

HIV Status

RSR data include de-identified client-level information about people who received services from RWHAP-funded providers. RWHAP clients include people with HIV, as well as people who are affected by HIV (e.g., families and partners of people with HIV served by the RWHAP). Families of people with HIV are able to receive certain services through RWHAP Part D. The data presented in Table 1a, Tables 2 through 8, and Tables 19a through 25b include all RWHAP clients, regardless of HIV status. Table 1b and tables displaying retention in care and viral suppression (Tables 9 through 18b and Tables 26a through 35b) include only people with HIV.

Presumed HIV-positive status: Table 1b displays demographic data about clients with HIV only; however, many clients receive services that do not require HIV status to be reported (e.g., Medical Transportation) and, therefore, may be missing HIV status information. HRSA HAB applied an algorithm to estimate a “presumed HIV positive” status for Table 1b. That is, only six RWHAP-funded service categories are available to clients without HIV (i.e., Child Care Services, Early Intervention Services, Food Bank/Home-Delivered Meals, Other Professional Services, Outreach Services, and Psychosocial Support Services) [7]. Clients aged 13 years and older who received only one or a combination of these six services, without receiving another service available to only people with HIV, were presumed to be HIV negative. All other clients (aged 13 years and older) were presumed to have HIV and were included in Table 1b. Clients younger than 13 years were not included in the algorithm because of an inconsistency in data reporting between 2014 and later years; however, testing the algorithm for 2016 through 2018 for the <13 age group produced effectively no difference from the number of clients with a reported HIV status. Therefore, the HIV status variable was used for clients aged <13 years across all years.

Age Group

RWHAP grant recipients and subrecipients report client birth year, which is used to calculate the client’s age during the designated year as a discrete variable. For tables displaying age groups (Tables 1a–13b and 17a–18b), client ages were categorized to align with the Centers for Disease Control and Prevention (CDC) National HIV Surveillance System (NHSS) age group delineations: <13 years (if applicable), 13–14, 15–19, 20–24, 25–29, 30–34, 35–39, 40–44, 45–49, 50–54, 55–59, 60–64, and ≥65 years [1].

In Tables 20a/b (State and EMA/TGA by age group), data are displayed using broader age group delineations: <13 years, 13–24, 25–34, 35–44, 45–54, 55–64, and ≥65 years.

Tables displaying retention in care and viral suppression for priority populations (Tables 11a–18b) include only clients aged 13 years and older. Tables 14a–16b focus more narrowly on youth and young adults aged 13–24 years.

Race/Ethnicity

Recipients and subrecipients report race/ethnicity information for RWHAP clients according to Office of Management and Budget (OMB) standards [8]. The OMB standards have five categories for race: American Indian or Alaska Native, Asian, Black or African American, Native Hawaiian or Other Pacific Islander, and White. The data on ethnicity have two categories: (1) Hispanic or Latino, and (2) not Hispanic or Latino. Race and ethnicity are submitted as separate variables and combined for analysis.

The race/ethnicity variable is categorized as American Indian or Alaska Native, Asian, Black or African American, Hispanic or Latino, Native Hawaiian or other Pacific Islander, White, and multiple races (two or more categories of race reported).

In this report, clients categorized as Hispanic/Latino may have had any race also reported. Clients categorized by race (e.g., Black/African American) are non-Hispanic/Latino; however, the number of clients reported in each “non-Hispanic/Latino” race category may include clients with missing data for Hispanic/Latino ethnicity.

HRSA HAB expects RWHAP grant recipients and subrecipients to make every effort to obtain and report race and ethnicity based on each client’s self-report. Self-identification is the preferred means of obtaining this information.

Gender

Gender designations in this report are cisgender (non-transgender) male, cisgender female, or transgender. Transgender is an umbrella term for people whose gender identity and/or expression is different from their sex assigned at birth. Because of the unique health needs of transgender people with HIV, they are discussed separately from cisgender people and are specifically identified as being transgender. HRSA HAB collaborated with the transgender community and other experts in sexual orientation and gender identity data collection methods to successfully designate transgender people receiving HIV care and treatment from RWHAP providers, in order to best inform program decisions.

Reporting and analysis to determine transgender identity

Transgender variable options for RSR data reporting include transgender female-to-male (FTM), transgender male-to-female (MTF), or transgender other, which includes people who do not identify with the provided transgender variable options and/or who do not identify with the binary options of male/female (e.g., nonbinary, two-spirit, genderqueer). Self-identification is the preferred means of obtaining this information.

During the period 2010 through 2013, RSR variables for gender included *current gender*, with the options of male, female, and transgender, and a subsequent variable for *transgender identity* (this variable captured FTM, MTF, and transgender unknown). In 2014, HRSA HAB began requiring recipients and subrecipients report gender using a multistep method: *sex assigned at birth* (male or female) was added, and the *current gender* variable was replaced with *current gender identity* (male, female, transgender); the *transgender identity* variable remained intact. Beginning with 2017 reporting, HRSA HAB further refined the *current gender identity* variable to include the options of male, female, FTM, MTF, and transgender other (previously *transgender unknown*); the transgender identity variable was removed, thus creating a two-step method for reporting and determining gender (i.e., sex assigned at birth and current gender identity).

Gender data displayed for 2016 were analyzed using the multistep method for determining gender identity, which takes into account *sex assigned at birth*, *current gender identity*, and *transgender identity* (i.e., the 2014 data reporting method described above). The 2017–2020 data use the two-step method (i.e., the 2017 method); when the reported *current gender identity* is different from the *sex assigned at birth*, the analysis determines gender using an algorithm designed specifically for this purpose.

Language used in this report

In this report, for analyses that include clients of all ages, cisgender male clients are referred to as *male*, cisgender female clients as *female*, transgender MTF clients as *transgender female*, and transgender FTM clients as *transgender male*. For analyses that include only clients aged 13 years and older, clients are referred to as *men*, *women*, *transgender women*, and *transgender men*, respectively. Clients designated under the *transgender other* variable option are referred throughout as *clients with another gender identity*, or in the data tables as *other gender identity*.

Transmission Category

Transmission category is the term for the classification that summarizes a client's possible HIV risk factor(s) at the time of HIV acquisition; the summary classification results from selecting—from a presumed hierarchical order of probability—the single risk factor most likely to have been responsible for transmission.

It is important to note that data by transmission category presented in this report are based on the reported risk factor *most likely to have been responsible for the original transmission of HIV; data may not reflect current behavior (e.g., injection drug use)*.

For tables displaying data for all clients served by the RWHAP (Table 1a, Tables 2 through 8, and Tables 19a through 25b), transmission category data include clients with known positive HIV status and those who have unknown HIV status (e.g., children with indeterminate status and clients with transmission category information but missing HIV status data).

Transmission categories are presented separately by gender (i.e., male, female, transgender).

- For male clients, transmission categories include male-to-male sexual contact, injection drug use, male-to-male sexual contact *and* injection drug use, heterosexual contact, perinatal, and other.
- For female clients, transmission categories include heterosexual contact, injection drug use, perinatal, and other.
- For transgender clients, transmission categories have been modified to better reflect the transgender experience of transmission risk while continuing to follow a relative hierarchy of likelihood for transmission. That is, transmission category data for transgender clients are presented as sexual contact, injection drug use, sexual contact *and* injection drug use, perinatal, and other.

HRSA HAB adapted the definitions of transmission categories from the CDC's NHSS definitions for transmission categories [1]. Clients with more than one reported risk factor are classified in the transmission category listed first in the hierarchy. The only exceptions are (1) men who had sexual contact with other men and who injected drugs and (2) perinatal; these groups make up separate transmission categories. The transmission categories are defined, in order of the hierarchy, as follows:

- *Male-to-male sexual contact*: Male clients who report sexual contact with other men and males who report sexual contact with both men and women.
- *Injection drug use*: Clients who report use of drugs intravenously or through skin popping.
- *Male-to-male sexual contact and injection drug use*: Male clients who report sexual contact with other men, or sexual contact with both men and women, *and* report the use of drugs intravenously or through skin popping.
- *Heterosexual contact*: Clients who report specific heterosexual contact with an individual with, or at increased risk for, HIV (e.g., a person who injects drugs).

- *Perinatal*: This category is exclusively for clients with perinatally acquired HIV. This category includes clients born after 1980 who are known to have HIV and whose infection is attributed to perinatal transmission, as well as infants with indeterminate HIV status.
- *Other*: Clients who report transmission from the receipt of transfusion of blood, blood components, or tissue and clients who report hemophilia/coagulation disorder. Beginning with 2014 data collection, unknown risk factor was no longer included in the classification of *other* transmission risk, nor was it collected as a separate category for the RSR. All analyses in this report include only blood transfusion or hemophilia/coagulation disorder in the *other* transmission category.

For transgender clients, the following transmission category hierarchy is used:

- *Sexual contact*: Transgender clients who report any sexual transmission risk.
- *Injection drug use*: Transgender clients who report use of drugs intravenously or through skin popping.
- *Sexual contact and injection drug use*: Transgender clients who report sexual contact *and* report the use of drugs intravenously or through skin popping.
- *Perinatal*: As above.
- *Other*: As above.

Tables 12b/d and 15a/b display retention in care and viral suppression among MSM aged 13 years and older and among young MSM aged 13–24 years, respectively. These tables include only those clients with HIV attributed to male-to-male sexual contact and exclude male-to-male sexual contact *and* injection drug use. Tables 17a and 17b display retention in care and viral suppression among people with HIV attributed to injection drug use, respectively. These tables include only those clients whose reported transmission category is injection drug use; male clients with male-to-male sexual contact *and* injection drug use, and transgender clients with sexual contact *and* injection drug use as their transmission category are not included.

Federal Poverty Level

Federal poverty level (FPL) characterizes the client’s income as a percentage of the FPL [9,10] at the end of the reporting period. For 2016 through 2020, federal poverty level was categorized as 0–100% FPL, 101–138% FPL, 139–250% FPL, 251–400% FPL, and >400% FPL.

Health Care Coverage

RWHAP grant recipients and subrecipients report all sources of health care coverage that each client had for any part of the reporting period. These data are categorized further for analysis. Health care coverage was categorized as private employer, private individual, Medicare, Medicaid, Medicare and Medicaid (dual eligibility), Veterans Administration, Indian Health Service, other plan, no coverage, and multiple coverages. The Medicaid classification also includes the Children’s Health Insurance Program (CHIP) and other public state health care coverage programs.

Housing Status

The housing status variable captures the client’s housing status at the end of the reporting period and is categorized as stable (e.g., permanent) housing, temporary housing, or unstable housing. The definitions for each of these categories are based on the Housing Opportunities for Persons with AIDS Program Annual Progress Report Measuring Performance Outcomes: form HUD-40110-C and the McKinney-Vento Act, Title 42 US Code, Sec. 11302, General definition of homeless individual [11,12].

Region

HHS uses 10 geographic designations for classifying regions of the United States, which encompass all states and territories. The classification of states and territories within these regions is as follows:

- **Region 1:** Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont
- **Region 2:** New Jersey, New York, Puerto Rico, U.S. Virgin Islands
- **Region 3:** Delaware, District of Columbia, Maryland, Pennsylvania, Virginia, West Virginia
- **Region 4:** Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee
- **Region 5:** Illinois, Indiana, Michigan, Minnesota, Ohio, Wisconsin
- **Region 6:** Arkansas, Louisiana, New Mexico, Oklahoma, Texas
- **Region 7:** Iowa, Kansas, Missouri, Nebraska
- **Region 8:** Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming
- **Region 9:** Arizona, California, Guam, Hawaii, Nevada
- **Region 10:** Alaska, Idaho, Oregon, Washington

The six U.S. Pacific territories are included in HHS Region 9; however, only Guam submits client-level data. The other jurisdictions, therefore, are not included in this report.

It is important to note that the COVID-19 pandemic emerged during the 2019 RSR data submission period and continued through the 2020 period, shifting the priorities for RWHAP recipients and subrecipients. Because of these challenges, the U.S. territory of Guam was unable to submit data by the deadline needed for data processing in 2019 and 2020. Therefore, the 2019 and 2020 data do not include Guam's data; in addition, these data are not shown for state/territory-specific tables ("a" tables from 19 to 35).

State

State data are displayed in "a" tables from 19a through 35a. State-level delineation of data is based on provider location rather than client location. Clients receiving services in multiple states are not included in state-specific totals; these clients make up less than 2% of the total RWHAP population.

In addition, state-level analyses include data submitted for all Parts of the RWHAP. That is, data presented by state are not limited to entities receiving RWHAP Part B funding; all tables include data for all clients served by RWHAP providers in the state, regardless of the source of RWHAP funding (i.e., data from Parts A, B, C, and D are included).

Eligible Metropolitan Areas (EMAs) and Transitional Grant Areas (TGAs)

Part A of the RWHAP provides emergency assistance to EMAs and TGAs that are most severely affected by the HIV epidemic. To qualify for EMA status, an area must have reported at least 2,000 AIDS cases in the most recent 5 years and have a population of at least 50,000. To be eligible for TGA status, an area must have reported 1,000–1,999 AIDS cases in the most recent 5 years and have a population of at least 50,000.

EMAs and TGAs range in size from one city or county to more than 26 different geographic entities; 11 include parts of more than one state.

The boundaries of EMAs and TGAs are based on the U.S. Census Bureau delineation of the metropolitan statistical area at the time of first eligibility. Client-level data are reported based on provider location, rather than client location.

EMA and TGA data are displayed in “b” tables from 19b through 35b. It is important to note that data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and TGAs. In addition, data presented for EMAs and TGAs are not limited to entities receiving RWHAP Part A funding; all tables include data for all clients served by RWHAP providers in the EMA or TGA, regardless of the source of RWHAP funding (i.e., Parts A, B, C, and D data are included).

Tables 21b, 30b, and 31b display EMA and TGA data by race/ethnicity. To protect the confidentiality of clients, values less than 5 were suppressed. In addition, to ensure values less than 5 cannot be calculated, all data on clients of multiple races have been suppressed. In Table 21b, the “Total” column on which percentages were based includes all clients with reported race/ethnicity information.

Similarly, Table 22b displays data by gender. To protect the confidentiality of clients, values less than 5 were suppressed and all data on clients whose gender is “other gender identity” have been suppressed. The “Total” column on which percentages were based includes all clients with reported gender information.

Retention in Care and Viral Suppression

Retention in HIV medical care was defined as people with HIV who had at least two medical visit dates that were at least 90 days apart in the measurement year. Because the data sets are restricted to one calendar year of data each, the first of these HIV medical care visits in the year must have occurred before September 1 of the measurement year, thus giving the client an opportunity to meet the retention criteria by December 31.

Viral suppression was based on data for people with HIV who had at least one OAHS visit and at least one viral load test during the measurement year. Viral suppression was defined as the most recently reported HIV RNA test result of <200 copies/mL.

Priority Populations

Although anyone can have HIV, all people and communities are not impacted equally. HRSA HAB has enhanced its efforts to focus on communities where HIV is most concentrated. These priority populations include women; transgender women; gay, bisexual, and other MSM; Blacks/African Americans; Hispanics/Latinos; youth; young Black/African American MSM; young Black/African American women; people with HIV attributed to injection drug use; and people with unstable or temporary housing. Tables 11a through 18b display retention in care (“a” tables) and viral suppression (“b” tables) for these priority populations.

REFERENCES

1. Centers for Disease Control and Prevention. HIV Surveillance Report, 2019; vol.32. www.cdc.gov/hiv/library/reports/hiv-surveillance.html. Published May 2021.
2. HIV.gov. About Ending the HIV Epidemic: Plan for America: Overview. Available at www.hiv.gov/federal-response/ending-the-hiv-epidemic/overview.
3. Health Resources and Services Administration. *Ryan White HIV/AIDS Program AIDS Drug Assistance Program (ADAP) Annual Client-Level Data Report 2019*. Published December 2020. Available at www.hab.hrsa.gov/data/data-reports.
4. U.S. Department of Health and Human Services. 2021. HIV National Strategic Plan for the United States: A Roadmap to End the Epidemic 2021–2025. Washington, DC. Available at hiv.gov/federal-response/national-hiv-aids-strategy/nhas-update.
5. U.S. Department of Health and Human Services, Office of HIV/AIDS and Infectious Disease Policy. May 2018. *National HIV/AIDS Strategy for the United States: Updated to 2020: 2017 Progress Report*. Available at https://files.hiv.gov/s3fs-public/NHAS_Progress_Report_2017.pdf.
6. Health Resources and Services Administration. 2020. “Data Reporting Requirements and Technical Assistance.” Available at www.hab.hrsa.gov/manageyourgrant/reportingrequirements.html.
7. Health Resources and Services Administration. October 2018. “Ryan White HIV/AIDS Program Services: Eligible Individuals & Allowable Uses of Funds: Policy Clarification Notice (PCN) #16-02. Revised 10/22/18.” Available at www.hab.hrsa.gov/sites/default/files/hab/program-grants-management/ServiceCategoryPCN_16-02Final.pdf.
8. Office of Management and Budget. October 1997. “Revisions to the Standards for the Classification of Federal Data on Race and Ethnicity.” *Federal Register* 1997;62:58782–58790. Available at www.federalregister.gov/documents/1997/10/30/97-28653/revisions-to-the-standards-for-the-classification-of-federal-data-on-race-and-ethnicity.
9. U.S. Department of Health and Human Services. January 2016. “Annual Update of the HHS Poverty Guidelines.” *Federal Register* 2016;81:4036–4037. Available at www.federalregister.gov/documents/2016/01/25/2016-01450/annual-update-of-the-hhs-poverty-guidelines.
10. U.S. Department of Health and Human Services, Office of the Assistant Secretary for Planning and Evaluation. September 2015. “2015 Poverty Guidelines.” Available at www.aspe.hhs.gov/2015-poverty-guidelines.
11. McKinney-Vento Act, Title 42 US Code, Sec. 11302. “General definition of homeless individual.” Available at www.gpo.gov/fdsys/pkg/USCODE-2010-title42/pdf/USCODE-2010-title42-chap119-subchapl-sec11302.pdf.
12. U.S. Housing and Urban Development. “Housing Opportunities for Persons with AIDS (HOPWA) Program, Annual Progress Report (APR), Measuring Performance Outcomes.” Form HUD-40110-C. Available at www.hudexchange.info/resource/1012/hopwa-annual-progress-report-apr-form-hud-40110-c/.

ADDITIONAL RESOURCES

Centers for Disease Control and Prevention, HIV prevention resources: www.cdc.gov/hiv

Health Resources and Services Administration, HIV/AIDS programs: www.hab.hrsa.gov

HIV.gov, the nation’s source for timely and relevant federal HIV policies, programs, and resources: www.HIV.gov

RWHAP Compass Dashboard, a user-friendly, interactive data tool to visualize the reach, impact, and outcomes of the RWHAP: www.targethiv.org/RWHAPCompass

TargetHIV, tools for the Ryan White HIV/AIDS Program Community: www.targethiv.org

This page intentionally left blank

Section 1.

National-Level Data: Client Characteristics

Table 1a. Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2016–2020—United States and 3 territories

	2016		2017		2018		2019		2020	
	No.	%	No.	%	No.	%	No.	%	No.	%
Age group (yrs)										
<13	4,800	0.9	4,973	0.9	4,303	0.8	3,617	0.6	3,423	0.6
13–14	553	0.1	541	0.1	611	0.1	507	0.1	456	0.1
15–19	3,855	0.7	3,607	0.7	3,282	0.6	3,147	0.6	2,651	0.5
20–24	20,665	3.8	19,397	3.6	18,085	3.4	18,441	3.2	16,593	3.0
25–29	45,039	8.2	44,684	8.4	44,378	8.3	45,932	8.1	42,270	7.5
30–34	48,387	8.8	49,148	9.2	51,045	9.6	57,715	10.2	59,373	10.6
35–39	52,819	9.6	51,427	9.6	51,949	9.7	55,768	9.8	55,139	9.8
40–44	54,885	10.0	51,546	9.6	51,175	9.6	54,577	9.6	54,979	9.8
45–49	75,370	13.7	67,622	12.6	62,809	11.8	62,480	11.0	57,580	10.3
50–54	91,961	16.7	84,736	15.8	79,932	15.0	79,293	14.0	74,823	13.3
55–59	74,264	13.5	73,824	13.8	75,839	14.2	82,416	14.5	82,127	14.6
60–64	45,149	8.2	46,864	8.8	49,854	9.3	55,743	9.8	58,780	10.5
≥65	33,231	6.0	36,433	6.8	40,378	7.6	48,167	8.5	53,222	9.5
Subtotal	550,978	100.0	534,802	100.0	533,640	100.0	567,803	100.0	561,416	100.0
Race/ethnicity										
American Indian/Alaska Native	2,768	0.5	2,911	0.5	2,681	0.5	3,070	0.5	2,796	0.5
Asian	7,366	1.3	7,383	1.4	7,592	1.4	8,259	1.5	8,195	1.5
Black/African American	257,617	47.1	250,168	47.1	249,832	47.1	261,734	46.6	258,186	46.6
Hispanic/Latino ^a	126,254	23.1	122,956	23.1	122,848	23.2	131,225	23.3	131,033	23.6
Native Hawaiian/Pacific Islander	962	0.2	957	0.2	924	0.2	1,058	0.2	1,074	0.2
White	145,812	26.7	140,471	26.4	139,667	26.3	149,804	26.6	146,648	26.4
Multiple races	6,142	1.1	6,503	1.2	6,882	1.3	6,968	1.2	6,618	1.2
Subtotal	546,921	100.0	531,349	100.0	530,426	100.0	562,118	100.0	554,550	100.0
Gender										
Male	392,845	71.4	380,229	71.1	382,052	71.6	406,312	71.6	404,079	72.0
Female	150,451	27.3	145,046	27.1	141,363	26.5	148,452	26.2	145,441	25.9
Transgender female	6,664	1.2	8,345	1.6	8,974	1.7	10,712	1.9	10,174	1.8
Transgender male	430	0.1	944	0.2	981	0.2	1,676	0.3	1,011	0.2
Other gender identity	71	<0.1	186	<0.1	223	<0.1	400	0.1	424	0.1
Subtotal	550,461	100.0	534,750	100.0	533,593	100.0	567,552	100.0	561,129	100.0
Transmission category										
Male client										
Male-to-male sexual contact	227,288	64.1	219,732	64.7	225,540	65.7	232,029	65.7	234,809	66.7
Injection drug use	22,773	6.4	20,755	6.1	19,823	5.8	19,845	5.6	19,105	5.4
Male-to-male sexual contact and injection drug use	10,329	2.9	11,059	3.3	11,059	3.2	11,138	3.2	11,055	3.1
Heterosexual contact ^b	87,007	24.5	81,356	24.0	80,948	23.6	83,664	23.7	81,038	23.0
Perinatal	4,702	1.3	4,432	1.3	4,205	1.2	4,162	1.2	4,150	1.2
Other ^c	2,407	0.7	2,163	0.6	1,968	0.6	2,108	0.6	2,090	0.6
Subtotal^d	354,506	100.0	339,497	100.0	343,543	100.0	352,946	100.0	352,247	100.0
Female client										
Injection drug use	11,510	8.7	10,790	8.5	10,251	8.2	10,364	8.1	10,148	8.1
Heterosexual contact ^b	113,601	85.7	109,301	86.0	107,707	86.5	111,330	86.7	108,929	86.8
Perinatal	5,649	4.3	5,425	4.3	5,232	4.2	5,101	4.0	4,945	3.9
Other ^c	1,794	1.4	1,564	1.2	1,359	1.1	1,540	1.2	1,534	1.2
Subtotal^d	132,554	100.0	127,080	100.0	124,549	100.0	128,335	100.0	125,556	100.0
Transgender client										
Sexual contact ^e	5,498	92.4	7,027	91.7	7,872	92.7	9,925	93.4	8,800	93.2
Injection drug use	114	1.9	138	1.8	119	1.4	163	1.5	119	1.3
Sexual contact ^e and injection drug use	286	4.8	387	5.1	419	4.9	402	3.8	434	4.6
Perinatal	26	0.4	68	0.9	52	0.6	96	0.9	55	0.6
Other ^c	24	0.4	41	0.5	27	0.3	45	0.4	33	0.3
Subtotal^d	5,948	100.0	7,661	100.0	8,489	100.0	10,631	100.0	9,441	100.0

Table 1a. Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2016–2020—United States and 3 territories (cont.)

	2016		2017		2018		2019		2020	
	No.	%	No.	%	No.	%	No.	%	No.	%
Federal poverty level										
0–100%	327,192	62.8	310,127	62.8	304,082	61.3	316,202	60.7	313,693	60.9
101–138%	62,527	12.0	57,483	11.6	56,982	11.5	58,250	11.2	56,293	10.9
139–250%	85,237	16.4	81,950	16.6	84,533	17.0	91,892	17.6	90,399	17.6
251–400%	34,114	6.5	31,937	6.5	36,179	7.3	42,257	8.1	41,267	8.0
>400%	11,782	2.3	12,504	2.5	14,251	2.9	12,427	2.4	13,107	2.5
Subtotal	520,852	100.0	494,001	100.0	496,027	100.0	521,028	100.0	514,759	100.0
Health care coverage										
Private employer	46,191	8.7	48,582	9.5	52,389	10.2	54,163	10.0	53,927	10.1
Private individual	41,157	7.7	39,130	7.7	41,412	8.1	45,888	8.5	50,210	9.4
Medicare	55,780	10.5	54,424	10.7	53,230	10.3	57,880	10.7	56,561	10.6
Medicaid	173,770	32.7	166,439	32.6	162,098	31.5	166,738	30.8	164,343	30.8
Medicare and Medicaid	40,060	7.5	39,303	7.7	40,612	7.9	41,786	7.7	40,144	7.5
Veterans Administration	1,518	0.3	1,342	0.3	1,317	0.3	1,313	0.2	1,180	0.2
Indian Health Service	181	<0.1	229	<0.1	201	<0.1	170	<0.1	90	<0.1
Other plan	10,277	1.9	8,976	1.8	8,146	1.6	9,018	1.7	10,749	2.0
No coverage	109,247	20.6	103,008	20.2	103,350	20.1	110,645	20.4	103,746	19.4
Multiple coverages	53,255	10.0	48,755	9.6	51,548	10.0	54,037	10.0	52,493	9.8
Subtotal	531,436	100.0	510,188	100.0	514,303	100.0	541,638	100.0	533,443	100.0
Housing status										
Stable	449,267	86.1	436,036	87.1	436,227	87.0	455,641	87.0	458,508	88.3
Temporary	45,764	8.8	39,203	7.8	38,436	7.7	38,830	7.4	35,678	6.9
Unstable	26,907	5.2	25,629	5.1	26,815	5.3	28,978	5.5	25,177	4.8
Subtotal	521,938	100.0	500,868	100.0	501,478	100.0	523,449	100.0	519,363	100.0
Total^f	551,564	—	534,903	—	533,758	—	567,803	—	561,416	—

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes hemophilia and blood transfusion.

^d Subtotals are reflective of available gender and transmission category information. The values may not sum to the subtotals for gender overall.

^e Includes any sexual transmission category reported by transgender clients.

^f Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation; due to missing data, the values in each column may not sum to the column total.

Table 1b. Ryan White HIV/AIDS Program clients with HIV (non-ADAP), by year and selected characteristics, 2016–2020—United States and 3 territories

	2016		2017		2018		2019		2020	
	No.	%	No.	%	No.	%	No.	%	No.	%
Age group (yrs)										
<13	1,432	0.3	1,194	0.2	1,089	0.2	1,000	0.2	869	0.2
13–14	421	0.1	384	0.1	412	0.1	391	0.1	367	0.1
15–19	3,126	0.6	2,889	0.6	2,672	0.5	2,748	0.5	2,371	0.4
20–24	19,751	3.7	18,192	3.5	17,114	3.3	17,682	3.2	16,087	2.9
25–29	44,050	8.2	43,318	8.4	43,040	8.3	45,095	8.1	41,785	7.5
30–34	47,607	8.8	47,744	9.2	49,837	9.6	56,894	10.2	58,898	10.6
35–39	51,994	9.6	50,082	9.7	50,664	9.8	54,894	9.9	54,685	9.9
40–44	54,279	10.1	50,459	9.7	50,153	9.7	53,823	9.7	54,659	9.9
45–49	74,595	13.8	66,323	12.8	61,773	11.9	61,649	11.1	57,206	10.3
50–54	91,054	16.9	83,204	16.1	78,778	15.2	78,229	14.1	74,385	13.4
55–59	73,421	13.6	72,438	14.0	74,593	14.4	81,322	14.6	81,612	14.7
60–64	44,582	8.3	45,898	8.9	49,064	9.5	54,973	9.9	58,355	10.5
≥65	32,633	6.1	35,528	6.9	39,514	7.6	47,328	8.5	52,674	9.5
Subtotal	538,945	100.0	517,653	100.0	518,703	100.0	556,028	100.0	553,953	100.0
Race/ethnicity										
American Indian/Alaska Native	2,732	0.5	2,740	0.5	2,604	0.5	3,006	0.5	2,768	0.5
Asian	7,212	1.3	7,210	1.4	7,397	1.4	8,171	1.5	8,104	1.5
Black/African American	250,591	46.8	240,288	46.7	241,210	46.8	256,091	46.4	254,246	46.4
Hispanic/Latino ^a	124,186	23.2	120,480	23.4	120,625	23.4	129,452	23.5	129,771	23.7
Native Hawaiian/Pacific Islander	945	0.2	931	0.2	891	0.2	1,044	0.2	1,065	0.2
White	143,792	26.9	137,470	26.7	137,170	26.6	147,760	26.8	145,642	26.6
Multiple races	5,787	1.1	5,793	1.1	6,051	1.2	6,060	1.1	6,334	1.2
Subtotal	535,245	100.0	514,912	100.0	515,948	100.0	551,584	100.0	547,930	100.0
Gender										
Male	385,887	71.7	369,992	71.5	373,239	72.0	399,634	71.9	399,835	72.2
Female	144,977	27.0	138,547	26.8	135,531	26.1	143,650	25.8	142,408	25.7
Transgender female	6,584	1.2	8,109	1.6	8,750	1.7	10,554	1.9	10,077	1.8
Transgender male	420	0.1	896	0.2	938	0.2	1,639	0.3	981	0.2
Other gender identity	65	<0.1	154	<0.1	186	<0.1	369	0.1	404	0.1
Subtotal	537,933	100.0	517,698	100.0	518,644	100.0	555,846	100.0	553,705	100.0
Transmission category										
Male client										
Male-to-male sexual contact	226,988	64.4	219,732	64.9	225,326	65.8	231,923	65.9	234,797	66.8
Injection drug use	22,765	6.5	20,755	6.1	19,821	5.8	19,836	5.6	19,105	5.4
Male-to-male sexual contact and injection drug use	10,329	2.9	11,059	3.3	11,059	3.2	11,109	3.2	11,054	3.1
Heterosexual contact ^b	86,417	24.5	81,356	24.0	80,915	23.6	83,571	23.7	81,009	23.1
Perinatal	3,704	1.1	3,456	1.0	3,376	1.0	3,383	1.0	3,366	1.0
Other ^c	2,406	0.7	2,163	0.6	1,967	0.6	2,108	0.6	2,090	0.6
Subtotal^d	352,609	100.0	338,521	100.0	342,464	100.0	351,930	100.0	351,421	100.0
Female client										
Injection drug use	11,492	8.8	10,790	8.6	10,251	8.3	10,361	8.1	10,146	8.1
Heterosexual contact ^b	113,137	86.3	109,301	86.7	107,680	87.1	111,227	87.3	108,898	87.2
Perinatal	4,673	3.6	4,420	3.5	4,356	3.5	4,345	3.4	4,252	3.4
Other ^c	1,794	1.4	1,564	1.2	1,359	1.1	1,540	1.2	1,534	1.2
Subtotal^d	131,096	100.0	126,075	100.0	123,646	100.0	127,473	100.0	124,830	100.0
Transgender client										
Sexual contact ^e	5,485	92.4	7,027	92.0	7,864	92.8	9,914	93.4	8,796	93.2
Injection drug use	113	1.9	138	1.8	118	1.4	162	1.5	119	1.3
Sexual contact ^e and injection drug use	286	4.8	387	5.1	419	4.9	402	3.8	434	4.6
Perinatal	26	0.4	47	0.6	47	0.6	87	0.8	51	0.5
Other ^c	24	0.4	41	0.5	27	0.3	45	0.4	33	0.3
Subtotal^d	5,934	100.0	7,640	100.0	8,475	100.0	10,610	100.0	9,433	100.0

Table 1b. Ryan White HIV/AIDS Program clients with HIV (non-ADAP), by year and selected characteristics, 2016–2020—United States and 3 territories (cont.)

	2016		2017		2018		2019		2020	
	No.	%	No.	%	No.	%	No.	%	No.	%
Federal poverty level										
0–100%	323,503	62.6	306,837	62.6	301,411	61.2	313,925	60.6	311,596	60.9
101–138%	62,175	12.0	57,188	11.7	56,703	11.5	58,018	11.2	56,087	11.0
139–250%	84,919	16.4	81,553	16.6	84,180	17.1	91,643	17.7	90,070	17.6
251–400%	34,037	6.6	31,839	6.5	36,032	7.3	42,198	8.1	41,220	8.1
>400%	11,740	2.3	12,471	2.5	14,207	2.9	12,397	2.4	13,050	2.5
Subtotal	516,374	100.0	489,888	100.0	492,533	100.0	518,181	100.0	512,023	100.0
Health care coverage										
Private employer	45,868	8.7	48,233	9.6	51,968	10.2	53,916	10.1	53,709	10.1
Private individual	41,087	7.8	38,970	7.8	41,210	8.1	45,784	8.5	50,077	9.5
Medicare	55,649	10.6	54,255	10.8	53,036	10.5	57,798	10.8	56,501	10.7
Medicaid	169,983	32.4	162,257	32.3	158,347	31.2	163,884	30.6	162,012	30.6
Medicare and Medicaid	40,053	7.6	39,255	7.8	40,578	8.0	41,764	7.8	40,120	7.6
Veterans Administration	1,489	0.3	1,314	0.3	1,291	0.3	1,304	0.2	1,168	0.2
Indian Health Service	178	<0.1	227	<0.1	200	<0.1	169	<0.1	78	<0.1
Other plan	9,943	1.9	8,783	1.7	8,012	1.6	8,840	1.6	10,708	2.0
No coverage	107,266	20.4	100,861	20.1	101,305	20.0	108,776	20.3	102,603	19.4
Multiple coverages	53,190	10.1	48,652	9.7	51,448	10.1	53,989	10.1	52,447	9.9
Subtotal	524,706	100.0	502,807	100.0	507,395	100.0	536,224	100.0	529,423	100.0
Housing status										
Stable	445,342	86.0	432,116	87.0	432,851	86.9	452,944	87.0	455,884	88.2
Temporary	45,572	8.8	39,051	7.9	38,333	7.7	38,755	7.4	35,569	6.9
Unstable	26,757	5.2	25,591	5.2	26,756	5.4	28,913	5.6	25,133	4.9
Subtotal	517,671	100.0	496,758	100.0	497,940	100.0	520,612	100.0	516,586	100.0
Total^f	538,946	—	517,748	—	518,728	—	556,028	—	553,953	—

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes hemophilia and blood transfusion.

^d Subtotals are reflective of available gender and transmission category information. The values may not sum to the subtotals for gender overall.

^e Includes any sexual transmission category reported by transgender clients.

^f Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation; due to missing data, the values in each column may not sum to the column total.

Table 2. Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories

	American Indian/ Alaska Native		Asian		Black/ African American		Hispanic/Latino ^a		Native Hawaiian/ Pacific Islander		White		Multiple races	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Age group (yrs)														
<13	7	0.3	84	1.0	2,390	0.9	526	0.4	5	0.5	293	0.2	56	0.8
13–14	0	0.0	22	0.3	301	0.1	68	0.1	0	0.0	53	<0.1	7	0.1
15–19	11	0.4	70	0.9	1,700	0.7	516	0.4	9	0.8	257	0.2	43	0.6
20–24	82	2.9	258	3.1	9,658	3.7	3,860	2.9	35	3.3	2,162	1.5	276	4.2
25–29	195	7.0	703	8.6	22,453	8.7	10,190	7.8	88	8.2	7,212	4.9	732	11.1
30–34	313	11.2	960	11.7	30,390	11.8	14,124	10.8	146	13.6	11,677	8.0	886	13.4
35–39	286	10.2	1,011	12.3	25,134	9.7	14,552	11.1	117	10.9	12,600	8.6	722	10.9
40–44	304	10.9	1,047	12.8	23,895	9.3	15,291	11.7	130	12.1	13,000	8.9	628	9.5
45–49	293	10.5	1,193	14.6	24,729	9.6	15,591	11.9	111	10.3	14,330	9.8	644	9.7
50–54	424	15.2	1,079	13.2	31,814	12.3	17,955	13.7	129	12.0	21,859	14.9	751	11.3
55–59	414	14.8	751	9.2	35,375	13.7	17,040	13.0	151	14.1	26,690	18.2	850	12.8
60–64	258	9.2	509	6.2	26,782	10.4	11,207	8.6	88	8.2	18,824	12.8	549	8.3
≥65	209	7.5	508	6.2	23,565	9.1	10,113	7.7	65	6.1	17,691	12.1	474	7.2
Subtotal	2,796	100.0	8,195	100.0	258,186	100.0	131,033	100.0	1,074	100.0	146,648	100.0	6,618	100.0
Gender														
Male	2,008	71.8	6,385	77.9	163,847	63.5	99,608	76.0	819	76.3	121,554	82.9	4,802	73.1
Female	694	24.8	1,613	19.7	88,194	34.2	28,136	21.5	197	18.4	23,504	16.0	1,560	23.7
Transgender	93	3.3	196	2.4	6,093	2.4	3,260	2.5	57	5.3	1,541	1.1	211	3.2
Subtotal	2,795	100.0	8,194	100.0	258,134	100.0	131,004	100.0	1,073	100.0	146,599	100.0	6,573	100.0
Transmission category														
Male client														
Male-to-male sexual contact	1,127	65.9	3,894	71.1	82,905	58.0	60,495	67.7	532	76.0	81,694	76.8	2,821	72.4
Injection drug use	116	6.8	169	3.1	7,172	5.0	5,244	5.9	31	4.4	6,084	5.7	201	5.2
Male-to-male sexual contact and injection drug use	182	10.6	88	1.6	2,125	1.5	2,139	2.4	30	4.3	6,196	5.8	256	6.6
Heterosexual contact ^b	257	15.0	1,149	21.0	47,424	33.2	20,150	22.6	93	13.3	11,153	10.5	533	13.7
Perinatal	14	0.8	82	1.5	2,625	1.8	865	1.0	10	1.4	458	0.4	64	1.6
Other ^c	14	0.8	94	1.7	649	0.5	452	0.5	4	0.6	849	0.8	19	0.5
Subtotal^d	1,710	100.0	5,476	100.0	142,900	100.0	89,345	100.0	700	100.0	106,434	100.0	3,894	100.0
Female client														
Injection drug use	111	18.6	33	2.4	4,121	5.4	1,786	7.1	13	8.0	3,864	18.7	174	14.7
Heterosexual contact ^b	473	79.2	1,184	87.6	67,958	89.3	21,851	87.4	142	87.7	16,066	77.6	911	76.7
Perinatal	6	1.0	89	6.6	3,223	4.2	1,004	4.0	6	3.7	492	2.4	84	7.1
Other ^c	7	1.2	46	3.4	813	1.1	353	1.4	1	0.6	284	1.4	18	1.5
Subtotal^d	597	100.0	1,352	100.0	76,115	100.0	24,994	100.0	162	100.0	20,706	100.0	1,187	100.0
Transgender client														
Sexual contact ^e	57	77.0	139	92.7	4,710	94.7	2,605	94.3	39	86.7	1,079	87.0	122	85.3
Injection drug use	2	2.7	1	0.7	53	1.1	31	1.1	2	4.4	26	2.1	3	2.1
Sexual contact ^e and injection drug use	15	20.3	7	4.7	157	3.2	111	4.0	4	8.9	120	9.7	16	11.2
Perinatal	0	0.0	2	1.3	36	0.7	7	0.3	0	0.0	9	0.7	1	0.7
Other ^c	0	0.0	1	0.7	16	0.3	7	0.3	0	0.0	6	0.5	1	0.7
Subtotal^d	74	100.0	150	100.0	4,972	100.0	2,761	100.0	45	100.0	1,240	100.0	143	100.0
Total^f	2,796	—	8,195	—	258,186	—	131,033	—	1,074	—	146,648	—	6,618	—

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes hemophilia and blood transfusion.

^d Subtotals are reflective of available gender and transmission category information. The values may not sum to the subtotals for gender overall.

^e Includes any sexual transmission category reported by transgender clients.

^f Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation; due to missing data, the values in each column may not sum to the column total.

Table 3. Ryan White HIV/AIDS Program clients (non-ADAP), by gender and selected characteristics, 2020—United States and 3 territories

	Male		Female		Transgender female		Transgender male		Other gender identity		Total ^a	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Age group (yrs)												
<13	1,684	0.4	1,727	1.2	*	*	*	*	*	*	3,411	0.6
13–14	214	0.1	240	0.2	*	*	*	*	*	*	454	0.1
15–19	1,637	0.4	962	0.7	39	0.4	7	0.7	2	0.5	2,647	0.5
20–24	12,876	3.2	3,016	2.1	582	5.7	67	6.6	35	8.3	16,576	3.0
25–29	33,938	8.4	6,661	4.6	1,458	14.3	114	11.3	68	16.1	42,239	7.5
30–34	46,948	11.6	10,156	7.0	1,974	19.4	179	17.8	78	18.5	59,335	10.6
35–39	40,531	10.0	12,934	8.9	1,448	14.2	112	11.1	54	12.8	55,079	9.8
40–44	37,488	9.3	16,167	11.1	1,147	11.3	100	9.9	45	10.7	54,947	9.8
45–49	38,308	9.5	18,106	12.4	1,017	10.0	86	8.5	35	8.3	57,552	10.3
50–54	52,282	12.9	21,333	14.7	1,036	10.2	114	11.3	32	7.6	74,797	13.3
55–59	59,133	14.6	22,084	15.2	753	7.4	100	9.9	32	7.6	82,102	14.6
60–64	41,522	10.3	16,687	11.5	441	4.3	84	8.3	31	7.3	58,765	10.5
≥65	37,518	9.3	15,368	10.6	272	2.7	45	4.5	10	2.4	53,213	9.5
Subtotal	404,079	100.0	145,441	100.0	10,167	100.0	1,008	100.0	422	100.0	561,117	100.0
Race/ethnicity												
American Indian/Alaska Native	2,008	0.5	694	0.5	85	0.8	7	0.7	1	0.3	2,795	0.5
Asian	6,385	1.6	1,613	1.1	172	1.7	14	1.4	10	2.6	8,194	1.5
Black/African American	163,847	41.1	88,194	61.3	5,399	53.6	520	52.3	174	45.3	258,134	46.6
Hispanic/Latino ^b	99,608	25.0	28,136	19.6	2,976	29.5	202	20.3	82	21.4	131,004	23.6
Native Hawaiian/Pacific Islander	819	0.2	197	0.1	53	0.5	3	0.3	1	0.3	1,073	0.2
White	121,554	30.5	23,504	16.3	1,199	11.9	233	23.4	109	28.4	146,599	26.4
Multiple races	4,802	1.2	1,560	1.1	189	1.9	15	1.5	7	1.8	6,573	1.2
Subtotal	399,023	100.0	143,898	100.0	10,073	100.0	994	100.0	384	100.0	554,372	100.0
Transmission category												
Male-to-male sexual contact	234,809	66.7	0	0.0	0	0.0	0	0.0	0	0.0	234,809	48.2
Injection drug use	19,105	5.4	10,148	8.1	92	1.1	24	3.2	3	1.4	29,372	6.0
Male-to-male sexual contact and injection drug use	11,055	3.1	0	0.0	0	0.0	0	0.0	0	0.0	11,055	2.3
Heterosexual contact ^c	81,038	23.0	108,929	86.8	0	0.0	0	0.0	0	0.0	189,967	39.0
Perinatal	4,150	1.2	4,945	3.9	31	0.4	22	2.9	2	0.9	9,150	1.9
Other ^d	2,090	0.6	1,534	1.2	30	0.4	2	0.3	1	0.5	3,657	0.8
Sexual contact ^e	0	0.0	0	0.0	7,925	93.6	669	89.1	206	93.6	8,800	1.8
Sexual contact ^e and injection drug use	0	0.0	0	0.0	392	4.6	34	4.5	8	3.6	434	0.1
Subtotal	352,247	100.0	125,556	100.0	8,470	100.0	751	100.0	220	100.0	487,244	100.0
Federal poverty level												
0–100%	213,102	57.4	92,500	69.7	7,183	77.2	580	67.2	212	75.4	313,577	60.9
101–138%	42,082	11.3	13,379	10.1	726	7.8	79	9.2	18	6.4	56,284	10.9
139–250%	70,905	19.1	18,355	13.8	961	10.3	130	15.1	35	12.5	90,386	17.6
251–400%	34,292	9.2	6,537	4.9	360	3.9	56	6.5	11	3.9	41,256	8.0
>400%	11,089	3.0	1,908	1.4	78	0.8	18	2.1	5	1.8	13,098	2.5
Subtotal	371,470	100.0	132,679	100.0	9,308	100.0	863	100.0	281	100.0	514,601	100.0

Table 3. Ryan White HIV/AIDS Program clients (non-ADAP), by gender and selected characteristics, 2020—United States and 3 territories (cont.)

	Male		Female		Transgender female		Transgender male		Other gender identity		Total ^a	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Housing status												
Stable	328,203	87.8	121,830	90.5	7,453	79.2	744	82.7	198	76.7	458,428	88.3
Temporary	26,438	7.1	8,117	6.0	974	10.4	82	9.1	35	13.6	35,646	6.9
Unstable	19,343	5.2	4,746	3.5	982	10.4	74	8.2	25	9.7	25,170	4.8
Subtotal	373,984	100.0	134,693	100.0	9,409	100.0	900	100.0	258	100.0	519,244	100.0
Total^f	404,079	—	145,441	—	10,174	—	1,011	—	424	—	561,129	—

* To ensure confidentiality, data have been suppressed.

^a Row totals include clients in the specified subpopulation with reported gender information.

^b Hispanics/Latinos can be of any race.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e Includes any sexual transmission category reported by transgender clients.

^f Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation; due to missing data, the values in each column may not sum to the column total.

Table 4a. Male clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and age group, 2020—United States and 3 territories

Age group (yrs)	Male-to-male sexual contact		Injection drug use		Male-to-male sexual contact and injection drug use		Heterosexual contact ^a		Perinatal		Other ^b	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
<13	—	—	—	—	—	—	—	—	1,131	27.3	2	0.1
13–14	3	<0.1	0	0.0	0	0.0	1	<0.1	150	3.6	1	<0.1
15–19	781	0.3	3	<0.1	5	<0.1	91	0.1	460	11.1	3	0.1
20–24	9,323	4.0	83	0.4	144	1.3	857	1.1	694	16.7	14	0.7
25–29	24,837	10.6	408	2.1	683	6.2	2,678	3.3	948	22.8	36	1.7
30–34	33,557	14.3	748	3.9	1,173	10.6	4,723	5.8	612	14.7	71	3.4
35–39	26,804	11.4	968	5.1	1,245	11.3	6,024	7.4	155	3.7	118	5.6
40–44	22,326	9.5	1,232	6.4	1,177	10.6	7,775	9.6	—	—	164	7.8
45–49	21,242	9.0	1,463	7.7	1,187	10.7	9,455	11.7	—	—	207	9.9
50–54	28,425	12.1	2,413	12.6	1,638	14.8	12,968	16.0	—	—	325	15.6
55–59	31,131	13.3	3,913	20.5	1,767	16.0	14,740	18.2	—	—	400	19.1
60–64	19,610	8.4	4,030	21.1	1,171	10.6	11,209	13.8	—	—	349	16.7
≥65	16,770	7.1	3,844	20.1	865	7.8	10,517	13.0	—	—	400	19.1
Total	234,809	100.0	19,105	100.0	11,055	100.0	81,038	100.0	4,150	100.0	2,090	100.0

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia and blood transfusion.

Table 4b. Female clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and age group, 2020—United States and 3 territories

Age group (yrs)	Injection drug use		Heterosexual contact ^a		Perinatal		Other ^b	
	No.	%	No.	%	No.	%	No.	%
<13	—	—	—	—	1,109	22.4	3	0.2
13–14	0	0.0	5	<0.1	163	3.3	2	0.1
15–19	10	0.1	174	0.2	547	11.1	6	0.4
20–24	55	0.5	1,532	1.4	902	18.2	7	0.5
25–29	263	2.6	4,127	3.8	1,257	25.4	27	1.8
30–34	442	4.4	7,387	6.8	760	15.4	59	3.8
35–39	639	6.3	10,184	9.3	207	4.2	99	6.5
40–44	786	7.7	13,063	12.0	—	—	119	7.8
45–49	933	9.2	14,679	13.5	—	—	149	9.7
50–54	1,513	14.9	16,903	15.5	—	—	203	13.2
55–59	2,158	21.3	16,837	15.5	—	—	255	16.6
60–64	1,881	18.5	12,528	11.5	—	—	237	15.4
≥65	1,468	14.5	11,510	10.6	—	—	368	24.0
Total	10,148	100.0	108,929	100.0	4,945	100.0	1,534	100.0

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia and blood transfusion.

Table 4c. Transgender clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and age group, 2020—United States and 3 territories

Age group (yrs)	Sexual contact ^a		Injection drug use		Sexual contact ^a and injection drug use		Perinatal		Other ^b	
	No.	%	No.	%	No.	%	No.	%	No.	%
<13	—	—	—	—	—	—	*	*	*	*
13–14	*	*	*	*	*	*	*	*	*	*
15–19	32	0.4	0	0.0	0	0.0	3	5.9	0	0.0
20–24	484	5.5	4	3.4	11	2.5	14	27.5	3	9.1
25–29	1,230	14.0	10	8.4	40	9.2	17	33.3	1	3.0
30–34	1,726	19.6	13	10.9	48	11.1	13	25.5	2	6.1
35–39	1,248	14.2	9	7.6	47	10.8	4	7.8	2	6.1
40–44	1,032	11.7	8	6.7	44	10.1	—	—	3	9.1
45–49	883	10.0	9	7.6	38	8.8	—	—	4	12.1
50–54	907	10.3	14	11.8	65	15.0	—	—	5	15.2
55–59	651	7.4	23	19.3	62	14.3	—	—	6	18.2
60–64	381	4.3	22	18.5	53	12.2	—	—	2	6.1
≥65	226	2.6	7	5.9	26	6.0	—	—	5	15.2
Total	8,800	100.0	119	100.0	434	100.0	51	100.0	33	100.0

* To ensure confidentiality, data have been suppressed.

^a Includes any reported sexual transmission category reported by transgender clients.

^b Includes hemophilia and blood transfusion.

Table 5. Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and selected characteristics, 2020—United States and 3 territories

	0–100% FPL		101–138% FPL		139–250% FPL		251–400% FPL		>400% FPL	
	No.	%	No.	%	No.	%	No.	%	No.	%
Age group (yrs)										
<13	2,053	0.7	241	0.4	401	0.4	101	0.2	109	0.8
13–14	230	0.1	33	0.1	65	0.1	33	0.1	25	0.2
15–19	1,684	0.5	202	0.4	269	0.3	91	0.2	66	0.5
20–24	10,406	3.3	1,294	2.3	2,407	2.7	777	1.9	153	1.2
25–29	24,192	7.7	3,292	5.8	7,165	7.9	3,449	8.4	689	5.3
30–34	33,448	10.7	4,387	7.8	9,943	11.0	5,291	12.8	1,310	10.0
35–39	31,565	10.1	4,372	7.8	8,668	9.6	4,660	11.3	1,444	11.0
40–44	31,475	10.0	4,906	8.7	8,342	9.2	4,440	10.8	1,413	10.8
45–49	32,796	10.5	5,465	9.7	8,871	9.8	4,476	10.8	1,524	11.6
50–54	42,232	13.5	7,695	13.7	11,328	12.5	5,673	13.7	1,883	14.4
55–59	45,904	14.6	9,191	16.3	12,804	14.2	5,465	13.2	2,088	15.9
60–64	32,029	10.2	7,302	13.0	9,755	10.8	3,538	8.6	1,264	9.6
≥65	25,679	8.2	7,913	14.1	10,381	11.5	3,273	7.9	1,139	8.7
Subtotal	313,693	100.0	56,293	100.0	90,399	100.0	41,267	100.0	13,107	100.0
Race/ethnicity										
American Indian/Alaska Native	1,756	0.6	265	0.5	382	0.4	158	0.4	41	0.3
Asian	4,040	1.3	792	1.4	1,627	1.8	901	2.2	362	2.8
Black/African American	155,223	49.8	23,876	42.7	36,115	40.3	15,807	38.5	4,113	31.8
Hispanic/Latino ^a	78,763	25.3	13,091	23.4	20,976	23.4	8,872	21.6	2,119	16.4
Native Hawaiian/Pacific Islander	587	0.2	119	0.2	170	0.2	93	0.2	28	0.2
White	67,697	21.7	17,148	30.7	29,511	32.9	14,744	35.9	6,183	47.7
Multiple races	3,358	1.1	620	1.1	931	1.0	467	1.1	107	0.8
Subtotal	311,424	100.0	55,911	100.0	89,712	100.0	41,042	100.0	12,953	100.0
Gender										
Male	213,102	68.0	42,082	74.8	70,905	78.4	34,292	83.1	11,089	84.7
Female	92,500	29.5	13,379	23.8	18,355	20.3	6,537	15.8	1,908	14.6
Transgender	7,975	2.5	823	1.5	1,126	1.2	427	1.0	101	0.8
Subtotal	313,577	100.0	56,284	100.0	90,386	100.0	41,256	100.0	13,098	100.0
Transmission category										
Male client										
Male-to-male sexual contact	119,157	61.2	26,802	68.9	48,204	74.5	24,492	78.0	7,977	80.4
Injection drug use	13,928	7.2	1,660	4.3	1,753	2.7	667	2.1	201	2.0
Male-to-male sexual contact and injection drug use	7,172	3.7	1,186	3.0	1,616	2.5	667	2.1	174	1.8
Heterosexual contact ^b	50,753	26.1	8,606	22.1	12,177	18.8	5,161	16.4	1,363	13.7
Perinatal	2,631	1.4	393	1.0	564	0.9	239	0.8	133	1.3
Other ^c	1,113	0.6	255	0.7	413	0.6	175	0.6	68	0.7
Subtotal^d	194,754	100.0	38,902	100.0	64,727	100.0	31,401	100.0	9,916	100.0
Female client										
Injection drug use	7,907	9.3	723	5.9	742	4.5	213	3.6	70	4.2
Heterosexual contact ^b	72,545	85.7	10,861	88.9	14,906	90.0	5,413	91.1	1,428	86.3
Perinatal	3,237	3.8	450	3.7	694	4.2	248	4.2	135	8.2
Other ^c	984	1.2	182	1.5	222	1.3	71	1.2	21	1.3
Subtotal^d	84,673	100.0	12,216	100.0	16,564	100.0	5,945	100.0	1,654	100.0

Table 5. Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and selected characteristics, 2020—United States and 3 territories (cont.)

	0–100% FPL		101–138% FPL		139–250% FPL		251–400% FPL		>400% FPL	
	No.	%	No.	%	No.	%	No.	%	No.	%
Transgender client										
Sexual contact ^a	6,462	92.5	687	94.5	936	95.9	351	96.7	79	94.0
Injection drug use	98	1.4	5	0.7	7	0.7	2	0.6	0	0.0
Sexual contact ^a and injection drug use	363	5.2	29	4.0	19	1.9	8	2.2	4	4.8
Perinatal	38	0.5	1	0.1	12	1.2	1	0.3	1	1.2
Other ^c	25	0.4	5	0.7	2	0.2	1	0.3	0	0.0
Subtotal^d	6,986	100.0	727	100.0	976	100.0	363	100.0	84	100.0
Housing status										
Stable	259,898	84.3	51,783	93.2	83,998	94.4	39,025	96.2	12,356	97.6
Temporary	27,015	8.8	2,466	4.4	3,555	4.0	1,125	2.8	215	1.7
Unstable	21,289	6.9	1,289	2.3	1,468	1.6	414	1.0	93	0.7
Subtotal	308,202	100.0	55,538	100.0	89,021	100.0	40,564	100.0	12,664	100.0
Health care coverage										
Private employer	12,316	4.0	3,681	6.6	14,681	16.4	14,500	35.5	5,944	45.8
Private individual	20,043	6.4	4,750	8.5	12,968	14.5	7,487	18.3	2,357	18.2
Medicare	23,994	7.7	12,286	22.0	13,657	15.2	2,736	6.7	723	5.6
Medicaid	127,691	41.0	11,872	21.3	13,448	15.0	2,794	6.8	948	7.3
Medicare and Medicaid	28,344	9.1	6,606	11.8	3,611	4.0	413	1.0	151	1.2
Veterans Administration	453	0.1	202	0.4	263	0.3	140	0.3	37	0.3
Indian Health Service	57	<0.1	2	<0.1	11	<0.1	6	<0.1	1	<0.1
Other plan	5,538	1.8	985	1.8	1,994	2.2	1,080	2.6	566	4.4
No coverage	67,736	21.8	9,211	16.5	16,853	18.8	5,499	13.5	823	6.3
Multiple coverages	24,930	8.0	6,273	11.2	12,166	13.6	6,190	15.2	1,435	11.1
Subtotal	311,102	100.0	55,868	100.0	89,652	100.0	40,845	100.0	12,985	100.0
Total^f	313,693	—	56,293	—	90,399	—	41,267	—	13,107	—

Abbreviation: FPL, federal poverty level.

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes hemophilia and blood transfusion.

^d Subtotals are reflective of available gender and transmission category information. The values may not sum to the subtotals for gender overall.

^e Includes any sexual transmission category reported by transgender clients.

^f Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation; due to missing data, the values in each column may not sum to the column total.

Table 6. Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and selected characteristics, 2020—United States and 3 territories

	Stable		Temporary		Unstable	
	No.	%	No.	%	No.	%
Age group (yrs)						
<13	2,898	0.6	94	0.3	36	0.1
13–14	385	0.1	11	<0.1	2	<0.1
15–19	2,118	0.5	179	0.5	69	0.3
20–24	12,857	2.8	1,470	4.1	835	3.3
25–29	32,925	7.2	3,627	10.2	2,539	10.1
30–34	46,296	10.1	4,902	13.7	3,659	14.5
35–39	43,459	9.5	4,369	12.2	3,322	13.2
40–44	44,149	9.6	3,953	11.1	3,016	12.0
45–49	47,197	10.3	3,670	10.3	2,717	10.8
50–54	61,519	13.4	4,623	13.0	3,292	13.1
55–59	68,603	15.0	4,280	12.0	3,130	12.4
60–64	50,028	10.9	2,698	7.6	1,623	6.4
≥65	46,074	10.0	1,802	5.1	937	3.7
Subtotal	458,508	100.0	35,678	100.0	25,177	100.0
Race/ethnicity						
American Indian/Alaska Native	2,148	0.5	194	0.5	277	1.1
Asian	7,061	1.6	454	1.3	231	0.9
Black/African American	208,388	45.8	17,752	50.2	12,321	49.4
Hispanic/Latino ^a	111,208	24.4	8,097	22.9	5,320	21.3
Native Hawaiian/Pacific Islander	865	0.2	82	0.2	59	0.2
White	120,872	26.5	8,303	23.5	6,372	25.5
Multiple races	4,795	1.1	455	1.3	372	1.5
Subtotal	455,337	100.0	35,337	100.0	24,952	100.0
Gender						
Male	328,203	71.6	26,438	74.2	19,343	76.8
Female	121,830	26.6	8,117	22.8	4,746	18.9
Transgender	8,395	1.8	1,091	3.1	1,081	4.3
Subtotal	458,428	100.0	35,646	100.0	25,170	100.0
Transmission category						
Male client						
Male-to-male sexual contact	202,707	67.5	14,210	60.9	9,985	57.2
Injection drug use	14,603	4.9	1,943	8.3	1,758	10.1
Male-to-male sexual contact and injection drug use	8,380	2.8	1,166	5.0	1,207	6.9
Heterosexual contact ^b	69,062	23.0	5,648	24.2	4,277	24.5
Perinatal	3,640	1.2	259	1.1	147	0.8
Other ^c	1,842	0.6	107	0.5	86	0.5
Subtotal^d	300,234	100.0	23,333	100.0	17,460	100.0
Female client						
Injection drug use	8,092	7.3	870	12.3	729	18.1
Heterosexual contact ^b	97,202	87.5	5,849	82.6	3,141	78.0
Perinatal	4,450	4.0	285	4.0	117	2.9
Other ^c	1,376	1.2	74	1.0	42	1.0
Subtotal^d	111,120	100.0	7,078	100.0	4,029	100.0
Transgender client						
Sexual contact ^e	6,898	94.2	800	90.2	854	89.7
Injection drug use	75	1.0	17	1.9	19	2.0
Sexual contact ^e and injection drug use	288	3.9	58	6.5	72	7.6
Perinatal	41	0.6	6	0.7	4	0.4
Other ^c	23	0.3	6	0.7	3	0.3
Subtotal^d	7,325	100.0	887	100.0	952	100.0

**Table 6. Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and selected characteristics, 2020—
United States and 3 territories (cont.)**

	Stable		Temporary		Unstable	
	No.	%	No.	%	No.	%
Health care coverage						
Private employer	49,334	10.9	1,501	4.3	869	3.5
Private individual	44,681	9.9	2,307	6.6	827	3.3
Medicare	50,519	11.2	2,223	6.3	1,195	4.8
Medicaid	131,827	29.1	13,930	39.6	11,770	47.4
Medicare and Medicaid	35,338	7.8	2,314	6.6	1,577	6.4
Veterans Administration	1,013	0.2	52	0.1	57	0.2
Indian Health Service	45	<0.1	7	<0.1	25	0.1
Other plan	8,952	2.0	690	2.0	661	2.7
No coverage	85,702	18.9	8,819	25.1	5,782	23.3
Multiple coverages	45,672	10.1	3,292	9.4	2,047	8.3
Subtotal	453,083	100.0	35,135	100.0	24,810	100.0
Total^f	458,508	—	35,678	—	25,177	—

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes hemophilia and blood transfusion.

^d Subtotals are reflective of available gender and transmission category information. The values may not sum to the subtotals for gender overall.

^e Includes any sexual transmission category reported by transgender clients.

^f Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation; due to missing data, the values in each column may not sum to the column total.

Table 7. Ryan White HIV/AIDS Program clients (non-ADAP), by health care coverage and selected characteristics, 2020—United States and 3 territories

	Private employer		Private individual		Medicare		Medicaid		Medicare & Medicaid		Veterans Administration		Indian Health Service		Other plan		No coverage		Multiple coverages		
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Age group (yrs)																					
<13	232	0.4	83	0.2	13	<0.1	2,322	1.4	3	<0.1	9	0.8	0	0.0	29	0.3	227	0.2	76	0.1	
13–14	72	0.1	26	0.1	3	<0.1	247	0.2	1	<0.1	2	0.2	0	0.0	6	0.1	29	<0.1	23	<0.1	
15–19	254	0.5	129	0.3	6	<0.1	1,458	0.9	6	<0.1	14	1.2	0	0.0	30	0.3	379	0.4	147	0.3	
20–24	1,691	3.1	1,662	3.3	84	0.1	5,558	3.4	111	0.3	41	3.5	6	6.7	327	3.0	4,999	4.8	1,194	2.3	
25–29	4,990	9.3	4,306	8.6	444	0.8	13,013	7.9	505	1.3	48	4.1	10	11.1	927	8.6	12,753	12.3	3,304	6.3	
30–34	7,063	13.1	5,953	11.9	1,061	1.9	18,264	11.1	1,099	2.7	68	5.8	12	13.3	1,333	12.4	16,780	16.2	4,861	9.3	
35–39	6,283	11.7	5,651	11.3	1,644	2.9	17,007	10.3	1,588	4.0	68	5.8	13	14.4	1,231	11.5	14,208	13.7	4,807	9.2	
40–44	5,945	11.0	5,654	11.3	2,388	4.2	16,623	10.1	2,074	5.2	55	4.7	14	15.6	1,381	12.8	13,220	12.7	5,000	9.5	
45–49	6,256	11.6	5,989	11.9	3,684	6.5	17,253	10.5	3,121	7.8	73	6.2	8	8.9	1,332	12.4	11,909	11.5	5,284	10.1	
50–54	7,673	14.2	7,368	14.7	6,995	12.4	22,873	13.9	5,789	14.4	159	13.5	11	12.2	1,432	13.3	11,781	11.4	7,049	13.4	
55–59	7,367	13.7	7,300	14.5	10,725	19.0	25,424	15.5	8,295	20.7	202	17.1	6	6.7	1,338	12.4	9,389	9.1	8,029	15.3	
60–64	4,459	8.3	4,719	9.4	9,599	17.0	17,884	10.9	6,782	16.9	221	18.7	8	8.9	875	8.1	5,305	5.1	6,052	11.5	
≥65	1,642	3.0	1,370	2.7	19,915	35.2	6,417	3.9	10,770	26.8	220	18.6	2	2.2	508	4.7	2,767	2.7	6,667	12.7	
Subtotal	53,927	100.0	50,210	100.0	56,561	100.0	164,343	100.0	40,144	100.0	1,180	100.0	90	100.0	10,749	100.0	103,746	100.0	52,493	100.0	
Race/ethnicity																					
American Indian/Alaska Native	196	0.4	186	0.4	259	0.5	949	0.6	230	0.6	8	0.7	67	74.4	35	0.3	321	0.3	429	0.8	
Asian	1,083	2.0	1,054	2.1	355	0.6	2,185	1.3	332	0.8	15	1.3	0	0.0	295	2.8	1,527	1.5	1,113	2.1	
Black/African American	24,050	45.0	20,897	41.9	25,334	45.1	82,361	50.7	18,769	46.9	570	48.8	10	11.1	3,554	33.9	48,551	47.1	21,067	40.4	
Hispanic/Latino ^a	9,593	17.9	10,748	21.6	7,451	13.3	41,341	25.5	7,643	19.1	107	9.2	4	4.4	3,901	37.2	34,595	33.6	10,667	20.5	
Native Hawaiian/Pacific Islander	122	0.2	100	0.2	73	0.1	366	0.2	70	0.2	3	0.3	0	0.0	26	0.2	144	0.1	125	0.2	
White	17,889	33.4	16,365	32.8	22,087	39.3	33,267	20.5	12,479	31.2	452	38.7	7	7.8	2,570	24.5	17,131	16.6	17,981	34.5	
Multiple races	549	1.0	473	0.9	575	1.0	1,911	1.2	507	1.3	13	1.1	2	2.2	98	0.9	800	0.8	721	1.4	
Subtotal	53,482	100.0	49,823	100.0	56,134	100.0	162,380	100.0	40,030	100.0	1,168	100.0	90	100.0	10,479	100.0	103,069	100.0	52,103	100.0	
Gender																					
Male	42,459	78.8	39,403	78.5	42,170	74.6	104,492	63.6	27,109	67.5	983	83.3	65	72.2	8,280	77.1	80,100	77.2	39,348	75.0	
Female	10,892	20.2	10,041	20.0	13,801	24.4	54,874	33.4	12,462	31.0	187	15.8	24	26.7	2,249	20.9	21,158	20.4	12,247	23.3	
Transgender	556	1.0	756	1.5	580	1.0	4,910	3.0	570	1.4	10	0.8	1	1.1	214	2.0	2,449	2.4	889	1.7	
Subtotal	53,907	100.0	50,200	100.0	56,551	100.0	164,276	100.0	40,141	100.0	1,180	100.0	90	100.0	10,743	100.0	103,707	100.0	52,484	100.0	
Transmission category																					
Male client																					
Male-to-male sexual contact	29,193	77.9	26,676	76.3	23,483	62.2	53,694	58.0	14,529	57.9	526	61.1	30	58.8	5,032	70.9	50,977	69.3	26,141	72.2	
Injection drug use	708	1.9	747	2.1	2,604	6.9	8,140	8.8	2,480	9.9	74	8.6	2	3.9	246	3.5	1,904	2.6	1,649	4.6	
Male-to-male sexual contact and injection drug use	642	1.7	669	1.9	1,175	3.1	3,853	4.2	1,198	4.8	36	4.2	8	15.7	185	2.6	1,556	2.1	1,610	4.4	
Heterosexual contact ^b	6,360	17.0	6,452	18.5	9,946	26.3	24,033	26.0	6,483	25.8	209	24.3	11	21.6	1,554	21.9	18,322	24.9	6,335	17.5	
Perinatal	369	1.0	229	0.7	113	0.3	2,299	2.5	145	0.6	8	0.9	0	0.0	56	0.8	576	0.8	238	0.7	
Other ^c	207	0.6	167	0.5	434	1.1	484	0.5	257	1.0	8	0.9	0	0.0	25	0.4	257	0.3	225	0.6	
Subtotal^d	37,479	100.0	34,940	100.0	37,755	100.0	92,503	100.0	25,092	100.0	861	100.0	51	100.0	7,098	100.0	73,592	100.0	36,198	100.0	
Female client																					
Injection drug use	290	3.0	313	3.6	1,096	8.9	5,028	10.3	1,344	11.5	5	3.0	3	13.0	123	6.3	720	3.9	924	8.1	
Heterosexual contact ^b	8,877	91.3	8,097	92.3	10,927	88.3	40,455	82.8	9,886	84.9	144	86.2	20	87.0	1,754	90.2	17,203	92.3	9,945	87.3	
Perinatal	453	4.7	252	2.9	121	1.0	2,872	5.9	206	1.8	16	9.6	0	0.0	43	2.2	500	2.7	383	3.4	
Other ^c	102	1.0	113	1.3	226	1.8	492	1.0	207	1.8	2	1.2	0	0.0	24	1.2	211	1.1	139	1.2	
Subtotal^d	9,722	100.0	8,775	100.0	12,370	100.0	48,847	100.0	11,643	100.0	167	100.0	23	100.0	1,944	100.0	18,634	100.0	11,391	100.0	

Table 7. Ryan White HIV/AIDS Program clients (non-ADAP), by health care coverage and selected characteristics, 2020—United States and 3 territories (cont.)

	Private employer		Private individual		Medicare		Medicaid		Medicare & Medicaid		Veterans Administration		Indian Health Service		Other plan		No coverage		Multiple coverages		
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Transgender client																					
Sexual contact ^a	412	95.6	621	96.4	445	92.3	3,754	92.4	470	90.4	9	100.0	0	0.0	166	94.3	2,121	97.4	676	85.2	
Injection drug use	4	0.9	3	0.5	7	1.5	67	1.6	10	1.9	0	0.0	0	0.0	1	0.6	3	0.1	17	2.1	
Sexual contact ^a and injection drug use	14	3.2	17	2.6	20	4.1	195	4.8	34	6.5	0	0.0	1	100.0	7	4.0	45	2.1	93	11.7	
Perinatal	1	0.2	1	0.2	1	0.2	33	0.8	6	1.2	0	0.0	0	0.0	1	0.6	5	0.2	5	0.6	
Other ^c	0	0.0	2	0.3	9	1.9	14	0.3	0	0.0	0	0.0	0	0.0	1	0.6	4	0.2	2	0.3	
Subtotal^d	431	100.0	644	100.0	482	100.0	4,063	100.0	520	100.0	9	100.0	1	100.0	176	100.0	2,178	100.0	793	100.0	
Total^f	53,927	—	50,210	—	56,561	—	164,343	—	40,144	—	1,180	—	90	—	10,749	—	103,746	—	52,493	—	

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes hemophilia and blood transfusion.

^d Subtotals are reflective of available gender and transmission category information. The values may not sum to the subtotals for gender overall.

^e Includes any sexual transmission category reported by transgender clients.

^f Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation; due to missing data, the values in each column may not sum to the column total.

Table 8. Ryan White HIV/AIDS Program clients (non-ADAP), by HHS region and selected characteristics, 2020—United States and 3 territories

	Region 1		Region 2		Region 3		Region 4		Region 5		Region 6		Region 7		Region 8		Region 9		Region 10	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Age group (yrs)																				
<13	96	0.4	452	0.6	427	0.7	1,056	0.7	523	0.8	361	0.5	99	0.8	107	0.9	285	0.4	5	<0.1
13–14	21	0.1	41	0.1	48	0.1	155	0.1	72	0.1	35	0.1	17	0.1	26	0.2	34	<0.1	2	<0.1
15–19	80	0.3	295	0.4	317	0.5	763	0.5	365	0.6	378	0.6	67	0.5	83	0.7	248	0.3	24	0.2
20–24	370	1.6	1,837	2.4	1,593	2.6	5,033	3.5	2,264	3.5	2,453	3.6	433	3.4	332	2.7	1,609	2.2	251	1.9
25–29	1,071	4.6	4,601	5.9	3,963	6.6	11,844	8.1	5,526	8.5	6,311	9.2	1,088	8.4	942	7.7	4,927	6.8	780	5.8
30–34	1,535	6.6	6,897	8.8	5,979	9.9	16,150	11.1	7,545	11.7	8,647	12.6	1,427	11.1	1,324	10.9	7,094	9.8	1,250	9.3
35–39	1,759	7.5	6,394	8.2	5,530	9.2	14,237	9.8	6,688	10.3	7,926	11.6	1,319	10.2	1,355	11.1	7,303	10.1	1,407	10.5
40–44	2,005	8.6	6,666	8.6	5,303	8.8	14,286	9.8	6,513	10.1	7,745	11.3	1,351	10.5	1,376	11.3	7,234	10.0	1,488	11.1
45–49	2,422	10.4	7,507	9.6	5,805	9.6	14,942	10.3	6,736	10.4	7,419	10.8	1,438	11.1	1,360	11.2	7,483	10.3	1,505	11.3
50–54	3,509	15.0	10,841	13.9	8,154	13.5	19,230	13.2	8,231	12.7	8,444	12.3	1,640	12.7	1,596	13.1	10,020	13.8	1,949	14.6
55–59	4,176	17.9	12,610	16.2	9,492	15.7	20,779	14.3	8,839	13.7	8,562	12.5	1,848	14.3	1,635	13.4	10,932	15.1	2,050	15.3
60–64	3,326	14.2	9,878	12.7	7,064	11.7	14,525	10.0	6,131	9.5	5,638	8.2	1,228	9.5	1,098	9.0	7,780	10.7	1,385	10.4
≥65	2,980	12.8	9,944	12.8	6,741	11.2	12,475	8.6	5,229	8.1	4,541	6.6	956	7.4	963	7.9	7,593	10.5	1,277	9.5
Subtotal	23,350	100.0	77,963	100.0	60,416	100.0	145,475	100.0	64,662	100.0	68,460	100.0	12,911	100.0	12,197	100.0	72,542	100.0	13,373	100.0
Race/ethnicity																				
American Indian/Alaska Native	84	0.4	175	0.2	121	0.2	362	0.2	277	0.4	444	0.7	66	0.5	187	1.6	703	1.0	287	2.2
Asian	363	1.6	1,240	1.6	559	0.9	904	0.6	923	1.5	699	1.0	191	1.5	133	1.1	2,649	3.7	430	3.3
Black/African American	7,068	30.7	31,437	41.2	38,497	64.4	87,087	60.1	33,354	52.6	31,735	46.8	5,638	43.7	1,779	15.3	13,985	19.5	2,421	18.4
Hispanic/Latino ^a	6,968	30.3	33,310	43.7	6,755	11.3	19,215	13.3	8,710	13.7	18,188	26.8	1,132	8.8	3,951	34.0	28,996	40.5	2,324	17.7
Native Hawaiian/Pacific Islander	21	0.1	94	0.1	64	0.1	103	0.1	52	0.1	79	0.1	23	0.2	22	0.2	526	0.7	88	0.7
White	8,234	35.8	9,538	12.5	12,648	21.1	36,150	24.9	19,119	30.2	16,077	23.7	5,622	43.6	5,301	45.6	23,715	33.1	7,104	54.1
Multiple races	262	1.1	477	0.6	1,164	1.9	1,111	0.8	918	1.4	564	0.8	233	1.8	250	2.2	1,099	1.5	481	3.7
Subtotal	23,000	100.0	76,271	100.0	59,808	100.0	144,932	100.0	63,353	100.0	67,786	100.0	12,905	100.0	11,623	100.0	71,673	100.0	13,135	100.0
Gender																				
Male	15,484	66.4	50,137	64.3	39,623	65.6	102,993	70.8	48,053	74.5	50,041	73.1	9,716	75.3	9,801	80.5	59,893	82.6	10,681	79.9
Female	7,479	32.1	25,874	33.2	19,247	31.9	40,316	27.7	14,973	23.2	17,049	24.9	2,941	22.8	2,164	17.8	10,722	14.8	2,432	18.2
Transgender	372	1.6	1,947	2.5	1,495	2.5	2,159	1.5	1,472	2.3	1,363	2.0	254	2.0	208	1.7	1,924	2.7	249	1.9
Subtotal	23,335	100.0	77,958	100.0	60,365	100.0	145,468	100.0	64,498	100.0	68,453	100.0	12,911	100.0	12,173	100.0	72,539	100.0	13,362	100.0
Transmission category																				
Male client																				
Male-to-male sexual contact	7,702	56.1	23,575	55.5	19,565	58.9	61,714	66.1	26,406	71.3	30,975	68.5	6,933	73.7	5,279	71.9	41,049	75.7	5,870	66.7
Injection drug use	2,112	15.4	3,772	8.9	3,036	9.1	3,028	3.2	1,459	3.9	1,787	4.0	399	4.2	419	5.7	2,283	4.2	580	6.6
Male-to-male sexual contact and injection drug use	360	2.6	590	1.4	700	2.1	1,673	1.8	729	2.0	1,601	3.5	105	1.1	706	9.6	3,171	5.9	1,095	12.4
Heterosexual contact ^b	3,171	23.1	13,387	31.5	9,124	27.5	25,461	27.3	7,679	20.7	10,318	22.8	1,789	19.0	802	10.9	7,050	13.0	1,148	13.0
Perinatal	256	1.9	862	2.0	559	1.7	1,010	1.1	479	1.3	361	0.8	80	0.9	100	1.4	360	0.7	40	0.5
Other ^c	132	1.0	308	0.7	235	0.7	442	0.5	268	0.7	187	0.4	100	1.1	36	0.5	292	0.5	69	0.8
Subtotal^d	13,733	100.0	42,494	100.0	33,219	100.0	93,328	100.0	37,020	100.0	45,229	100.0	9,406	100.0	7,342	100.0	54,205	100.0	8,802	100.0
Female client																				
Injection drug use	1,135	17.0	1,730	7.9	1,835	11.4	1,765	4.8	751	6.3	1,002	6.9	127	4.5	217	13.2	1,066	11.2	333	17.4
Heterosexual contact ^b	5,162	77.5	18,762	85.6	13,363	83.0	33,213	91.0	10,346	87.4	12,945	89.4	2,563	91.6	1,297	78.9	7,876	82.9	1,503	78.3
Perinatal	266	4.0	1,076	4.9	705	4.4	1,203	3.3	603	5.1	394	2.7	72	2.6	110	6.7	396	4.2	44	2.3
Other ^c	99	1.5	356	1.6	205	1.3	327	0.9	143	1.2	135	0.9	36	1.3	19	1.2	157	1.7	39	2.0
Subtotal^d	6,662	100.0	21,924	100.0	16,108	100.0	36,508	100.0	11,843	100.0	14,476	100.0	2,798	100.0	1,643	100.0	9,495	100.0	1,919	100.0

Table 8. Ryan White HIV/AIDS Program clients (non-ADAP), by HHS region and selected characteristics, 2020—United States and 3 territories (cont.)

	Region 1		Region 2		Region 3		Region 4		Region 5		Region 6		Region 7		Region 8		Region 9		Region 10		
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Transgender client																					
Sexual contact ^a	280	88.1	1,362	93.7	959	93.6	1,857	96.1	965	95.4	1,186	95.3	243	98.0	96	83.5	1,545	89.0	158	81.0	
Injection drug use	12	3.8	28	1.9	13	1.3	10	0.5	7	0.7	8	0.6	2	0.8	4	3.5	33	1.9	2	1.0	
Sexual contact ^a and injection drug use	24	7.5	39	2.7	35	3.4	46	2.4	32	3.2	46	3.7	2	0.8	14	12.2	152	8.8	33	16.9	
Perinatal	2	0.6	14	1.0	12	1.2	14	0.7	7	0.7	1	0.1	1	0.4	0	0.0	3	0.2	1	0.5	
Other ^c	0	0.0	11	0.8	6	0.6	6	0.3	1	0.1	4	0.3	0	0.0	1	0.9	3	0.2	1	0.5	
Subtotal^d	318	100.0	1,454	100.0	1,025	100.0	1,933	100.0	1,012	100.0	1,245	100.0	248	100.0	115	100.0	1,736	100.0	195	100.0	
Federal poverty level																					
0–100%	12,823	61.9	51,303	70.1	30,636	59.7	78,694	59.1	34,264	59.2	37,918	60.4	7,104	57.0	5,949	55.0	41,630	59.6	6,214	48.8	
101–138%	2,117	10.2	7,051	9.6	5,400	10.5	15,675	11.8	5,364	9.3	7,611	12.1	1,307	10.5	1,145	10.6	8,240	11.8	1,538	12.1	
139–250%	3,176	15.3	10,084	13.8	8,737	17.0	24,753	18.6	10,314	17.8	11,941	19.0	2,543	20.4	2,099	19.4	12,917	18.5	2,506	19.7	
251–400%	1,630	7.9	3,325	4.5	4,606	9.0	12,048	9.1	5,109	8.8	4,399	7.0	1,252	10.0	1,138	10.5	5,550	7.9	1,718	13.5	
>400%	976	4.7	1,414	1.9	1,914	3.7	1,949	1.5	2,858	4.9	899	1.4	256	2.1	484	4.5	1,516	2.2	751	5.9	
Subtotal	20,722	100.0	73,177	100.0	51,293	100.0	133,119	100.0	57,909	100.0	62,768	100.0	12,462	100.0	10,815	100.0	69,853	100.0	12,727	100.0	
Health care coverage																					
Private employer	1,631	7.5	4,259	5.6	6,274	11.4	17,038	12.6	8,445	13.7	5,942	8.8	1,700	13.6	1,907	19.0	4,015	5.6	1,849	14.2	
Private individual	2,475	11.4	2,772	3.7	4,764	8.7	19,555	14.5	4,258	6.9	6,916	10.2	3,318	26.5	889	8.9	3,014	4.2	1,303	10.0	
Medicare	1,903	8.8	6,833	9.0	7,709	14.0	15,652	11.6	7,135	11.6	8,612	12.7	886	7.1	1,201	12.0	4,266	6.0	1,515	11.6	
Medicaid	9,109	41.9	42,209	55.8	21,601	39.3	19,147	14.2	21,585	35.0	12,132	17.9	2,089	16.7	2,710	27.0	27,280	38.3	3,818	29.3	
Medicare and Medicaid	2,822	13.0	5,785	7.7	3,938	7.2	8,422	6.2	4,550	7.4	3,015	4.5	1,707	13.6	505	5.0	7,327	10.3	1,310	10.0	
Veterans Administration	34	0.2	42	0.1	128	0.2	421	0.3	41	0.1	170	0.3	71	0.6	50	0.5	167	0.2	46	0.4	
Indian Health Service	1	<0.1	1	<0.1	1	<0.1	5	<0.1	3	<0.1	9	<0.1	1	<0.1	5	<0.1	7	<0.1	37	0.3	
Other plan	250	1.2	1,939	2.6	636	1.2	2,377	1.8	1,350	2.2	391	0.6	52	0.4	456	4.6	3,084	4.3	97	0.7	
No coverage	958	4.4	7,870	10.4	4,905	8.9	42,779	31.7	7,192	11.7	26,123	38.6	1,057	8.4	1,090	10.9	9,501	13.3	477	3.7	
Multiple coverages	2,531	11.7	3,909	5.2	4,982	9.1	9,660	7.2	7,093	11.5	4,367	6.5	1,631	13.0	1,207	12.0	12,527	17.6	2,591	19.9	
Subtotal	21,714	100.0	75,619	100.0	54,938	100.0	135,056	100.0	61,652	100.0	67,677	100.0	12,512	100.0	10,020	100.0	71,188	100.0	13,043	100.0	
Housing status																					
Stable	17,834	87.5	64,353	86.6	48,514	92.2	123,973	92.2	50,217	88.0	55,137	85.1	11,000	88.2	9,247	88.4	59,755	85.2	11,044	86.2	
Temporary	1,591	7.8	6,537	8.8	2,126	4.0	6,548	4.9	4,609	8.1	5,965	9.2	858	6.9	769	7.3	4,731	6.7	652	5.1	
Unstable	959	4.7	3,415	4.6	1,959	3.7	3,890	2.9	2,211	3.9	3,699	5.7	615	4.9	447	4.3	5,655	8.1	1,118	8.7	
Subtotal	20,384	100.0	74,305	100.0	52,599	100.0	134,411	100.0	57,037	100.0	64,801	100.0	12,473	100.0	10,463	100.0	70,141	100.0	12,814	100.0	
Total^f	23,350	—	77,963	—	60,416	—	145,475	—	64,662	—	68,460	—	12,911	—	12,197	—	72,542	—	13,373	—	

Note: See Technical Notes for the states/territories included in each region.

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes hemophilia and blood transfusion.

^d Subtotals are reflective of available gender and transmission category information. The values may not sum to the subtotals for gender overall.

^e Includes any sexual transmission category reported by transgender clients.

^f Subtotals for each subpopulation are displayed to reflect the denominator used for the percentage calculation of each subpopulation; due to missing data, the values in each column may not sum to the column total.

Section 2.

National-Level Data: Retention in Care and Viral Suppression

Table 9. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2016–2020—United States and 3 territories

	2016			2017			2018			2019			2020		
	Retained			Retained			Retained			Retained			Retained		
	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%
Age group (yrs)															
<13	1,024	920	89.8	864	737	85.3	784	691	88.1	643	562	87.4	548	470	85.8
13–14	294	274	93.2	277	254	91.7	309	273	88.3	261	218	83.5	222	186	83.8
15–19	2,006	1,658	82.7	1,811	1,448	80.0	1,711	1,408	82.3	1,659	1,331	80.2	1,451	1,170	80.6
20–24	12,180	9,157	75.2	11,708	8,754	74.8	11,092	8,352	75.3	11,063	8,347	75.4	10,131	7,649	75.5
25–29	26,947	19,996	74.2	28,570	21,113	73.9	28,394	21,018	74.0	28,402	21,089	74.3	26,316	19,487	74.1
30–34	29,734	22,881	77.0	31,870	24,070	75.5	33,442	25,331	75.7	36,353	27,389	75.3	37,295	28,097	75.3
35–39	32,690	25,735	78.7	33,747	26,206	77.7	33,975	26,435	77.8	35,284	27,215	77.1	34,982	26,959	77.1
40–44	34,189	27,641	80.8	34,268	27,386	79.9	34,180	27,468	80.4	34,834	27,824	79.9	35,063	27,294	77.8
45–49	46,203	38,069	82.4	44,475	36,092	81.2	41,753	34,052	81.6	39,947	32,509	81.4	36,591	29,243	79.9
50–54	55,411	46,315	83.6	54,829	45,470	82.9	51,957	43,179	83.1	49,794	41,254	82.8	46,777	37,855	80.9
55–59	44,021	37,522	85.2	46,943	39,635	84.4	48,564	41,102	84.6	51,116	42,994	84.1	50,442	41,309	81.9
60–64	26,644	23,131	86.8	29,664	25,445	85.8	31,591	27,132	85.9	34,222	29,272	85.5	35,727	29,682	83.1
≥65	19,233	16,840	87.6	22,458	19,497	86.8	24,921	21,648	86.9	28,901	24,970	86.4	31,251	25,881	82.8
Race/ethnicity															
American Indian/Alaska Native	1,457	1,078	74.0	1,543	1,162	75.3	1,526	1,176	77.1	1,566	1,172	74.8	1,453	1,084	74.6
Asian	4,543	3,799	83.6	4,799	4,001	83.4	4,883	4,058	83.1	5,106	4,268	83.6	5,258	4,196	79.8
Black/African American	157,663	127,384	80.8	164,701	132,096	80.2	163,905	131,402	80.2	170,079	136,164	80.1	163,804	129,579	79.1
Hispanic/Latino ^a	79,425	67,694	85.2	80,935	67,675	83.6	83,249	70,507	84.7	84,668	71,298	84.2	86,260	71,310	82.7
Native Hawaiian/Pacific Islander	480	371	77.3	481	377	78.4	468	365	78.0	522	423	81.0	550	416	75.6
White	82,984	66,708	80.4	84,667	67,465	79.7	83,617	66,692	79.8	85,393	67,656	79.2	83,968	64,648	77.0
Multiple races	2,764	2,177	78.8	3,187	2,495	78.3	3,579	2,817	78.7	3,166	2,486	78.5	3,210	2,412	75.1
Gender															
Male	233,410	189,020	81.0	241,368	193,728	80.3	243,509	195,963	80.5	249,224	199,831	80.2	247,150	194,474	78.7
Female	92,659	77,544	83.7	94,599	78,056	82.5	93,190	77,447	83.1	95,686	79,104	82.7	93,300	75,912	81.4
Transgender female	3,819	3,049	79.8	4,935	3,858	78.2	5,293	4,139	78.2	6,214	4,924	79.2	5,636	4,355	77.3
Transgender male	279	220	78.9	590	475	80.5	604	478	79.1	1,160	955	82.3	501	385	76.8
Other gender identity	1	1	100.0	74	57	77.0	83	68	81.9	177	145	81.9	178	138	77.5
Transmission category															
Male client															
Male-to-male sexual contact	142,173	114,930	80.8	147,667	118,455	80.2	151,047	121,119	80.2	153,048	122,565	80.1	152,688	120,322	78.8
Injection drug use	13,215	10,871	82.3	13,338	10,850	81.3	12,974	10,681	82.3	12,920	10,576	81.9	12,180	9,726	79.9
Male-to-male sexual contact and injection drug use	6,009	4,781	79.6	6,989	5,501	78.7	7,071	5,535	78.3	6,873	5,370	78.1	6,995	5,370	76.8
Heterosexual contact ^b	56,352	46,606	82.7	57,290	46,819	81.7	57,158	46,839	81.9	58,519	47,805	81.7	55,277	44,485	80.5
Perinatal	2,556	2,093	81.9	2,492	2,003	80.4	2,439	1,995	81.8	2,349	1,907	81.2	2,300	1,799	78.2
Other ^c	1,304	1,074	82.4	1,297	1,033	79.6	1,214	976	80.4	1,233	983	79.7	1,201	957	79.7
Female client															
Injection drug use	7,011	5,865	83.7	7,207	5,927	82.2	7,010	5,730	81.7	7,046	5,776	82.0	6,704	5,421	80.9
Heterosexual contact ^b	76,390	64,253	84.1	78,706	65,278	82.9	77,671	64,827	83.5	79,511	66,077	83.1	76,553	62,645	81.8
Perinatal	3,340	2,811	84.2	3,270	2,694	82.4	3,227	2,686	83.2	3,095	2,557	82.6	2,969	2,406	81.0
Other ^c	987	834	84.5	949	759	80.0	878	744	84.7	946	791	83.6	926	762	82.3
Transgender client															
Sexual contact ^d	3,365	2,705	80.4	4,575	3,622	79.2	4,948	3,885	78.5	6,420	5,164	80.4	5,255	4,108	78.2
Injection drug use	49	44	89.8	70	55	78.6	57	46	80.7	95	75	78.9	52	39	75.0
Sexual contact ^d and injection drug use	155	119	76.8	227	174	76.7	245	200	81.6	211	159	75.4	231	183	79.2
Perinatal	13	12	92.3	35	29	82.9	35	30	85.7	60	45	75.0	33	26	78.8
Other ^c	10	9	90.0	21	17	81.0	14	12	85.7	27	25	92.6	19	13	68.4

Table 9. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2016–2020—United States and 3 territories (cont.)

	2016			2017			2018			2019			2020		
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
		No.	%		No.	%		No.	%		No.	%		No.	%
Federal poverty level															
0–100%	207,145	169,803	82.0	210,518	170,263	80.9	206,781	167,656	81.1	211,356	170,431	80.6	209,021	166,404	79.6
101–138%	37,898	31,573	83.3	37,678	31,069	82.5	37,211	31,035	83.4	37,817	31,532	83.4	35,599	29,003	81.5
139–250%	49,506	40,816	82.4	53,045	43,370	81.8	53,592	43,874	81.9	57,856	47,498	82.1	56,340	45,112	80.1
251–400%	20,001	16,197	81.0	20,604	16,530	80.2	22,962	18,526	80.7	26,402	21,368	80.9	25,403	19,955	78.6
>400%	8,844	7,049	79.7	9,740	7,789	80.0	11,216	8,988	80.1	9,122	7,300	80.0	9,420	7,231	76.8
Health care coverage															
Private employer	31,172	24,771	79.5	35,160	27,972	79.6	36,566	28,849	78.9	37,346	29,598	79.3	35,329	27,226	77.1
Private individual	24,871	19,684	79.1	25,949	20,246	78.0	26,439	20,864	78.9	28,341	22,773	80.4	29,197	22,714	77.8
Medicare	34,046	28,508	83.7	36,275	30,249	83.4	34,585	28,900	83.6	36,265	30,239	83.4	35,134	28,502	81.1
Medicaid	106,215	87,018	81.9	106,638	85,783	80.4	104,683	85,387	81.6	104,997	84,478	80.5	105,109	83,093	79.1
Medicare and Medicaid	24,149	21,031	87.1	24,107	20,818	86.4	25,087	21,651	86.3	25,587	21,951	85.8	24,328	20,322	83.5
Veterans Administration	445	336	75.5	426	305	71.6	404	291	72.0	430	315	73.3	375	259	69.1
Indian Health Service	114	74	64.9	138	80	58.0	124	91	73.4	100	66	66.0	17	11	64.7
Other plan	5,305	4,409	83.1	5,504	4,248	77.2	4,932	3,908	79.2	5,278	4,120	78.1	6,651	5,503	82.7
No coverage	68,823	54,839	79.7	71,682	57,341	80.0	73,713	58,380	79.2	76,277	60,462	79.3	74,328	58,732	79.0
Multiple coverages	33,193	28,246	85.1	32,296	27,033	83.7	33,616	28,211	83.9	35,110	29,332	83.5	34,019	27,564	81.0
Housing status															
Stable	284,657	235,636	82.8	297,906	243,622	81.8	297,941	244,651	82.1	303,351	248,524	81.9	303,417	243,691	80.3
Temporary	26,714	20,649	77.3	23,508	17,932	76.3	23,447	17,902	76.4	22,666	17,120	75.5	20,850	15,568	74.7
Unstable	13,677	10,224	74.8	13,966	10,296	73.7	14,495	10,837	74.8	15,182	11,144	73.4	13,739	9,985	72.7
Total^e	330,576	270,139	81.7	341,570	276,176	80.9	342,688	278,101	81.2	352,479	284,974	80.8	346,796	275,282	79.4

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes hemophilia and blood transfusion.

^d Includes any sexual transmission category reported by transgender clients.

^e Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 10. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2016–2020—United States and 3 territories

	2016			2017			2018			2019			2020		
	Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%
Age group (yrs)															
<13	1,017	861	84.7	854	731	85.6	797	698	87.6	671	600	89.4	559	495	88.6
13–14	305	250	82.0	296	258	87.2	320	282	88.1	273	251	91.9	232	211	90.9
15–19	2,232	1,602	71.8	2,076	1,538	74.1	1,998	1,517	75.9	1,937	1,540	79.5	1,622	1,316	81.1
20–24	13,517	9,564	70.8	13,052	9,633	73.8	12,475	9,482	76.0	12,411	9,814	79.1	11,175	9,091	81.4
25–29	29,478	22,298	75.6	31,166	24,133	77.4	30,994	24,554	79.2	30,997	25,100	81.0	28,166	23,478	83.4
30–34	31,846	25,262	79.3	34,109	27,346	80.2	35,861	29,413	82.0	39,143	32,504	83.0	39,316	33,299	84.7
35–39	34,435	28,106	81.6	35,676	29,580	82.9	36,078	30,379	84.2	37,599	31,984	85.1	36,442	31,625	86.8
40–44	35,619	29,969	84.1	35,869	30,409	84.8	35,936	30,982	86.2	36,749	31,956	87.0	36,132	31,872	88.2
45–49	47,641	41,035	86.1	46,105	40,053	86.9	43,503	38,189	87.8	41,744	37,055	88.8	37,633	33,762	89.7
50–54	56,886	50,018	87.9	56,337	49,824	88.4	53,695	47,886	89.2	51,752	46,570	90.0	47,926	43,586	90.9
55–59	44,796	40,339	90.1	47,997	43,342	90.3	49,809	45,373	91.1	52,595	48,264	91.8	51,241	47,336	92.4
60–64	27,006	24,727	91.6	30,129	27,846	92.4	32,297	30,134	93.3	35,010	32,678	93.3	36,144	33,959	94.0
≥65	19,380	18,193	93.9	22,701	21,408	94.3	25,323	24,033	94.9	29,238	27,888	95.4	31,326	29,985	95.7
Race/ethnicity															
American Indian/Alaska Native	1,516	1,259	83.0	1,649	1,392	84.4	1,577	1,366	86.6	1,677	1,473	87.8	1,524	1,311	86.0
Asian	4,709	4,346	92.3	5,027	4,671	92.9	5,101	4,787	93.8	5,360	5,077	94.7	5,455	5,183	95.0
Black/African American	165,330	134,387	81.3	172,393	142,410	82.6	172,625	145,114	84.1	178,897	152,365	85.2	169,553	147,065	86.7
Hispanic/Latino ^a	81,498	71,034	87.2	84,123	73,939	87.9	86,641	77,194	89.1	88,865	80,079	90.1	88,748	80,971	91.2
Native Hawaiian/Pacific Islander	493	418	84.8	519	443	85.4	508	449	88.4	552	487	88.2	557	505	90.7
White	86,350	77,232	89.4	87,941	79,278	90.1	87,351	79,459	91.0	89,372	82,022	91.8	86,430	79,917	92.5
Multiple races	2,938	2,435	82.9	3,360	2,838	84.5	3,765	3,250	86.3	3,335	2,901	87.0	3,281	2,947	89.8
Gender															
Male	243,838	208,132	85.4	252,714	218,008	86.3	255,906	223,654	87.4	262,716	232,133	88.4	256,150	229,367	89.5
Female	95,648	80,379	84.0	97,807	83,362	85.2	96,920	84,151	86.8	99,436	87,440	87.9	95,198	85,099	89.4
Transgender female	3,952	3,123	79.0	5,170	4,163	80.5	5,552	4,502	81.1	6,551	5,434	82.9	5,848	4,922	84.2
Transgender male	290	244	84.1	606	509	84.0	629	545	86.6	1,208	1,017	84.2	520	453	87.1
Other gender identity	1	1	100.0	75	64	85.3	84	76	90.5	187	161	86.1	160	141	88.1
Transmission category															
Male client															
Male-to-male sexual contact	148,616	127,994	86.1	154,901	134,714	87.0	159,318	140,387	88.1	161,840	144,166	89.1	158,884	143,472	90.3
Injection drug use	13,532	11,626	85.9	13,685	11,827	86.4	13,405	11,660	87.0	13,352	11,644	87.2	12,290	10,819	88.0
Male-to-male sexual contact and injection drug use	6,118	5,095	83.3	7,276	6,116	84.1	7,366	6,238	84.7	7,212	6,220	86.2	7,118	6,236	87.6
Heterosexual contact ^b	58,666	49,582	84.5	59,702	51,133	85.6	59,911	52,076	86.9	61,305	53,777	87.7	57,160	50,886	89.0
Perinatal	2,614	1,880	71.9	2,559	1,878	73.4	2,559	1,909	74.6	2,469	1,905	77.2	2,362	1,851	78.4
Other ^c	1,341	1,225	91.3	1,354	1,227	90.6	1,272	1,181	92.8	1,292	1,189	92.0	1,237	1,145	92.6
Female client															
Injection drug use	7,092	5,919	83.5	7,390	6,262	84.7	7,210	6,139	85.1	7,226	6,274	86.8	6,593	5,833	88.5
Heterosexual contact ^b	78,835	66,723	84.6	81,396	69,913	85.9	80,921	70,849	87.6	82,661	73,162	88.5	78,336	70,462	89.9
Perinatal	3,417	2,424	70.9	3,371	2,438	72.3	3,352	2,481	74.0	3,234	2,447	75.7	3,056	2,388	78.1
Other ^c	1,028	917	89.2	986	874	88.6	902	813	90.1	974	899	92.3	945	877	92.8
Transgender client															
Sexual contact ^d	3,473	2,771	79.8	4,775	3,873	81.1	5,213	4,282	82.1	6,772	5,648	83.4	5,471	4,627	84.6
Injection drug use	50	41	82.0	71	62	87.3	57	52	91.2	89	73	82.0	47	37	78.7
Sexual contact ^d and injection drug use	153	129	84.3	244	191	78.3	252	211	83.7	217	180	82.9	226	189	83.6
Perinatal	14	7	50.0	36	28	77.8	35	24	68.6	61	45	73.8	33	25	75.8
Other ^c	13	10	76.9	22	19	86.4	14	13	92.9	30	26	86.7	20	16	80.0

Table 10. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by year and selected characteristics, 2016–2020—United States and 3 territories (cont.)

	2016			2017			2018			2019			2020		
	Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%
Federal poverty level															
0–100%	215,396	177,149	82.2	219,974	183,370	83.4	217,406	183,906	84.6	222,493	190,526	85.6	215,658	187,725	87.0
101–138%	39,265	34,580	88.1	39,137	34,830	89.0	38,697	34,888	90.2	39,400	35,744	90.7	36,678	33,720	91.9
139–250%	51,620	46,148	89.4	55,292	49,856	90.2	56,182	51,243	91.2	60,818	55,851	91.8	58,594	54,483	93.0
251–400%	21,091	19,343	91.7	21,461	19,764	92.1	23,997	22,396	93.3	27,797	26,108	93.9	26,504	25,134	94.8
>400%	9,299	8,644	93.0	10,411	9,744	93.6	11,689	11,062	94.6	9,535	9,164	96.1	9,753	9,386	96.2
Health care coverage															
Private employer	32,988	29,938	90.8	37,008	34,092	92.1	38,526	35,820	93.0	39,488	36,992	93.7	36,917	34,891	94.5
Private individual	26,042	23,498	90.2	26,868	24,564	91.4	27,645	25,534	92.4	29,705	27,650	93.1	30,526	28,643	93.8
Medicare	35,010	31,318	89.5	37,045	33,434	90.3	35,531	32,468	91.4	37,197	34,240	92.1	35,593	33,127	93.1
Medicaid	110,349	90,513	82.0	110,353	91,731	83.1	108,755	91,569	84.2	109,781	93,359	85.0	107,328	92,883	86.5
Medicare and Medicaid	24,413	21,648	88.7	24,397	21,675	88.8	25,627	23,032	89.9	26,055	23,782	91.3	24,449	22,389	91.6
Veterans Administration	449	389	86.6	445	399	89.7	421	391	92.9	472	437	92.6	383	352	91.9
Indian Health Service	118	95	80.5	147	124	84.4	138	120	87.0	119	102	85.7	21	14	66.7
Other plan	5,609	4,859	86.6	5,823	5,032	86.4	5,181	4,543	87.7	5,607	4,899	87.4	6,932	6,238	90.0
No coverage	73,304	58,106	79.3	77,767	62,586	80.5	79,959	65,555	82.0	83,124	69,300	83.4	79,360	67,695	85.3
Multiple coverages	34,109	30,366	89.0	33,290	29,832	89.6	34,735	31,686	91.2	35,918	33,177	92.4	34,539	32,173	93.1
Housing status															
Stable	295,956	254,789	86.1	310,180	270,438	87.2	311,565	275,413	88.4	317,808	283,810	89.3	313,689	283,456	90.4
Temporary	28,516	22,502	78.9	25,292	19,983	79.0	25,167	20,317	80.7	24,417	20,060	82.2	21,898	18,345	83.8
Unstable	14,408	10,368	72.0	14,911	10,622	71.2	15,621	11,309	72.4	16,404	12,223	74.5	14,364	11,037	76.8
Total^e	344,158	292,224	84.9	356,377	306,111	85.9	359,101	312,937	87.1	370,119	326,204	88.1	357,914	320,015	89.4

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes hemophilia and blood transfusion.

^d Includes any sexual transmission category reported by transgender clients.

^e Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 11a. Retention in care among women (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latina ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%	No.
Age group (yrs)																									
13–14	0	—	—	8	7	87.5	64	52	81.3	18	17	94.4	0	—	—	21	15	71.4	2	1	50.0	113	92	81.4	
15–19	2	1	50.0	23	19	82.6	355	295	83.1	78	62	79.5	0	—	—	47	42	89.4	12	8	66.7	521	428	82.1	
20–24	7	5	71.4	13	8	61.5	1,179	900	76.3	334	263	78.7	3	3	100.0	230	167	72.6	26	24	92.3	1,806	1,377	76.2	
25–29	10	6	60.0	41	33	80.5	2,534	1,915	75.6	799	653	81.7	4	3	75.0	676	493	72.9	64	42	65.6	4,163	3,166	76.1	
30–34	24	17	70.8	74	65	87.8	3,995	3,062	76.6	1,147	923	80.5	11	8	72.7	1,061	788	74.3	53	40	75.5	6,416	4,934	76.9	
35–39	41	30	73.2	167	129	77.2	5,042	3,940	78.1	1,607	1,334	83.0	10	8	80.0	1,333	992	74.4	78	63	80.8	8,330	6,530	78.4	
40–44	48	34	70.8	185	153	82.7	6,449	5,052	78.3	2,180	1,783	81.8	16	13	81.3	1,536	1,170	76.2	84	65	77.4	10,550	8,305	78.7	
45–49	45	33	73.3	165	136	82.4	7,198	5,846	81.2	2,565	2,212	86.2	15	11	73.3	1,733	1,343	77.5	93	73	78.5	11,859	9,687	81.7	
50–54	54	46	85.2	113	89	78.8	8,638	7,112	82.3	2,856	2,492	87.3	12	10	83.3	2,182	1,710	78.4	84	72	85.7	13,982	11,561	82.7	
55–59	53	48	90.6	102	80	78.4	8,782	7,374	84.0	3,038	2,654	87.4	11	7	63.6	2,280	1,813	79.5	96	72	75.0	14,427	12,090	83.8	
60–64	32	22	68.8	81	69	85.2	6,745	5,658	83.9	2,339	2,059	88.0	11	9	81.8	1,592	1,294	81.3	75	61	81.3	10,915	9,207	84.4	
≥65	46	38	82.6	90	77	85.6	6,037	5,001	82.8	2,297	2,014	87.7	4	2	50.0	1,315	1,046	79.5	64	52	81.3	9,909	8,269	83.4	
Transmission category																									
Injection drug use	58	45	77.6	19	17	89.5	2,861	2,378	83.1	1,219	1,023	83.9	5	5	100.0	2,424	1,854	76.5	100	83	83.0	6,704	5,421	80.9	
Heterosexual contact ^c	260	202	77.7	845	691	81.8	48,011	38,997	81.2	16,153	13,925	86.2	77	59	76.6	10,475	8,207	78.3	545	425	78.0	76,553	62,645	81.8	
Perinatal	2	2	100.0	44	35	79.5	1,724	1,396	81.0	570	464	81.4	2	1	50.0	275	212	77.1	40	30	75.0	2,668	2,146	80.4	
Other ^d	4	4	100.0	33	27	81.8	505	417	82.6	209	179	85.6	1	0	0.0	155	121	78.1	9	5	55.6	925	761	82.3	
HHS region^e																									
Region 1	13	10	76.9	58	48	82.8	1,722	1,395	81.0	1,532	1,288	84.1	1	0	0.0	889	696	78.3	33	27	81.8	4,267	3,476	81.5	
Region 2	24	21	87.5	169	147	87.0	8,201	7,013	85.5	7,269	6,433	88.5	16	13	81.3	1,337	1,110	83.0	88	78	88.6	17,304	14,967	86.5	
Region 3	17	17	100.0	100	85	85.0	9,632	7,948	82.5	1,378	1,207	87.6	7	6	85.7	1,757	1,362	77.5	96	76	79.2	13,032	10,734	82.4	
Region 4	74	61	82.4	158	127	80.4	19,478	15,907	81.7	2,374	2,004	84.4	11	8	72.7	4,141	3,290	79.4	183	147	80.3	26,445	21,564	81.5	
Region 5	47	25	53.2	119	92	77.3	6,008	4,385	73.0	1,002	793	79.1	6	4	66.7	1,480	1,036	70.0	100	65	65.0	8,795	6,414	72.9	
Region 6	69	56	81.2	118	100	84.7	6,963	5,563	79.9	2,189	1,826	83.4	10	8	80.0	1,560	1,189	76.2	68	52	76.5	11,058	8,835	79.9	
Region 7	10	7	70.0	34	25	73.5	1,085	884	81.5	109	85	78.0	3	3	100.0	453	348	76.8	35	27	77.1	1,729	1,379	79.8	
Region 8	20	13	65.0	24	22	91.7	313	238	76.0	374	268	71.7	2	1	50.0	302	219	72.5	16	11	68.8	1,062	778	73.3	
Region 9	61	53	86.9	222	176	79.3	1,988	1,598	80.4	2,673	2,283	85.4	35	26	74.3	1,427	1,122	78.6	73	55	75.3	6,502	5,329	82.0	
Region 10	23	14	60.9	47	31	66.0	509	357	70.1	122	84	68.9	6	5	83.3	339	248	73.2	32	28	87.5	1,097	781	71.2	
Federal poverty level																									
0–100%	274	205	74.8	596	494	82.9	38,332	31,149	81.3	14,601	12,574	86.1	64	51	79.7	8,938	6,946	77.7	494	397	80.4	63,506	51,966	81.8	
101–138%	25	23	92.0	114	96	84.2	5,618	4,620	82.2	1,658	1,412	85.2	12	6	50.0	1,397	1,113	79.7	86	63	73.3	8,962	7,376	82.3	
139–250%	36	30	83.3	186	146	78.5	7,682	6,274	81.7	1,927	1,623	84.2	14	12	85.7	2,023	1,598	79.0	90	73	81.1	12,030	9,806	81.5	
251–400%	12	11	91.7	93	74	79.6	2,566	2,071	80.7	529	439	83.0	4	3	75.0	884	671	75.9	41	28	68.3	4,136	3,302	79.8	
>400%	5	4	80.0	38	32	84.2	809	631	78.0	151	120	79.5	0	—	—	331	256	77.3	5	3	60.0	1,347	1,051	78.0	

Table 11a. Retention in care among women (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latina ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%
Health care coverage																								
Private employer	17	12	70.6	148	117	79.1	4,739	3,798	80.1	866	700	80.8	9	9	100.0	1,264	956	75.6	51	35	68.6	7,119	5,641	79.2
Private individual	25	20	80.0	110	89	80.9	4,114	3,279	79.7	867	708	81.7	5	5	100.0	1,115	832	74.6	53	42	79.2	6,308	4,989	79.1
Medicare	31	26	83.9	35	28	80.0	6,179	5,076	82.1	1,342	1,175	87.6	2	2	100.0	1,701	1,351	79.4	86	75	87.2	9,441	7,776	82.4
Medicaid	170	127	74.7	349	287	82.2	21,388	17,216	80.5	8,477	7,285	85.9	46	33	71.7	5,006	3,853	77.0	279	220	78.9	35,961	29,185	81.2
Medicare and Medicaid	29	26	89.7	50	40	80.0	4,956	4,178	84.3	1,464	1,277	87.2	8	6	75.0	1,455	1,192	81.9	72	57	79.2	8,055	6,793	84.3
Veterans Administration	0	—	—	4	3	75.0	58	40	69.0	8	7	87.5	1	1	100.0	27	21	77.8	0	—	—	99	72	72.7
Indian Health Service	1	1	100.0	0	—	—	2	1	50.0	0	—	—	0	—	—	0	—	—	0	—	—	3	2	66.7
Other plan	3	1	33.3	33	25	75.8	728	603	82.8	497	438	88.1	0	—	—	153	118	77.1	11	7	63.6	1,437	1,201	83.6
No coverage	47	35	74.5	201	167	83.1	9,082	7,321	80.6	4,245	3,623	85.3	12	9	75.0	1,764	1,359	77.0	88	69	78.4	15,473	12,604	81.5
Multiple coverages	36	32	88.9	131	109	83.2	5,414	4,474	82.6	1,368	1,169	85.5	13	9	69.2	1,444	1,145	79.3	87	68	78.2	8,521	7,030	82.5
Housing status																								
Stable	307	244	79.5	975	794	81.4	51,180	41,726	81.5	17,694	15,215	86.0	88	70	79.5	12,232	9,608	78.5	637	509	79.9	83,446	68,412	82.0
Temporary	24	19	79.2	48	39	81.3	3,104	2,436	78.5	858	689	80.3	3	2	66.7	838	615	73.4	40	30	75.0	4,930	3,841	77.9
Unstable	24	13	54.2	17	15	88.2	1,579	1,213	76.8	422	340	80.6	4	1	25.0	638	452	70.8	38	23	60.5	2,729	2,058	75.4
Total^b	362	280	77.3	1,062	865	81.5	57,018	46,207	81.0	19,258	16,466	85.5	97	74	76.3	14,006	10,873	77.6	731	573	78.4	92,991	75,646	81.3

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

^a Hispanics/Latinas can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e See Technical Notes for the states/territories in each region.

Table 11b. Viral suppression among women (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latina ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Viral suppression No. %		Total No.	Viral suppression No. %		Total No.	Viral suppression No. %		Total No.	Viral suppression No. %		Total No.	Viral suppression No. %		Total No.	Viral suppression No. %		Total No.	Viral suppression No. %		Total No.	Viral suppression No. %		
Health care coverage																									
Private employer	20	16	80.0	148	144	97.3	4,898	4,588	93.7	883	835	94.6	9	8	88.9	1,315	1,264	96.1	54	47	87.0	7,352	6,927	94.2	
Private individual	26	24	92.3	115	115	100.0	4,236	3,951	93.3	894	849	95.0	5	5	100.0	1,158	1,088	94.0	58	57	98.3	6,511	6,106	93.8	
Medicare	30	27	90.0	36	35	97.2	6,232	5,732	92.0	1,324	1,259	95.1	3	3	100.0	1,716	1,621	94.5	83	76	91.6	9,482	8,805	92.9	
Medicaid	174	140	80.5	357	342	95.8	21,814	18,586	85.2	8,571	7,634	89.1	43	38	88.4	5,082	4,462	87.8	285	257	90.2	36,583	31,682	86.6	
Medicare and Medicaid	29	29	100.0	48	46	95.8	5,010	4,528	90.4	1,480	1,391	94.0	6	6	100.0	1,480	1,363	92.1	74	65	87.8	8,148	7,447	91.4	
Veterans Administration	0	—	—	4	4	100.0	60	56	93.3	8	8	100.0	0	—	—	30	29	96.7	0	—	—	102	97	95.1	
Indian Health Service	2	2	100.0	0	—	—	3	3	100.0	1	0	0.0	0	—	—	0	—	—	0	—	—	6	5	83.3	
Other plan	4	4	100.0	35	35	100.0	734	654	89.1	500	471	94.2	0	—	—	164	141	86.0	8	7	87.5	1,459	1,323	90.7	
No coverage	51	38	74.5	205	191	93.2	9,561	8,198	85.7	4,371	3,948	90.3	10	9	90.0	1,868	1,596	85.4	94	80	85.1	16,202	14,096	87.0	
Multiple coverages	38	35	92.1	133	129	97.0	5,425	4,978	91.8	1,391	1,304	93.7	13	11	84.6	1,447	1,373	94.9	86	80	93.0	8,561	7,936	92.7	
Housing status																									
Stable	314	278	88.5	996	958	96.2	52,338	46,623	89.1	17,932	16,444	91.7	81	74	91.4	12,520	11,501	91.9	648	589	90.9	85,183	76,776	90.1	
Temporary	27	17	63.0	47	47	100.0	3,244	2,692	83.0	899	769	85.5	2	2	100.0	882	765	86.7	44	41	93.2	5,157	4,344	84.2	
Unstable	29	16	55.2	16	15	93.8	1,635	1,271	77.7	442	344	77.8	5	3	60.0	651	482	74.0	39	30	76.9	2,824	2,167	76.7	
Total^b	377	318	84.4	1,082	1,042	96.3	58,269	51,518	88.4	19,527	17,785	91.1	90	81	90.0	14,322	12,991	90.7	745	672	90.2	94,884	84,822	89.4	

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinas can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e See Technical Notes for the states/territories in each region.

Table 12a. Retention in care among men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	
Age group (yrs)																									
13–14	0	—	—	4	4	100.0	75	63	84.0	14	14	100.0	0	—	—	16	13	81.3	0	—	—	109	94	86.2	
15–19	5	4	80.0	19	15	78.9	579	468	80.8	201	160	79.6	4	3	75.0	79	58	73.4	8	8	100.0	902	721	79.9	
20–24	27	22	81.5	126	103	81.7	4,638	3,472	74.9	1,992	1,556	78.1	15	11	73.3	984	731	74.3	129	95	73.6	7,982	6,034	75.6	
25–29	83	56	67.5	392	288	73.5	11,167	8,134	72.8	5,511	4,210	76.4	45	25	55.6	3,523	2,579	73.2	328	238	72.6	21,264	15,670	73.7	
30–34	138	91	65.9	531	390	73.4	14,623	10,908	74.6	7,794	6,107	78.4	62	42	67.7	5,812	4,237	72.9	370	249	67.3	29,600	22,215	75.1	
35–39	100	69	69.0	474	371	78.3	10,704	8,226	76.8	7,866	6,235	79.3	48	33	68.8	6,109	4,464	73.1	238	170	71.4	25,768	19,746	76.6	
40–44	109	80	73.4	503	400	79.5	8,671	6,636	76.5	7,870	6,416	81.5	52	32	61.5	6,149	4,537	73.8	225	170	75.6	23,776	18,410	77.4	
45–49	111	86	77.5	611	487	79.7	8,565	6,762	78.9	7,636	6,269	82.1	37	29	78.4	6,737	5,132	76.2	218	166	76.1	24,099	19,060	79.1	
50–54	155	114	73.5	589	495	84.0	11,512	9,211	80.0	8,789	7,392	84.1	50	46	92.0	10,615	8,176	77.0	250	186	74.4	32,151	25,767	80.1	
55–59	155	117	75.5	353	300	85.0	13,723	11,080	80.7	8,062	6,900	85.6	56	46	82.1	12,730	10,043	78.9	309	233	75.4	35,561	28,845	81.1	
60–64	101	83	82.2	243	198	81.5	10,183	8,410	82.6	5,007	4,338	86.6	29	26	89.7	8,681	6,954	80.1	165	139	84.2	24,528	20,239	82.5	
≥65	57	47	82.5	212	170	80.2	8,688	7,182	82.7	4,284	3,671	85.7	21	18	85.7	7,662	6,177	80.6	142	117	82.4	21,171	17,469	82.5	
Transmission category																									
Male-to-male sexual contact	630	476	75.6	2,539	1,988	78.3	56,240	43,696	77.7	41,173	33,714	81.9	291	210	72.2	49,363	38,390	77.8	1,657	1,214	73.3	152,688	120,322	78.8	
Injection drug use	62	43	69.4	109	92	84.4	4,782	3,876	81.1	3,501	2,931	83.7	14	12	85.7	3,574	2,670	74.7	100	75	75.0	12,180	9,726	79.9	
Male-to-male sexual contact and injection drug use	93	63	67.7	47	37	78.7	1,389	1,083	78.0	1,391	1,101	79.2	10	10	100.0	3,890	2,951	75.9	145	104	71.7	6,995	5,370	76.8	
Heterosexual contact ^c	141	113	80.1	857	719	83.9	32,349	25,724	79.5	14,437	12,148	84.1	52	41	78.8	6,965	5,370	77.1	342	267	78.1	55,277	44,485	80.5	
Perinatal	6	4	66.7	32	24	75.0	1,287	1,006	78.2	468	359	76.7	5	4	80.0	239	176	73.6	27	25	92.6	2,070	1,602	77.4	
Other ^d	5	4	80.0	60	48	80.0	379	315	83.1	261	213	81.6	3	2	66.7	480	363	75.6	6	5	83.3	1,199	955	79.6	
HHS region^e																									
Region 1	20	13	65.0	166	123	74.1	1,854	1,493	80.5	2,610	2,122	81.3	10	6	60.0	3,970	3,073	77.4	97	75	77.3	8,800	6,964	79.1	
Region 2	69	56	81.2	709	599	84.5	11,144	9,326	83.7	15,132	13,326	88.1	47	39	83.0	4,662	3,862	82.8	169	145	85.8	32,726	27,990	85.5	
Region 3	29	24	82.8	312	246	78.8	15,083	11,951	79.2	2,996	2,430	81.1	21	19	90.5	7,075	5,496	77.7	187	149	79.7	25,844	20,416	79.0	
Region 4	179	147	82.1	425	359	84.5	36,992	29,560	79.9	9,049	7,417	82.0	52	36	69.2	16,811	13,331	79.3	538	414	77.0	64,131	51,328	80.0	
Region 5	94	60	63.8	430	308	71.6	13,905	9,940	71.5	4,529	3,405	75.2	19	13	68.4	8,891	6,154	69.2	357	225	63.0	28,323	20,152	71.2	
Region 6	226	176	77.9	358	292	81.6	12,673	9,479	74.8	10,294	8,131	79.0	44	33	75.0	7,994	6,244	78.1	278	213	76.6	32,140	24,735	77.0	
Region 7	22	17	77.3	88	74	84.1	1,956	1,504	76.9	514	404	78.6	11	7	63.6	2,374	1,855	78.1	88	71	80.7	5,054	3,932	77.8	
Region 8	73	49	67.1	67	48	71.6	487	323	66.3	1,839	1,265	68.8	8	4	50.0	2,395	1,670	69.7	60	38	63.3	4,979	3,420	68.7	
Region 9	237	171	72.2	1,252	993	79.3	5,462	4,172	76.4	16,247	13,398	82.5	177	134	75.7	10,269	8,077	78.7	442	330	74.7	34,204	27,370	80.0	
Region 10	66	39	59.1	184	123	66.8	820	577	70.4	894	629	70.4	28	19	67.9	2,751	1,829	66.5	142	93	65.5	5,013	3,393	67.7	
Federal poverty level																									
0–100%	641	474	73.9	2,058	1,656	80.5	63,716	49,626	77.9	38,986	32,005	82.1	230	170	73.9	32,822	25,081	76.4	1,377	1,018	73.9	140,620	110,634	78.7	
101–138%	106	83	78.3	388	316	81.4	10,233	8,240	80.5	6,850	5,728	83.6	44	31	70.5	8,048	6,454	80.2	256	197	77.0	26,086	21,177	81.2	
139–250%	169	127	75.1	812	645	79.4	16,066	12,746	79.3	11,681	9,653	82.6	70	50	71.4	14,035	10,943	78.0	401	314	78.3	43,523	34,691	79.7	
251–400%	78	55	70.5	458	351	76.6	7,606	6,003	78.9	4,795	3,841	80.1	48	38	79.2	7,632	5,861	76.8	229	161	70.3	20,949	16,396	78.3	
>400%	22	16	72.7	219	161	73.5	2,157	1,653	76.6	1,292	1,028	79.6	15	12	80.0	4,115	3,112	75.6	60	48	80.0	7,957	6,086	76.5	

Table 12a. Retention in care among men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%
Health care coverage																								
Private employer	101	81	80.2	559	407	72.8	10,801	8,346	77.3	5,454	4,257	78.1	49	36	73.5	10,358	7,801	75.3	284	206	72.5	27,780	21,244	76.5
Private individual	83	61	73.5	503	385	76.5	8,892	6,985	78.6	4,485	3,465	77.3	50	37	74.0	8,101	6,201	76.5	230	182	79.1	22,456	17,399	77.5
Medicare	120	97	80.8	167	134	80.2	10,953	8,903	81.3	3,466	2,922	84.3	28	23	82.1	10,274	8,113	79.0	216	170	78.7	25,350	20,459	80.7
Medicaid	326	232	71.2	1,088	880	80.9	29,521	22,691	76.9	18,709	15,453	82.6	126	90	71.4	14,828	11,093	74.8	723	527	72.9	66,149	51,572	78.0
Medicare and Medicaid	75	62	82.7	153	128	83.7	7,136	5,941	83.3	3,340	2,845	85.2	20	15	75.0	5,056	4,147	82.0	163	123	75.5	15,981	13,292	83.2
Veterans Administration	1	0	0.0	5	4	80.0	116	74	63.8	30	21	70.0	0	—	—	117	81	69.2	1	1	100.0	271	182	67.2
Indian Health Service	8	4	50.0	0	—	—	1	1	100.0	0	—	—	0	—	—	4	4	100.0	1	0	0.0	14	9	64.3
Other plan	17	11	64.7	155	129	83.2	1,523	1,226	80.5	2,025	1,768	87.3	16	11	68.8	1,209	945	78.2	29	20	69.0	5,079	4,191	82.5
No coverage	161	112	69.6	862	700	81.2	24,507	18,637	76.0	21,337	17,577	82.4	79	58	73.4	9,659	7,351	76.1	435	322	74.0	57,206	44,863	78.4
Multiple coverages	143	106	74.1	550	443	80.5	9,037	7,365	81.5	5,671	4,664	82.2	49	39	79.6	9,029	7,100	78.6	282	212	75.2	24,944	20,082	80.5
Housing status																								
Stable	870	658	75.6	3,586	2,878	80.3	88,489	70,106	79.2	57,548	47,610	82.7	348	266	76.4	60,226	46,806	77.7	2,006	1,521	75.8	214,313	170,799	79.7
Temporary	63	41	65.1	246	191	77.6	7,255	5,273	72.7	3,958	3,047	77.0	35	20	57.1	3,568	2,567	71.9	157	104	66.2	15,383	11,324	73.6
Unstable	82	57	69.5	115	80	69.6	5,030	3,637	72.3	2,298	1,726	75.1	23	15	65.2	2,744	1,921	70.0	153	100	65.4	10,507	7,579	72.1
Total^b	1,041	769	73.9	4,057	3,221	79.4	103,128	80,552	78.1	65,026	53,268	81.9	419	311	74.2	69,097	53,101	76.8	2,382	1,771	74.3	246,911	194,270	78.7

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e See Technical Notes for the states/territories in each region.

Table 12b. Retention in care among men who have sex with men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	
Age group (yrs)																									
13–14	0	—	—	0	—	—	1	0	0.0	0	—	—	0	—	—	0	—	—	0	—	—	1	0	0.0	
15–19	1	1	100.0	4	3	75.0	284	220	77.5	129	102	79.1	0	—	—	34	22	64.7	3	3	100.0	458	353	77.1	
20–24	18	16	88.9	98	82	83.7	3,678	2,769	75.3	1,616	1,265	78.3	9	6	66.7	771	585	75.9	113	80	70.8	6,325	4,820	76.2	
25–29	56	41	73.2	317	240	75.7	9,012	6,658	73.9	4,451	3,422	76.9	35	20	57.1	2,615	1,981	75.8	279	203	72.8	16,849	12,624	74.9	
30–34	92	57	62.0	419	310	74.0	11,487	8,645	75.3	6,123	4,870	79.5	47	29	61.7	4,174	3,104	74.4	294	193	65.6	22,753	17,303	76.0	
35–39	62	46	74.2	325	260	80.0	7,483	5,832	77.9	5,772	4,636	80.3	31	20	64.5	4,300	3,207	74.6	182	128	70.3	18,262	14,215	77.8	
40–44	78	62	79.5	267	203	76.0	4,946	3,856	78.0	5,242	4,303	82.1	37	20	54.1	4,278	3,192	74.6	157	116	73.9	15,099	11,828	78.3	
45–49	75	57	76.0	355	276	77.7	4,066	3,254	80.0	4,694	3,882	82.7	26	20	76.9	4,686	3,608	77.0	129	100	77.5	14,124	11,269	79.8	
50–54	89	64	71.9	341	272	79.8	4,974	4,005	80.5	5,128	4,341	84.7	33	31	93.9	7,515	5,831	77.6	155	120	77.4	18,323	14,739	80.4	
55–59	73	62	84.9	206	175	85.0	5,212	4,254	81.6	4,263	3,659	85.8	44	38	86.4	9,257	7,329	79.2	187	138	73.8	19,329	15,722	81.3	
60–64	52	43	82.7	114	91	79.8	3,023	2,497	82.6	2,191	1,883	85.9	17	16	94.1	6,145	4,984	81.1	87	76	87.4	11,686	9,637	82.5	
≥65	34	27	79.4	93	76	81.7	2,074	1,706	82.3	1,564	1,351	86.4	12	10	83.3	5,588	4,547	81.4	71	57	80.3	9,479	7,812	82.4	
HHS region^c																									
Region 1	14	10	71.4	110	79	71.8	662	537	81.1	1,208	978	81.0	8	4	50.0	3,054	2,358	77.2	59	45	76.3	5,158	4,045	78.4	
Region 2	33	27	81.8	461	384	83.3	4,848	4,061	83.8	7,575	6,769	89.4	28	23	82.1	3,103	2,617	84.3	100	82	82.0	16,572	14,321	86.4	
Region 3	19	16	84.2	192	144	75.0	7,064	5,457	77.3	1,439	1,148	79.8	19	17	89.5	5,133	4,041	78.7	119	90	75.6	14,034	10,948	78.0	
Region 4	118	93	78.8	239	200	83.7	21,484	17,159	79.9	6,068	4,979	82.1	36	26	72.2	12,675	10,136	80.0	405	313	77.3	41,070	32,940	80.2	
Region 5	43	30	69.8	195	135	69.2	7,854	5,649	71.9	2,598	1,939	74.6	9	6	66.7	5,958	4,156	69.8	234	143	61.1	16,933	12,081	71.3	
Region 6	155	126	81.3	188	154	81.9	7,048	5,223	74.1	7,237	5,754	79.5	29	20	69.0	5,767	4,567	79.2	205	155	75.6	20,688	16,049	77.6	
Region 7	10	9	90.0	44	35	79.5	1,269	990	78.0	368	298	81.0	10	7	70.0	1,839	1,445	78.6	71	59	83.1	3,612	2,843	78.7	
Region 8	41	27	65.9	52	38	73.1	246	165	67.1	1,276	888	69.6	6	3	50.0	1,510	1,078	71.4	37	23	62.2	3,185	2,233	70.1	
Region 9	144	106	73.6	918	721	78.5	3,418	2,569	75.2	12,146	10,002	82.3	125	91	72.8	7,105	5,667	79.8	317	236	74.4	24,232	19,443	80.2	
Region 10	35	21	60.0	89	56	62.9	337	247	73.3	555	396	71.4	20	13	65.0	1,722	1,130	65.6	94	55	58.5	2,908	1,956	67.3	
Federal poverty level																									
0–100%	355	270	76.1	1,282	1,022	79.7	32,719	25,311	77.4	23,051	18,835	81.7	159	113	71.1	21,900	17,009	77.7	907	662	73.0	80,749	63,530	78.7	
101–138%	67	53	79.1	229	183	79.9	5,617	4,504	80.2	4,452	3,750	84.2	28	19	67.9	6,018	4,847	80.5	167	127	76.0	16,657	13,547	81.3	
139–250%	127	96	75.6	496	382	77.0	9,977	7,876	78.9	8,287	6,868	82.9	49	32	65.3	10,690	8,360	78.2	311	246	79.1	30,120	24,000	79.7	
251–400%	55	42	76.4	314	233	74.2	5,081	4,011	78.9	3,626	2,906	80.1	35	30	85.7	6,030	4,667	77.4	183	123	67.2	15,386	12,065	78.4	
>400%	14	11	78.6	163	122	74.8	1,367	1,034	75.6	1,001	800	79.9	14	12	85.7	3,223	2,454	76.1	49	37	75.5	5,881	4,508	76.7	
Health care coverage																									
Private employer	73	59	80.8	355	250	70.4	7,267	5,581	76.8	3,985	3,094	77.6	36	30	83.3	7,988	6,064	75.9	226	159	70.4	20,014	15,296	76.4	
Private individual	60	45	75.0	336	257	76.5	5,483	4,325	78.9	3,272	2,535	77.5	40	28	70.0	6,406	4,947	77.2	181	148	81.8	15,838	12,329	77.8	
Medicare	70	59	84.3	89	72	80.9	4,551	3,673	80.7	1,567	1,321	84.3	17	15	88.2	7,558	6,021	79.7	122	98	80.3	14,022	11,302	80.6	
Medicaid	174	124	71.3	639	510	79.8	14,037	10,727	76.4	10,378	8,587	82.7	84	57	67.9	9,232	7,015	76.0	456	321	70.4	35,357	27,631	78.1	
Medicare and Medicaid	40	36	90.0	89	74	83.1	3,005	2,490	82.9	1,636	1,394	85.2	13	9	69.2	3,432	2,839	82.7	89	64	71.9	8,324	6,923	83.2	
Veterans Administration	1	0	0.0	4	3	75.0	64	41	64.1	22	15	68.2	0	—	—	82	60	73.2	0	—	—	173	119	68.8	
Indian Health Service	7	4	57.1	0	—	—	0	—	—	0	—	—	0	—	—	1	1	100.0	1	0	0.0	9	5	55.6	
Other plan	9	6	66.7	112	96	85.7	827	676	81.7	1,366	1,191	87.2	11	7	63.6	786	643	81.8	23	16	69.6	3,185	2,678	84.1	
No coverage	107	78	72.9	561	449	80.0	15,628	11,909	76.2	14,620	12,113	82.9	55	38	69.1	6,824	5,303	77.7	343	255	74.3	38,209	30,195	79.0	
Multiple coverages	84	63	75.0	346	270	78.0	5,095	4,113	80.7	4,044	3,305	81.7	33	24	72.7	6,802	5,363	78.8	203	148	72.9	16,707	13,372	80.0	

Table 12b. Retention in care among men who have sex with men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%
Housing status																								
Stable	557	427	76.7	2,245	1,770	78.8	48,724	38,359	78.7	36,621	30,223	82.5	249	186	74.7	43,848	34,346	78.3	1,427	1,054	73.9	134,334	106,891	79.6
Temporary	33	22	66.7	155	118	76.1	3,718	2,681	72.1	2,428	1,894	78.0	24	14	58.3	2,207	1,617	73.3	96	67	69.8	8,711	6,456	74.1
Unstable	26	18	69.2	78	53	67.9	2,635	1,910	72.5	1,440	1,096	76.1	10	5	50.0	1,550	1,141	73.6	88	61	69.3	5,848	4,303	73.6
Total^b	630	476	75.6	2,539	1,988	78.3	56,240	43,696	77.7	41,173	33,714	81.9	291	210	72.2	49,363	38,390	77.8	1,657	1,214	73.3	152,688	120,322	78.8

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Note: Data are included only for males with the transmission category male-to-male sexual contact; data do not include male clients who reported male-to-male sexual contact and injection drug use.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c See Technical Notes for the states/territories in each region.

Table 12c. Viral suppression among men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Health care coverage																								
Private employer	108	105	97.2	586	566	96.6	11,429	10,508	91.9	5,648	5,394	95.5	51	50	98.0	10,838	10,489	96.8	305	291	95.4	29,141	27,572	94.6
Private individual	86	77	89.5	524	510	97.3	9,326	8,535	91.5	4,722	4,488	95.0	49	48	98.0	8,509	8,147	95.7	228	212	93.0	23,561	22,126	93.9
Medicare	126	114	90.5	167	160	95.8	11,095	10,081	90.9	3,546	3,325	93.8	29	25	86.2	10,465	9,997	95.5	215	198	92.1	25,767	24,016	93.2
Medicaid	339	287	84.7	1,117	1,042	93.3	30,440	25,421	83.5	19,063	16,977	89.1	128	106	82.8	15,011	13,434	89.5	718	634	88.3	67,659	58,633	86.7
Medicare and Medicaid	78	74	94.9	154	149	96.8	7,180	6,402	89.2	3,331	3,083	92.6	21	20	95.2	5,039	4,775	94.8	166	152	91.6	16,004	14,687	91.8
Veterans Administration	1	1	100.0	5	5	100.0	115	103	89.6	32	29	90.6	0	—	—	119	109	91.6	1	1	100.0	274	249	90.9
Indian Health Service	8	4	50.0	0	—	—	1	1	100.0	1	0	0.0	0	—	—	4	4	100.0	1	0	0.0	15	9	60.0
Other plan	18	14	77.8	163	157	96.3	1,604	1,341	83.6	2,134	1,966	92.1	15	14	93.3	1,258	1,164	92.5	31	26	83.9	5,338	4,795	89.8
No coverage	181	140	77.3	914	847	92.7	26,550	21,295	80.2	22,520	20,263	90.0	84	74	88.1	10,481	8,987	85.7	476	402	84.5	61,398	52,175	85.0
Multiple coverages	150	134	89.3	574	552	96.2	9,185	8,287	90.2	5,781	5,496	95.1	50	50	100.0	9,172	8,735	95.2	285	265	93.0	25,394	23,702	93.3
Housing status																								
Stable	915	820	89.6	3,749	3,574	95.3	92,337	80,425	87.1	59,533	54,844	92.1	362	337	93.1	62,391	58,548	93.8	2,054	1,871	91.1	222,666	201,618	90.5
Temporary	69	53	76.8	253	238	94.1	7,633	6,114	80.1	4,121	3,607	87.5	32	27	84.4	3,761	3,266	86.8	175	152	86.9	16,149	13,542	83.9
Unstable	92	62	67.4	116	99	85.3	5,329	4,000	75.1	2,399	1,921	80.1	24	14	58.3	2,854	2,247	78.7	151	114	75.5	11,018	8,497	77.1
Total^b	1,100	954	86.7	4,222	4,005	94.9	107,485	92,433	86.0	67,175	61,383	91.4	430	390	90.7	71,231	66,151	92.9	2,442	2,194	89.8	255,905	229,149	89.5

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e See Technical Notes for the states/territories in each region.

Table 12d. Viral suppression among men who have sex with men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%	No.
Age group (yrs)																									
13–14	0	—	—	0	—	—	1	1	100.0	0	—	—	0	—	—	0	—	—	0	—	—	1	1	100.0	
15–19	1	1	100.0	4	4	100.0	361	272	75.3	148	123	83.1	0	—	—	48	35	72.9	6	6	100.0	569	442	77.7	
20–24	21	19	90.5	105	99	94.3	4,097	3,311	80.8	1,786	1,561	87.4	10	10	100.0	860	751	87.3	116	107	92.2	7,019	5,876	83.7	
25–29	61	46	75.4	336	313	93.2	9,707	7,939	81.8	4,770	4,231	88.7	38	30	78.9	2,810	2,540	90.4	281	244	86.8	18,092	15,424	85.3	
30–34	99	87	87.9	435	420	96.6	12,205	9,974	81.7	6,427	5,808	90.4	47	42	89.4	4,398	3,960	90.0	304	264	86.8	24,038	20,665	86.0	
35–39	68	58	85.3	333	309	92.8	7,857	6,655	84.7	5,935	5,444	91.7	30	28	93.3	4,483	4,050	90.3	193	165	85.5	19,008	16,811	88.4	
40–44	78	71	91.0	274	264	96.4	5,109	4,427	86.7	5,386	4,960	92.1	35	35	100.0	4,437	4,055	91.4	155	147	94.8	15,563	14,033	90.2	
45–49	79	73	92.4	376	362	96.3	4,212	3,697	87.8	4,810	4,479	93.1	28	24	85.7	4,831	4,504	93.2	136	121	89.0	14,574	13,357	91.6	
50–54	87	80	92.0	344	327	95.1	5,120	4,582	89.5	5,256	4,933	93.9	33	33	100.0	7,731	7,264	94.0	162	148	91.4	18,830	17,459	92.7	
55–59	84	76	90.5	209	197	94.3	5,288	4,833	91.4	4,297	4,099	95.4	46	41	89.1	9,478	9,100	96.0	192	183	95.3	19,678	18,606	94.6	
60–64	54	50	92.6	114	108	94.7	3,070	2,870	93.5	2,220	2,138	96.3	17	16	94.1	6,299	6,130	97.3	90	87	96.7	11,922	11,453	96.1	
≥65	36	33	91.7	99	97	98.0	2,097	1,995	95.1	1,578	1,542	97.7	11	11	100.0	5,657	5,559	98.3	66	64	97.0	9,590	9,345	97.4	
HHS region^c																									
Region 1	12	12	100.0	108	103	95.4	648	592	91.4	1,206	1,155	95.8	7	7	100.0	2,998	2,907	97.0	55	52	94.5	5,074	4,868	95.9	
Region 2	36	32	88.9	458	432	94.3	4,999	4,321	86.4	7,758	7,212	93.0	32	28	87.5	3,174	3,018	95.1	99	91	91.9	16,992	15,537	91.4	
Region 3	20	17	85.0	196	189	96.4	7,247	6,331	87.4	1,468	1,372	93.5	21	20	95.2	5,297	5,064	95.6	123	113	91.9	14,426	13,155	91.2	
Region 4	124	109	87.9	263	252	95.8	22,869	19,453	85.1	6,452	5,947	92.2	38	35	92.1	13,259	12,420	93.7	433	395	91.2	43,489	38,654	88.9	
Region 5	48	44	91.7	196	193	98.5	8,126	7,012	86.3	2,627	2,459	93.6	7	7	100.0	6,144	5,837	95.0	229	207	90.4	17,427	15,798	90.7	
Region 6	165	144	87.3	210	199	94.8	7,599	6,318	83.1	7,756	6,949	89.6	31	29	93.5	6,135	5,578	90.9	216	184	85.2	22,174	19,458	87.8	
Region 7	10	10	100.0	51	48	94.1	1,370	1,192	87.0	405	379	93.6	10	10	100.0	1,958	1,850	94.5	75	69	92.0	3,880	3,559	91.7	
Region 8	41	40	97.6	54	51	94.4	232	206	88.8	1,260	1,164	92.4	7	6	85.7	1,504	1,416	94.1	37	32	86.5	3,149	2,929	93.0	
Region 9	156	136	87.2	944	888	94.1	3,529	3,037	86.1	12,362	11,447	92.6	119	107	89.9	7,180	6,683	93.1	322	289	89.8	24,669	22,635	91.8	
Region 10	38	35	92.1	97	95	97.9	345	318	92.2	573	540	94.2	22	21	95.5	1,772	1,673	94.4	95	88	92.6	2,998	2,825	94.2	
Federal poverty level																									
0–100%	378	321	84.9	1,332	1,250	93.8	34,526	28,489	82.5	23,797	21,539	90.5	156	136	87.2	22,609	20,667	91.4	927	814	87.8	84,115	73,561	87.5	
101–138%	72	67	93.1	240	229	95.4	5,853	5,190	88.7	4,615	4,315	93.5	30	27	90.0	6,219	5,913	95.1	174	155	89.1	17,290	15,977	92.4	
139–250%	134	124	92.5	503	488	97.0	10,492	9,369	89.3	8,667	8,188	94.5	53	52	98.1	11,088	10,611	95.7	329	307	93.3	31,457	29,317	93.2	
251–400%	59	57	96.6	323	309	95.7	5,361	4,931	92.0	3,777	3,622	95.9	37	36	97.3	6,299	6,091	96.7	181	175	96.7	16,100	15,282	94.9	
>400%	15	15	100.0	172	171	99.4	1,418	1,319	93.0	1,039	994	95.7	14	14	100.0	3,324	3,263	98.2	53	52	98.1	6,084	5,875	96.6	
Health care coverage																									
Private employer	80	78	97.5	372	359	96.5	7,729	7,069	91.5	4,147	3,968	95.7	37	37	100.0	8,356	8,108	97.0	243	232	95.5	21,050	19,933	94.7	
Private individual	59	55	93.2	349	342	98.0	5,782	5,279	91.3	3,421	3,265	95.4	40	40	100.0	6,728	6,465	96.1	179	167	93.3	16,615	15,668	94.3	
Medicare	75	68	90.7	89	85	95.5	4,661	4,186	89.8	1,627	1,544	94.9	18	15	83.3	7,712	7,402	96.0	123	116	94.3	14,357	13,465	93.8	
Medicaid	181	159	87.8	645	600	93.0	14,587	12,146	83.3	10,576	9,593	90.7	82	69	84.1	9,402	8,591	91.4	452	400	88.5	36,291	31,881	87.8	
Medicare and Medicaid	43	42	97.7	91	88	96.7	3,046	2,677	87.9	1,629	1,514	92.9	13	13	100.0	3,435	3,272	95.3	91	82	90.1	8,367	7,705	92.1	
Veterans Administration	1	1	100.0	4	4	100.0	63	53	84.1	24	21	87.5	0	—	—	84	76	90.5	0	—	—	176	155	88.1	
Indian Health Service	6	3	50.0	0	—	—	0	—	—	1	0	0.0	0	—	—	1	1	100.0	1	0	0.0	9	4	44.4	
Other plan	9	8	88.9	115	113	98.3	861	728	84.6	1,442	1,332	92.4	10	9	90.0	800	753	94.1	23	19	82.6	3,314	3,015	91.0	
No coverage	123	99	80.5	599	558	93.2	16,935	13,532	79.9	15,395	13,920	90.4	59	51	86.4	7,339	6,400	87.2	374	322	86.1	40,907	34,954	85.4	
Multiple coverages	87	77	88.5	354	341	96.3	5,197	4,676	90.0	4,112	3,936	95.7	34	34	100.0	6,947	6,666	96.0	201	186	92.5	17,034	16,013	94.0	

Table 12d. Viral suppression among men who have sex with men (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%	No.
Housing status																									
Stable	588	529	90.0	2,338	2,236	95.6	51,288	44,386	86.5	37,948	35,243	92.9	258	239	92.6	45,519	43,062	94.6	1,458	1,336	91.6	140,093	127,673	91.1	
Temporary	37	31	83.8	157	146	93.0	3,922	3,102	79.1	2,536	2,246	88.6	21	18	85.7	2,311	2,059	89.1	109	96	88.1	9,147	7,742	84.6	
Unstable	30	21	70.0	76	65	85.5	2,825	2,115	74.9	1,503	1,247	83.0	10	7	70.0	1,606	1,294	80.6	91	64	70.3	6,159	4,826	78.4	
Total^b	668	594	88.9	2,629	2,500	95.1	59,124	50,556	85.5	42,613	39,318	92.3	295	270	91.5	51,032	47,948	94.0	1,701	1,536	90.3	158,884	143,472	90.3	

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c See Technical Notes for the states/territories in each region.

Table 13a. Retention in care among transgender adults and adolescents (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Gender																								
Transgender female	44	30	68.2	91	72	79.1	2,969	2,259	76.1	1,751	1,395	79.7	30	27	90.0	633	494	78.0	75	51	68.0	5,636	4,355	77.3
Transgender male	2	2	100.0	5	5	100.0	253	192	75.9	100	81	81.0	2	2	100.0	128	94	73.4	6	4	66.7	501	385	76.8
Other gender identity	0	—	—	7	3	42.9	66	52	78.8	42	33	78.6	1	1	100.0	41	34	82.9	5	3	60.0	178	138	77.5
Age group (yrs)																								
13–14	*	—	—	*	—	—	*	—	—	*	—	—	*	—	—	*	—	—	*	—	—	*	—	—
15–19	0	—	—	0	—	—	17	12	70.6	6	5	83.3	0	—	—	4	4	100.0	1	0	0.0	28	21	75.0
20–24	2	1	50.0	4	3	75.0	216	157	72.7	82	53	64.6	0	—	—	32	20	62.5	3	3	100.0	343	238	69.4
25–29	6	3	50.0	16	13	81.3	536	396	73.9	212	155	73.1	0	—	—	86	65	75.6	14	8	57.1	885	649	73.3
30–34	11	7	63.6	19	14	73.7	767	569	74.2	311	230	74.0	7	6	85.7	132	98	74.2	16	12	75.0	1,275	947	74.3
35–39	6	4	66.7	16	15	93.8	471	353	74.9	271	217	80.1	5	4	80.0	93	75	80.6	10	6	60.0	881	680	77.2
40–44	4	3	75.0	12	8	66.7	339	267	78.8	271	220	81.2	6	6	100.0	83	61	73.5	14	9	64.3	733	577	78.7
45–49	6	5	83.3	16	11	68.8	255	194	76.1	250	206	82.4	5	5	100.0	84	63	75.0	9	7	77.8	631	495	78.4
50–54	7	6	85.7	11	7	63.6	254	206	81.1	245	203	82.9	6	6	100.0	99	85	85.9	12	7	58.3	641	525	81.9
55–59	2	2	100.0	4	4	100.0	213	166	77.9	131	119	90.8	1	1	100.0	91	73	80.2	3	2	66.7	449	370	82.4
60–64	0	—	—	4	4	100.0	133	109	82.0	74	63	85.1	3	2	66.7	64	53	82.8	3	3	100.0	282	235	83.3
≥65	2	1	50.0	1	1	100.0	87	74	85.1	40	38	95.0	0	—	—	34	25	73.5	1	1	100.0	167	141	84.4
Transmission category																								
Sexual contact ^c	33	23	69.7	77	62	80.5	2,766	2,129	77.0	1,632	1,313	80.5	24	21	87.5	626	492	78.6	65	44	67.7	5,255	4,108	78.2
Injection drug use	1	1	100.0	1	1	100.0	20	14	70.0	16	13	81.3	1	1	100.0	12	8	66.7	1	1	100.0	52	39	75.0
Sexual contact ^c and injection drug use	6	6	100.0	3	2	66.7	76	60	78.9	68	53	77.9	3	3	100.0	67	53	79.1	7	5	71.4	231	183	79.2
Perinatal	0	—	—	0	—	—	22	18	81.8	4	2	50.0	0	—	—	7	6	85.7	0	—	—	33	26	78.8
Other ^d	0	—	—	0	—	—	10	7	70.0	3	2	66.7	0	—	—	4	3	75.0	0	—	—	19	13	68.4
HHS region^e																								
Region 1	2	1	50.0	11	7	63.6	43	32	74.4	86	71	82.6	1	1	100.0	36	27	75.0	8	4	50.0	188	144	76.6
Region 2	2	0	0.0	25	23	92.0	425	339	79.8	397	326	82.1	3	3	100.0	65	58	89.2	8	6	75.0	967	787	81.4
Region 3	3	2	66.7	4	4	100.0	479	377	78.7	97	71	73.2	4	4	100.0	78	63	80.8	5	4	80.0	679	530	78.1
Region 4	2	2	100.0	13	10	76.9	930	738	79.4	192	165	85.9	1	1	100.0	184	151	82.1	8	7	87.5	1,330	1,074	80.8
Region 5	8	5	62.5	6	4	66.7	541	385	71.2	140	106	75.7	1	1	100.0	113	81	71.7	17	10	58.8	831	593	71.4
Region 6	8	6	75.0	4	1	25.0	430	306	71.2	283	214	75.6	0	—	—	89	59	66.3	8	4	50.0	823	591	71.8
Region 7	2	2	100.0	1	0	0.0	86	68	79.1	18	13	72.2	2	1	50.0	20	18	90.0	1	1	100.0	130	103	79.2
Region 8	2	1	50.0	1	1	100.0	8	6	75.0	40	29	72.5	0	—	—	24	13	54.2	3	2	66.7	79	53	67.1
Region 9	14	10	71.4	32	26	81.3	246	173	70.3	585	470	80.3	17	16	94.1	142	114	80.3	15	11	73.3	1,054	822	78.0
Region 10	3	3	100.0	3	3	100.0	25	20	80.0	35	26	74.3	4	3	75.0	36	32	88.9	11	7	63.6	119	95	79.8
Federal poverty level																								
0–100%	35	25	71.4	65	51	78.5	2,471	1,882	76.2	1,374	1,084	78.9	22	19	86.4	507	400	78.9	63	42	66.7	4,572	3,523	77.1
101–138%	3	2	66.7	9	8	88.9	220	174	79.1	182	151	83.0	3	3	100.0	72	56	77.8	6	4	66.7	502	404	80.5
139–250%	4	1	25.0	16	10	62.5	345	260	75.4	222	180	81.1	4	4	100.0	109	88	80.7	9	7	77.8	719	558	77.6
251–400%	3	3	100.0	10	9	90.0	128	101	78.9	58	47	81.0	2	2	100.0	57	44	77.2	4	3	75.0	264	211	79.9
>400%	0	—	—	2	2	100.0	25	19	76.0	14	11	78.6	2	2	100.0	18	14	77.8	1	1	100.0	64	51	79.7

Table 13a. Retention in care among transgender adults and adolescents (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%
Health care coverage																								
Private employer	1	0	0.0	11	7	63.6	152	120	78.9	80	66	82.5	3	2	66.7	73	54	74.0	6	5	83.3	329	256	77.8
Private individual	2	2	100.0	9	8	88.9	199	143	71.9	111	87	78.4	3	2	66.7	72	55	76.4	8	5	62.5	405	303	74.8
Medicare	7	4	57.1	3	3	100.0	173	135	78.0	49	40	81.6	0	—	—	91	71	78.0	7	5	71.4	336	262	78.0
Medicaid	17	12	70.6	37	28	75.7	1,488	1,131	76.0	749	587	78.4	19	18	94.7	252	198	78.6	39	25	64.1	2,641	2,025	76.7
Medicare and Medicaid	8	7	87.5	1	0	0.0	166	128	77.1	63	56	88.9	0	—	—	50	44	88.0	2	0	0.0	290	235	81.0
Veterans Administration	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	2	2	100.0	0	—	—	2	2	100.0
Indian Health Service	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—
Other plan	0	—	—	6	3	50.0	45	38	84.4	56	51	91.1	1	1	100.0	15	10	66.7	3	2	66.7	129	108	83.7
No coverage	2	1	50.0	25	21	84.0	814	611	75.1	627	497	79.3	1	1	100.0	139	103	74.1	11	9	81.8	1,622	1,243	76.6
Multiple coverages	9	6	66.7	11	10	90.9	228	187	82.0	148	119	80.4	6	6	100.0	98	80	81.6	10	7	70.0	517	422	81.6
Housing status																								
Stable	37	26	70.3	85	68	80.0	2,655	2,053	77.3	1,558	1,252	80.4	24	22	91.7	647	518	80.1	69	49	71.0	5,124	4,023	78.5
Temporary	1	1	100.0	9	7	77.8	280	207	73.9	167	133	79.6	5	4	80.0	44	28	63.6	7	4	57.1	519	387	74.6
Unstable	6	4	66.7	1	0	0.0	285	196	68.8	126	89	70.6	3	3	100.0	67	48	71.6	8	4	50.0	499	346	69.3
Total^b	46	32	69.6	103	80	77.7	3,288	2,503	76.1	1,893	1,509	79.7	33	30	90.9	802	622	77.6	86	58	67.4	6,315	4,878	77.2

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

* To ensure confidentiality, data have been suppressed.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Includes any sexual transmission category reported by transgender clients.

^d Includes hemophilia and blood transfusion.

^e See Technical Notes for the states/territories in each region.

Table 13b. Viral suppression among transgender adults and adolescents (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Gender																								
Transgender female	41	34	82.9	99	88	88.9	3,093	2,506	81.0	1,811	1,591	87.9	32	30	93.8	654	573	87.6	74	63	85.1	5,848	4,922	84.2
Transgender male	2	1	50.0	6	6	100.0	265	228	86.0	110	100	90.9	2	1	50.0	124	109	87.9	6	4	66.7	520	453	87.1
Other gender identity	0	—	—	6	5	83.3	61	52	85.2	40	35	87.5	1	1	100.0	35	35	100.0	2	2	100.0	160	141	88.1
Age group (yrs)																								
13–14	*	—	—	*	—	—	*	—	—	*	—	—	*	—	—	*	—	—	*	—	—	*	—	—
15–19	0	—	—	0	—	—	18	12	66.7	6	6	100.0	0	—	—	3	3	100.0	1	1	100.0	28	22	78.6
20–24	2	2	100.0	4	4	100.0	241	173	71.8	98	74	75.5	0	—	—	32	27	84.4	3	1	33.3	383	283	73.9
25–29	6	4	66.7	19	16	84.2	565	430	76.1	221	183	82.8	0	—	—	89	78	87.6	15	11	73.3	928	733	79.0
30–34	8	6	75.0	22	19	86.4	801	622	77.7	329	279	84.8	8	7	87.5	136	108	79.4	15	12	80.0	1,331	1,063	79.9
35–39	7	5	71.4	17	14	82.4	488	394	80.7	284	242	85.2	5	4	80.0	100	90	90.0	11	10	90.9	924	766	82.9
40–44	4	3	75.0	9	8	88.9	336	293	87.2	282	251	89.0	7	7	100.0	85	73	85.9	11	10	90.9	738	648	87.8
45–49	6	6	100.0	19	18	94.7	268	234	87.3	257	230	89.5	5	5	100.0	84	74	88.1	9	9	100.0	655	583	89.0
50–54	6	5	83.3	11	10	90.9	259	225	86.9	239	229	95.8	6	5	83.3	99	92	92.9	11	11	100.0	637	583	91.5
55–59	2	2	100.0	5	5	100.0	217	195	89.9	129	121	93.8	1	1	100.0	89	79	88.8	2	1	50.0	449	407	90.6
60–64	0	—	—	4	4	100.0	137	125	91.2	75	73	97.3	3	3	100.0	61	59	96.7	3	2	66.7	284	267	94.0
≥65	2	2	100.0	1	1	100.0	89	83	93.3	41	38	92.7	0	—	—	35	34	97.1	1	1	100.0	171	161	94.2
Transmission category																								
Sexual contact ^c	30	25	83.3	84	76	90.5	2,906	2,358	81.1	1,684	1,493	88.7	25	23	92.0	644	568	88.2	64	55	85.9	5,471	4,627	84.6
Injection drug use	1	1	100.0	1	1	100.0	19	18	94.7	14	8	57.1	1	1	100.0	10	8	80.0	1	0	0.0	47	37	78.7
Sexual contact ^c and injection drug use	5	3	60.0	2	2	100.0	78	64	82.1	67	57	85.1	3	3	100.0	65	57	87.7	6	3	50.0	226	189	83.6
Perinatal	0	—	—	0	—	—	22	16	72.7	4	3	75.0	0	—	—	7	6	85.7	0	—	—	33	25	75.8
Other ^d	0	—	—	0	—	—	10	8	80.0	4	3	75.0	0	—	—	4	4	100.0	0	—	—	20	16	80.0
HHS region^e																								
Region 1	1	1	100.0	7	6	85.7	35	30	85.7	78	75	96.2	1	1	100.0	29	28	96.6	6	5	83.3	157	146	93.0
Region 2	2	2	100.0	28	26	92.9	426	352	82.6	412	353	85.7	3	2	66.7	69	62	89.9	8	7	87.5	994	842	84.7
Region 3	3	3	100.0	4	4	100.0	473	396	83.7	100	81	81.0	4	4	100.0	81	72	88.9	5	4	80.0	676	569	84.2
Region 4	3	1	33.3	15	14	93.3	991	804	81.1	209	184	88.0	1	1	100.0	204	180	88.2	8	7	87.5	1,432	1,192	83.2
Region 5	8	7	87.5	7	5	71.4	557	448	80.4	140	132	94.3	1	1	100.0	107	100	93.5	14	12	85.7	837	707	84.5
Region 6	6	3	50.0	5	4	80.0	467	379	81.2	305	254	83.3	0	—	—	86	71	82.6	9	5	55.6	879	717	81.6
Region 7	2	2	100.0	1	1	100.0	102	76	74.5	19	17	89.5	2	2	100.0	24	21	87.5	2	2	100.0	152	121	79.6
Region 8	1	1	100.0	1	1	100.0	9	7	77.8	39	36	92.3	0	—	—	15	15	100.0	1	1	100.0	67	62	92.5
Region 9	14	13	92.9	37	34	91.9	252	209	82.9	600	540	90.0	19	17	89.5	144	121	84.0	16	15	93.8	1,086	952	87.7
Region 10	3	2	66.7	4	3	75.0	21	20	95.2	37	36	97.3	4	4	100.0	39	35	89.7	11	9	81.8	121	110	90.9
Federal poverty level																								
0–100%	33	26	78.8	67	58	86.6	2,578	2,059	79.9	1,436	1,242	86.5	24	22	91.7	526	451	85.7	64	52	81.3	4,761	3,935	82.7
101–138%	3	2	66.7	9	9	100.0	232	201	86.6	188	174	92.6	3	3	100.0	74	71	95.9	6	6	100.0	523	472	90.2
139–250%	3	3	100.0	20	19	95.0	357	318	89.1	226	206	91.2	4	3	75.0	113	104	92.0	6	5	83.3	741	669	90.3
251–400%	3	3	100.0	11	10	90.9	134	119	88.8	58	55	94.8	2	2	100.0	55	55	100.0	4	4	100.0	269	250	92.9
>400%	0	—	—	2	2	100.0	25	23	92.0	13	12	92.3	2	2	100.0	18	16	88.9	1	1	100.0	63	58	92.1

Table 13b. Viral suppression among transgender adults and adolescents (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	
Health care coverage																								
Private employer	0	—	—	11	8	72.7	153	136	88.9	83	79	95.2	3	3	100.0	67	64	95.5	5	5	100.0	326	298	91.4
Private individual	2	1	50.0	9	9	100.0	212	189	89.2	112	105	93.8	3	3	100.0	77	68	88.3	9	6	66.7	425	382	89.9
Medicare	6	6	100.0	3	3	100.0	178	151	84.8	48	45	93.8	0	—	—	91	87	95.6	7	6	85.7	339	303	89.4
Medicaid	16	13	81.3	39	34	87.2	1,529	1,224	80.1	768	672	87.5	20	18	90.0	259	218	84.2	36	30	83.3	2,706	2,241	82.8
Medicare and Medicaid	7	6	85.7	1	0	0.0	167	136	81.4	64	61	95.3	0	—	—	55	51	92.7	1	1	100.0	295	255	86.4
Veterans Administration	0	—	—	0	—	—	1	0	0.0	0	—	—	0	—	—	2	2	100.0	0	—	—	3	2	66.7
Indian Health Service	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—
Other plan	0	—	—	6	6	100.0	45	38	84.4	57	52	91.2	1	1	100.0	14	13	92.9	3	2	66.7	129	115	89.1
No coverage	3	1	33.3	29	27	93.1	868	674	77.6	663	561	84.6	1	1	100.0	151	123	81.5	12	10	83.3	1,730	1,398	80.8
Multiple coverages	9	8	88.9	13	12	92.3	249	226	90.8	158	143	90.5	7	6	85.7	94	88	93.6	9	9	100.0	547	499	91.2
Housing status																								
Stable	33	28	84.8	94	89	94.7	2,754	2,305	83.7	1,603	1,427	89.0	25	24	96.0	668	604	90.4	68	60	88.2	5,297	4,581	86.5
Temporary	1	1	100.0	10	6	60.0	306	232	75.8	187	153	81.8	6	5	83.3	48	36	75.0	6	4	66.7	569	439	77.2
Unstable	8	5	62.5	2	0	0.0	299	200	66.9	131	110	84.0	3	2	66.7	65	47	72.3	7	4	57.1	518	371	71.6
Total^b	43	35	81.4	111	99	89.2	3,419	2,786	81.5	1,961	1,726	88.0	35	32	91.4	813	717	88.2	82	69	84.1	6,528	5,516	84.5

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

* To ensure confidentiality, data have been suppressed.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Includes any sexual transmission category reported by transgender clients.

^d Includes hemophilia and blood transfusion.

^e See Technical Notes for the states/territories in each region.

Table 14a. Retention in care among youth and young adults (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%	No.
Gender																									
Male	32	26	81.3	149	122	81.9	5,292	4,003	75.6	2,207	1,730	78.4	19	14	73.7	1,079	802	74.3	137	103	75.2	8,993	6,849	76.2	
Female	9	6	66.7	44	34	77.3	1,598	1,247	78.0	430	342	79.5	3	3	100.0	298	224	75.2	40	33	82.5	2,440	1,897	77.7	
Transgender	2	1	50.0	4	3	75.0	233	169	72.5	88	58	65.9	0	—	—	36	24	66.7	4	3	75.0	371	259	69.8	
Transmission category																									
Male client																									
Male-to-male sexual contact	19	17	89.5	102	85	83.3	3,963	2,989	75.4	1,745	1,367	78.3	9	6	66.7	805	607	75.4	116	83	71.6	6,784	5,173	76.3	
Injection drug use	0	—	—	0	—	—	5	3	60.0	10	4	40.0	0	—	—	23	14	60.9	1	1	100.0	41	23	56.1	
Male-to-male sexual contact and injection drug use	1	0	0.0	0	—	—	24	14	58.3	26	23	88.5	1	1	100.0	38	25	65.8	3	3	100.0	94	67	71.3	
Heterosexual contact ^c	2	2	100.0	8	5	62.5	384	289	75.3	136	104	76.5	3	3	100.0	62	45	72.6	2	2	100.0	599	451	75.3	
Perinatal	3	2	66.7	27	20	74.1	632	517	81.8	158	128	81.0	4	3	75.0	86	69	80.2	9	9	100.0	922	750	81.3	
Other ^d	0	—	—	0	—	—	7	3	42.9	3	3	100.0	0	—	—	3	3	100.0	0	—	—	13	9	69.2	
Female client																									
Injection drug use	0	—	—	0	—	—	9	7	77.8	4	3	75.0	0	—	—	25	18	72.0	2	0	0.0	40	28	70.0	
Heterosexual contact ^c	7	4	57.1	6	4	66.7	728	556	76.4	200	162	81.0	2	2	100.0	155	113	72.9	14	14	100.0	1,114	856	76.8	
Perinatal	1	1	100.0	33	26	78.8	780	642	82.3	199	159	79.9	1	1	100.0	106	84	79.2	22	18	81.8	1,148	934	81.4	
Other ^d	0	—	—	0	—	—	5	4	80.0	2	1	50.0	0	—	—	1	1	100.0	0	—	—	8	6	75.0	
Transgender client																									
Sexual contact ^e	2	1	50.0	4	3	75.0	188	140	74.5	80	54	67.5	0	—	—	24	16	66.7	2	1	50.0	300	215	71.7	
Injection drug use	0	—	—	0	—	—	1	1	100.0	0	—	—	0	—	—	0	—	—	0	—	—	1	1	100.0	
Sexual contact ^e and injection drug use	0	—	—	0	—	—	0	—	—	2	1	50.0	0	—	—	1	0	0.0	1	1	100.0	4	2	50.0	
Perinatal	0	—	—	0	—	—	8	8	100.0	1	0	0.0	0	—	—	3	3	100.0	0	—	—	12	11	91.7	
Other ^d	0	—	—	0	—	—	2	0	0.0	0	—	—	0	—	—	0	—	—	0	—	—	3	0	0.0	
HHS region^f																									
Region 1	1	1	100.0	11	7	63.6	114	87	76.3	79	60	75.9	0	—	—	46	35	76.1	5	3	60.0	262	195	74.4	
Region 2	1	1	100.0	26	19	73.1	576	472	81.9	517	431	83.4	1	0	0.0	74	56	75.7	11	10	90.9	1,229	1,008	82.0	
Region 3	2	2	100.0	15	12	80.0	917	714	77.9	170	138	81.2	0	—	—	108	73	67.6	9	8	88.9	1,227	950	77.4	
Region 4	9	8	88.9	30	24	80.0	2,831	2,214	78.2	450	361	80.2	6	5	83.3	442	337	76.2	60	49	81.7	3,838	3,003	78.2	
Region 5	7	5	71.4	16	13	81.3	1,018	722	70.9	175	131	74.9	1	1	100.0	173	124	71.7	31	23	74.2	1,429	1,023	71.6	
Region 6	10	8	80.0	18	18	100.0	894	621	69.5	602	456	75.7	3	2	66.7	196	144	73.5	23	15	65.2	1,778	1,282	72.1	
Region 7	1	1	100.0	8	5	62.5	177	131	74.0	38	23	60.5	1	0	0.0	66	55	83.3	13	12	92.3	304	227	74.7	
Region 8	4	3	75.0	9	8	88.9	67	50	74.6	87	68	78.2	2	1	50.0	62	40	64.5	3	2	66.7	237	172	72.6	
Region 9	7	4	57.1	52	44	84.6	260	201	77.3	508	385	75.8	5	5	100.0	169	127	75.1	23	14	60.9	1,035	787	76.0	
Region 10	1	0	0.0	7	4	57.1	41	22	53.7	33	23	69.7	3	3	100.0	24	16	66.7	3	3	100.0	113	71	62.8	
Federal poverty level																									
0–100%	26	20	76.9	114	93	81.6	4,880	3,658	75.0	1,813	1,406	77.6	9	8	88.9	890	662	74.4	114	89	78.1	7,887	5,960	75.6	
101–138%	5	5	100.0	15	14	93.3	604	475	78.6	262	207	79.0	4	2	50.0	107	76	71.0	17	11	64.7	1,022	798	78.1	
139–250%	8	5	62.5	44	31	70.5	1,040	841	80.9	457	368	80.5	8	6	75.0	233	180	77.3	28	23	82.1	1,828	1,459	79.8	
251–400%	2	1	50.0	10	9	90.0	310	252	81.3	122	98	80.3	0	—	—	104	78	75.0	14	12	85.7	564	450	79.8	
>400%	0	—	—	10	10	100.0	93	78	83.9	27	25	92.6	0	—	—	34	25	73.5	3	2	66.7	167	140	83.8	

Table 14a. Retention in care among youth and young adults (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%
Health care coverage																								
Private employer	2	2	100.0	38	27	71.1	721	571	79.2	199	158	79.4	3	3	100.0	248	187	75.4	23	16	69.6	1,242	968	77.9
Private individual	4	4	100.0	24	19	79.2	618	491	79.4	181	139	76.8	4	3	75.0	197	149	75.6	14	11	78.6	1,047	819	78.2
Medicare	0	—	—	0	—	—	37	26	70.3	8	6	75.0	0	—	—	5	3	60.0	1	1	100.0	53	38	71.7
Medicaid	21	17	81.0	60	49	81.7	2,839	2,139	75.3	979	759	77.5	7	6	85.7	420	305	72.6	76	62	81.6	4,461	3,373	75.6
Medicare and Medicaid	0	—	—	2	2	100.0	48	39	81.3	12	11	91.7	0	—	—	7	6	85.7	0	—	—	69	58	84.1
Veterans Administration	0	—	—	1	1	100.0	16	12	75.0	5	4	80.0	0	—	—	9	8	88.9	0	—	—	32	25	78.1
Indian Health Service	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	1	0	0.0	1	0	0.0
Other plan	2	1	50.0	8	7	87.5	101	79	78.2	78	62	79.5	1	1	100.0	30	23	76.7	2	1	50.0	223	174	78.0
No coverage	9	6	66.7	31	27	87.1	2,178	1,630	74.8	1,037	813	78.4	6	4	66.7	321	233	72.6	39	29	74.4	3,637	2,751	75.6
Multiple coverages	4	2	50.0	32	27	84.4	513	411	80.1	204	165	80.9	1	0	0.0	157	126	80.3	23	19	82.6	938	752	80.2
Housing status																								
Stable	32	27	84.4	184	150	81.5	6,123	4,753	77.6	2,398	1,889	78.8	19	14	73.7	1,197	899	75.1	154	119	77.3	10,162	7,885	77.6
Temporary	1	1	100.0	10	7	70.0	583	396	67.9	197	149	75.6	2	2	100.0	101	72	71.3	13	12	92.3	914	643	70.4
Unstable	5	2	40.0	2	1	50.0	301	210	69.8	96	68	70.8	0	—	—	77	55	71.4	10	7	70.0	496	345	69.6
Total^b	43	33	76.7	197	159	80.7	7,123	5,419	76.1	2,725	2,130	78.2	22	17	77.3	1,413	1,050	74.3	181	139	76.8	11,804	9,005	76.3

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e Includes any sexual transmission category reported by transgender clients.

^f See Technical Notes for the states/territories in each region.

Table 14b. Viral suppression among youth and young adults (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Viral suppression No. %		Total No.	Viral suppression No. %		Total No.	Viral suppression No. %		Total No.	Viral suppression No. %		Total No.	Viral suppression No. %		Total No.	Viral suppression No. %		Total No.	Viral suppression No. %		Total No.	Viral suppression No. %		
Gender																									
Male	38	30	78.9	159	148	93.1	5,927	4,730	79.8	2,455	2,100	85.5	21	19	90.5	1,205	1,028	85.3	146	131	89.7	10,038	8,257	82.3	
Female	7	6	85.7	43	42	97.7	1,702	1,318	77.4	444	358	80.6	4	3	75.0	318	277	87.1	41	39	95.1	2,579	2,055	79.7	
Transgender	2	2	100.0	4	4	100.0	259	185	71.4	104	80	76.9	0	—	—	35	30	85.7	4	2	50.0	411	305	74.2	
Transmission category																									
Male client																									
Male-to-male sexual contact	22	20	90.9	109	103	94.5	4,459	3,584	80.4	1,934	1,684	87.1	10	10	100.0	908	786	86.6	122	113	92.6	7,589	6,319	83.3	
Injection drug use	0	—	—	0	—	—	10	8	80.0	11	8	72.7	0	—	—	25	19	76.0	1	1	100.0	49	37	75.5	
Male-to-male sexual contact and injection drug use	1	0	0.0	1	1	100.0	25	22	88.0	32	24	75.0	2	1	50.0	45	34	75.6	3	3	100.0	110	85	77.3	
Heterosexual contact ^c	3	2	66.7	8	7	87.5	439	346	78.8	162	129	79.6	3	3	100.0	72	58	80.6	3	3	100.0	692	550	79.5	
Perinatal	4	3	75.0	28	25	89.3	662	520	78.5	167	130	77.8	4	3	75.0	89	74	83.1	9	6	66.7	966	763	79.0	
Other ^d	0	—	—	0	—	—	7	4	57.1	4	3	75.0	0	—	—	3	2	66.7	0	—	—	14	9	64.3	
Female client																									
Injection drug use	0	—	—	0	—	—	11	9	81.8	3	3	100.0	0	—	—	22	20	90.9	0	—	—	36	32	88.9	
Heterosexual contact ^c	5	4	80.0	5	5	100.0	800	622	77.8	209	166	79.4	3	2	66.7	169	142	84.0	18	18	100.0	1,212	961	79.3	
Perinatal	1	1	100.0	33	32	97.0	800	619	77.4	203	166	81.8	1	1	100.0	112	103	92.0	22	21	95.5	1,177	946	80.4	
Other ^d	0	—	—	0	—	—	6	5	83.3	2	1	50.0	0	—	—	1	1	100.0	0	—	—	9	7	77.8	
Transgender client																									
Sexual contact ^e	2	2	100.0	4	4	100.0	214	151	70.6	95	73	76.8	0	—	—	26	21	80.8	2	1	50.0	343	252	73.5	
Injection drug use	0	—	—	0	—	—	2	2	100.0	0	—	—	0	—	—	0	—	—	0	—	—	2	2	100.0	
Sexual contact ^e and injection drug use	0	—	—	0	—	—	1	0	0.0	2	1	50.0	0	—	—	2	2	100.0	1	0	0.0	6	3	50.0	
Perinatal	0	—	—	0	—	—	8	6	75.0	1	0	0.0	0	—	—	3	3	100.0	0	—	—	12	9	75.0	
Other ^d	0	—	—	0	—	—	1	0	0.0	0	—	—	0	—	—	0	—	—	0	—	—	2	0	0.0	
HHS region^f																									
Region 1	1	1	100.0	11	10	90.9	114	91	79.8	86	73	84.9	0	—	—	42	38	90.5	6	6	100.0	264	222	84.1	
Region 2	4	4	100.0	25	23	92.0	633	508	80.3	578	497	86.0	1	1	100.0	84	68	81.0	11	9	81.8	1,364	1,132	83.0	
Region 3	2	2	100.0	14	14	100.0	990	797	80.5	176	146	83.0	0	—	—	120	102	85.0	10	10	100.0	1,318	1,074	81.5	
Region 4	9	7	77.8	33	33	100.0	3,136	2,472	78.8	502	430	85.7	6	6	100.0	482	422	87.6	66	61	92.4	4,245	3,439	81.0	
Region 5	7	4	57.1	18	17	94.4	1,128	873	77.4	187	151	80.7	1	1	100.0	193	168	87.0	30	24	80.0	1,577	1,245	78.9	
Region 6	11	10	90.9	21	18	85.7	1,038	790	76.1	674	558	82.8	3	3	100.0	232	191	82.3	23	21	91.3	2,037	1,624	79.7	
Region 7	1	0	0.0	8	8	100.0	196	164	83.7	45	41	91.1	1	1	100.0	78	70	89.7	15	15	100.0	344	299	86.9	
Region 8	4	4	100.0	10	9	90.0	72	68	94.4	78	70	89.7	4	3	75.0	51	47	92.2	3	2	66.7	226	207	91.6	
Region 9	7	6	85.7	54	50	92.6	283	231	81.6	568	475	83.6	6	4	66.7	187	153	81.8	21	19	90.5	1,134	944	83.2	
Region 10	1	0	0.0	7	7	100.0	49	41	83.7	38	32	84.2	3	3	100.0	29	24	82.8	5	4	80.0	134	111	82.8	
Federal poverty level																									
0–100%	28	21	75.0	122	111	91.0	5,422	4,206	77.6	2,005	1,659	82.7	11	8	72.7	1,000	829	82.9	120	106	88.3	8,751	6,970	79.6	
101–138%	6	6	100.0	16	15	93.8	667	536	80.4	278	243	87.4	4	4	100.0	122	109	89.3	17	16	94.1	1,119	936	83.6	
139–250%	8	7	87.5	44	44	100.0	1,143	967	84.6	510	452	88.6	9	9	100.0	256	233	91.0	33	32	97.0	2,015	1,752	86.9	
251–400%	3	3	100.0	11	11	100.0	351	298	84.9	132	117	88.6	0	—	—	108	102	94.4	14	12	85.7	621	545	87.8	
>400%	0	—	—	10	10	100.0	101	82	81.2	30	26	86.7	0	—	—	32	29	90.6	4	4	100.0	177	151	85.3	

Table 14b. Viral suppression among youth and young adults (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Health care coverage																								
Private employer	3	3	100.0	37	37	100.0	800	687	85.9	212	187	88.2	4	4	100.0	274	247	90.1	26	24	92.3	1,364	1,197	87.8
Private individual	4	3	75.0	25	24	96.0	679	583	85.9	198	179	90.4	4	4	100.0	218	202	92.7	15	15	100.0	1,151	1,015	88.2
Medicare	0	—	—	0	—	—	40	33	82.5	9	7	77.8	0	—	—	6	6	100.0	1	1	100.0	59	49	83.1
Medicaid	23	20	87.0	60	52	86.7	3,108	2,400	77.2	1,069	894	83.6	9	6	66.7	463	382	82.5	79	67	84.8	4,873	3,870	79.4
Medicare and Medicaid	0	—	—	2	2	100.0	51	40	78.4	14	12	85.7	0	—	—	9	7	77.8	0	—	—	76	61	80.3
Veterans Administration	0	—	—	1	1	100.0	22	14	63.6	5	5	100.0	0	—	—	9	8	88.9	0	—	—	37	28	75.7
Indian Health Service	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	1	0	0.0	1	0	0.0
Other plan	2	1	50.0	10	10	100.0	105	83	79.0	87	75	86.2	1	1	100.0	31	24	77.4	3	3	100.0	242	200	82.6
No coverage	9	7	77.8	39	36	92.3	2,502	1,891	75.6	1,181	973	82.4	6	6	100.0	367	293	79.8	42	40	95.2	4,166	3,261	78.3
Multiple coverages	5	4	80.0	32	32	100.0	537	472	87.9	216	195	90.3	1	1	100.0	172	158	91.9	24	22	91.7	990	885	89.4
Housing status																								
Stable	35	31	88.6	194	183	94.3	6,791	5,430	80.0	2,635	2,245	85.2	21	19	90.5	1,329	1,161	87.4	166	151	91.0	11,233	9,267	82.5
Temporary	2	1	50.0	9	8	88.9	641	471	73.5	224	182	81.3	2	2	100.0	112	92	82.1	13	11	84.6	1,010	771	76.3
Unstable	5	2	40.0	1	1	100.0	335	238	71.0	110	81	73.6	1	0	0.0	91	57	62.6	9	7	77.8	556	387	69.6
Total^b	47	38	80.9	206	194	94.2	7,888	6,233	79.0	3,003	2,538	84.5	25	22	88.0	1,558	1,335	85.7	191	172	90.1	13,029	10,618	81.5

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e Includes any sexual transmission category reported by transgender clients.

^f See Technical Notes for the states/territories in each region.

Table 15a. Retention in care among young men who have sex with men (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%	
HHS region^c																									
Region 1	0	—	—	7	5	71.4	30	20	66.7	42	30	71.4	0	—	—	26	20	76.9	3	1	33.3	109	77	70.6	
Region 2	0	—	—	17	14	82.4	224	183	81.7	263	226	85.9	0	—	—	42	31	73.8	6	5	83.3	558	465	83.3	
Region 3	1	1	100.0	5	3	60.0	448	344	76.8	94	75	79.8	0	—	—	58	41	70.7	9	8	88.9	617	474	76.8	
Region 4	6	6	100.0	11	10	90.9	1,745	1,354	77.6	300	243	81.0	2	2	100.0	252	191	75.8	42	34	81.0	2,362	1,842	78.0	
Region 5	3	3	100.0	4	4	100.0	543	383	70.5	86	61	70.9	0	—	—	86	61	70.9	14	7	50.0	738	520	70.5	
Region 6	4	4	100.0	8	8	100.0	574	398	69.3	445	341	76.6	1	0	0.0	132	99	75.0	16	10	62.5	1,185	864	72.9	
Region 7	0	—	—	3	3	100.0	91	69	75.8	27	17	63.0	1	0	0.0	43	36	83.7	7	7	100.0	172	132	76.7	
Region 8	2	2	100.0	5	5	100.0	7	4	57.1	49	39	79.6	2	1	50.0	26	19	73.1	1	0	0.0	92	70	76.1	
Region 9	2	1	50.0	34	28	82.4	138	101	73.2	369	278	75.3	1	1	100.0	94	72	76.6	16	9	56.3	659	493	74.8	
Region 10	1	0	0.0	3	0	0.0	7	2	28.6	18	13	72.2	2	2	100.0	12	8	66.7	2	2	100.0	45	27	60.0	
Federal poverty level																									
0–100%	11	9	81.8	61	52	85.2	2,706	2,011	74.3	1,104	863	78.2	3	3	100.0	491	373	76.0	73	53	72.6	4,462	3,373	75.6	
101–138%	3	3	100.0	7	6	85.7	324	247	76.2	175	136	77.7	1	0	0.0	67	48	71.6	12	7	58.3	595	453	76.1	
139–250%	5	5	100.0	27	21	77.8	619	502	81.1	341	271	79.5	5	3	60.0	155	119	76.8	20	15	75.0	1,176	939	79.8	
251–400%	0	—	—	5	4	80.0	202	162	80.2	91	73	80.2	0	—	—	65	48	73.8	9	7	77.8	372	294	79.0	
>400%	0	—	—	2	2	100.0	30	22	73.3	17	15	88.2	0	—	—	10	7	70.0	2	1	50.0	61	47	77.0	
Health care coverage																									
Private employer	1	1	100.0	16	11	68.8	457	360	78.8	143	113	79.0	3	3	100.0	152	115	75.7	16	10	62.5	789	614	77.8	
Private individual	3	3	100.0	18	14	77.8	394	314	79.7	127	100	78.7	1	1	100.0	142	107	75.4	10	8	80.0	698	549	78.7	
Medicare	0	—	—	0	—	—	15	12	80.0	2	2	100.0	0	—	—	3	2	66.7	1	1	100.0	21	17	81.0	
Medicaid	9	8	88.9	23	19	82.6	1,207	881	73.0	511	393	76.9	1	1	100.0	174	131	75.3	40	29	72.5	1,978	1,473	74.5	
Medicare and Medicaid	0	—	—	2	2	100.0	20	17	85.0	8	7	87.5	0	—	—	3	3	100.0	0	—	—	33	29	87.9	
Veterans Administration	0	—	—	0	—	—	12	8	66.7	3	2	66.7	0	—	—	3	2	66.7	0	—	—	18	12	66.7	
Indian Health Service	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	1	0	0.0	1	0	0.0	
Other plan	0	—	—	4	4	100.0	64	50	78.1	56	43	76.8	0	—	—	18	15	83.3	1	0	0.0	143	112	78.3	
No coverage	4	4	100.0	22	20	90.9	1,501	1,126	75.0	757	599	79.1	3	1	33.3	204	148	72.5	32	23	71.9	2,528	1,924	76.1	
Multiple coverages	2	1	50.0	17	15	88.2	266	210	78.9	131	103	78.6	1	0	0.0	100	81	81.0	15	12	80.0	534	423	79.2	
Housing status																									
Stable	15	15	100.0	94	79	84.0	3,392	2,607	76.9	1,537	1,218	79.2	8	5	62.5	698	521	74.6	104	73	70.2	5,868	4,533	77.2	
Temporary	0	—	—	7	5	71.4	328	215	65.5	132	97	73.5	1	1	100.0	54	44	81.5	6	5	83.3	530	368	69.4	
Unstable	1	0	0.0	1	1	100.0	180	134	74.4	61	43	70.5	0	—	—	38	32	84.2	6	5	83.3	289	217	75.1	
Total^b	19	17	89.5	102	85	83.3	3,963	2,989	75.4	1,745	1,367	78.3	9	6	66.7	805	607	75.4	116	83	71.6	6,784	5,173	76.3	

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Note: Data are included only for males with the transmission category male-to-male sexual contact; data do not include male clients who reported male-to-male sexual contact and injection drug use.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c See Technical Notes for the states/territories in each region.

Table 16a. Retention in care among young women (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latina ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Transmission category																								
Injection drug use	0	—	—	0	—	—	9	7	77.8	4	3	75.0	0	—	—	25	18	72.0	2	0	0.0	40	28	70.0
Heterosexual contact ^c	7	4	57.1	6	4	66.7	728	556	76.4	200	162	81.0	2	2	100.0	155	113	72.9	14	14	100.0	1,114	856	76.8
Perinatal	1	1	100.0	33	26	78.8	780	642	82.3	199	159	79.9	1	1	100.0	106	84	79.2	22	18	81.8	1,148	934	81.4
Other ^d	0	—	—	0	—	—	5	4	80.0	2	1	50.0	0	—	—	1	1	100.0	0	—	—	8	6	75.0
HHS region^e																								
Region 1	0	—	—	2	1	50.0	40	33	82.5	21	19	90.5	0	—	—	10	7	70.0	0	—	—	75	60	80.0
Region 2	0	—	—	3	2	66.7	169	137	81.1	124	101	81.5	0	—	—	14	11	78.6	5	5	100.0	319	260	81.5
Region 3	1	1	100.0	7	7	100.0	251	205	81.7	32	27	84.4	0	—	—	30	17	56.7	0	—	—	321	257	80.1
Region 4	1	1	100.0	10	7	70.0	572	452	79.0	75	59	78.7	0	—	—	104	79	76.0	10	8	80.0	772	606	78.5
Region 5	0	—	—	3	2	66.7	203	151	74.4	31	23	74.2	0	—	—	41	32	78.0	9	8	88.9	288	216	75.0
Region 6	1	0	0.0	4	4	100.0	166	118	71.1	58	40	69.0	1	1	100.0	33	23	69.7	4	3	75.0	274	192	70.1
Region 7	1	1	100.0	3	2	66.7	45	36	80.0	6	5	83.3	0	—	—	9	9	100.0	6	5	83.3	70	58	82.9
Region 8	1	0	0.0	3	2	66.7	32	25	78.1	14	11	78.6	0	—	—	5	5	100.0	1	1	100.0	57	44	77.2
Region 9	4	3	75.0	9	7	77.8	58	47	81.0	58	49	84.5	2	2	100.0	36	28	77.8	5	3	60.0	174	140	80.5
Region 10	0	—	—	0	—	—	13	8	61.5	3	1	33.3	0	—	—	6	5	83.3	0	—	—	23	14	60.9
Federal poverty level																								
0–100%	6	4	66.7	28	21	75.0	1,105	849	76.8	324	254	78.4	3	3	100.0	206	155	75.2	24	21	87.5	1,701	1,309	77.0
101–138%	1	1	100.0	2	2	100.0	144	118	81.9	41	34	82.9	0	—	—	16	14	87.5	4	3	75.0	209	173	82.8
139–250%	1	0	0.0	7	5	71.4	240	197	82.1	44	40	90.9	0	—	—	38	27	71.1	6	6	100.0	338	276	81.7
251–400%	1	1	100.0	0	—	—	41	33	80.5	11	8	72.7	0	—	—	19	16	84.2	3	3	100.0	76	61	80.3
>400%	0	—	—	6	6	100.0	29	28	96.6	5	5	100.0	0	—	—	8	6	75.0	0	—	—	48	45	93.8
Health care coverage																								
Private employer	1	1	100.0	12	10	83.3	126	97	77.0	24	17	70.8	0	—	—	39	29	74.4	3	3	100.0	205	157	76.6
Private individual	0	—	—	2	2	100.0	89	71	79.8	23	18	78.3	1	1	100.0	31	24	77.4	3	2	66.7	149	118	79.2
Medicare	0	—	—	0	—	—	14	8	57.1	3	2	66.7	0	—	—	1	0	0.0	0	—	—	18	10	55.6
Medicaid	4	3	75.0	18	14	77.8	912	703	77.1	239	189	79.1	2	2	100.0	138	104	75.4	24	21	87.5	1,350	1,042	77.2
Medicare and Medicaid	0	—	—	0	—	—	14	12	85.7	3	3	100.0	0	—	—	1	0	0.0	0	—	—	18	15	83.3
Veterans Administration	0	—	—	0	—	—	3	3	100.0	0	—	—	0	—	—	4	4	100.0	0	—	—	8	7	87.5
Indian Health Service	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—
Other plan	0	—	—	1	0	0.0	17	14	82.4	8	8	100.0	0	—	—	5	3	60.0	1	1	100.0	32	26	81.3
No coverage	2	1	50.0	3	2	66.7	276	217	78.6	92	74	80.4	0	—	—	51	36	70.6	3	3	100.0	428	334	78.0
Multiple coverages	2	1	50.0	7	6	85.7	135	116	85.9	34	30	88.2	0	—	—	26	22	84.6	4	3	75.0	209	178	85.2
Housing status																								
Stable	9	6	66.7	43	34	79.1	1,398	1,114	79.7	394	315	79.9	3	3	100.0	252	192	76.2	27	25	92.6	2,134	1,694	79.4
Temporary	0	—	—	0	—	—	130	94	72.3	24	18	75.0	0	—	—	23	15	65.2	6	6	100.0	183	133	72.7
Unstable	0	—	—	1	0	0.0	52	31	59.6	10	9	90.0	0	—	—	22	16	72.7	4	2	50.0	91	58	63.7
Total^b	9	6	66.7	44	34	77.3	1,598	1,247	78.0	430	342	79.5	3	3	100.0	298	224	75.2	40	33	82.5	2,440	1,897	77.7

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

^a Hispanics/Latinas can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e See Technical Notes for the states/territories in each region.

Table 16b. Viral suppression among young women (aged 13–24 years), served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories

Transmission category	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latina ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b		
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Injection drug use	0	—	—	0	—	—	11	9	81.8	3	3	100.0	0	—	—	22	20	90.9	0	—	—	36	32	88.9
Heterosexual contact ^c	5	4	80.0	5	5	100.0	800	622	77.8	209	166	79.4	3	2	66.7	169	142	84.0	18	18	100.0	1,212	961	79.3
Perinatal	1	1	100.0	33	32	97.0	800	619	77.4	203	166	81.8	1	1	100.0	112	103	92.0	22	21	95.5	1,177	946	80.4
Other ^d	0	—	—	0	—	—	6	5	83.3	2	1	50.0	0	—	—	1	1	100.0	0	—	—	9	7	77.8
HHS region^e																								
Region 1	0	—	—	2	2	100.0	39	32	82.1	19	13	68.4	0	—	—	8	8	100.0	0	—	—	68	55	80.9
Region 2	0	—	—	3	3	100.0	180	136	75.6	125	103	82.4	0	—	—	18	14	77.8	5	3	60.0	336	262	78.0
Region 3	1	1	100.0	7	7	100.0	265	207	78.1	33	27	81.8	0	—	—	33	30	90.9	0	—	—	340	272	80.0
Region 4	1	1	100.0	10	10	100.0	608	466	76.6	74	60	81.1	0	—	—	109	98	89.9	11	11	100.0	815	648	79.5
Region 5	0	—	—	3	3	100.0	219	167	76.3	33	25	75.8	0	—	—	45	38	84.4	9	9	100.0	311	242	77.8
Region 6	0	—	—	4	4	100.0	183	134	73.2	62	50	80.6	1	1	100.0	34	25	73.5	4	4	100.0	294	223	75.9
Region 7	1	0	0.0	3	3	100.0	48	39	81.3	7	7	100.0	0	—	—	12	10	83.3	7	7	100.0	78	66	84.6
Region 8	1	1	100.0	3	2	66.7	34	33	97.1	13	11	84.6	1	0	0.0	6	6	100.0	1	1	100.0	60	55	91.7
Region 9	3	3	100.0	8	8	100.0	62	52	83.9	67	53	79.1	2	2	100.0	37	35	94.6	4	4	100.0	185	158	85.4
Region 10	0	—	—	0	—	—	16	14	87.5	3	2	66.7	0	—	—	6	5	83.3	0	—	—	26	21	80.8
Federal poverty level																								
0–100%	5	4	80.0	27	26	96.3	1,181	901	76.3	329	256	77.8	4	3	75.0	220	186	84.5	25	24	96.0	1,800	1,405	78.1
101–138%	1	1	100.0	3	3	100.0	153	118	77.1	42	37	88.1	0	—	—	18	18	100.0	4	3	75.0	222	181	81.5
139–250%	0	—	—	7	7	100.0	254	211	83.1	47	45	95.7	0	—	—	40	38	95.0	8	8	100.0	357	309	86.6
251–400%	1	1	100.0	0	—	—	45	39	86.7	11	8	72.7	0	—	—	21	20	95.2	3	3	100.0	81	71	87.7
>400%	0	—	—	6	6	100.0	30	24	80.0	6	4	66.7	0	—	—	8	6	75.0	0	—	—	50	40	80.0
Health care coverage																								
Private employer	1	1	100.0	12	12	100.0	134	116	86.6	23	19	82.6	0	—	—	42	37	88.1	3	3	100.0	215	188	87.4
Private individual	0	—	—	2	2	100.0	97	81	83.5	25	23	92.0	1	1	100.0	32	30	93.8	4	4	100.0	162	142	87.7
Medicare	0	—	—	0	—	—	15	13	86.7	3	3	100.0	0	—	—	1	1	100.0	0	—	—	20	17	85.0
Medicaid	4	3	75.0	18	17	94.4	969	718	74.1	249	195	78.3	3	2	66.7	148	126	85.1	24	22	91.7	1,427	1,092	76.5
Medicare and Medicaid	0	—	—	0	—	—	16	10	62.5	3	3	100.0	0	—	—	2	0	0.0	0	—	—	21	13	61.9
Veterans Administration	0	—	—	0	—	—	5	3	60.0	0	—	—	0	—	—	4	4	100.0	0	—	—	9	7	77.8
Indian Health Service	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—	0	—	—
Other plan	0	—	—	1	1	100.0	19	15	78.9	8	7	87.5	0	—	—	5	4	80.0	2	2	100.0	35	29	82.9
No coverage	1	1	100.0	3	3	100.0	299	233	77.9	97	78	80.4	0	—	—	55	46	83.6	3	3	100.0	461	365	79.2
Multiple coverages	1	1	100.0	7	7	100.0	142	125	88.0	35	29	82.9	0	—	—	27	27	100.0	5	5	100.0	218	194	89.0
Housing status																								
Stable	7	6	85.7	43	42	97.7	1,483	1,163	78.4	402	326	81.1	4	3	75.0	269	241	89.6	31	30	96.8	2,249	1,817	80.8
Temporary	0	—	—	0	—	—	141	99	70.2	27	21	77.8	0	—	—	25	19	76.0	6	5	83.3	200	144	72.0
Unstable	0	—	—	0	—	—	60	42	70.0	12	9	75.0	0	—	—	22	15	68.2	3	3	100.0	99	70	70.7
Total^b	7	6	85.7	43	42	97.7	1,702	1,318	77.4	444	358	80.6	4	3	75.0	318	277	87.1	41	39	95.1	2,579	2,055	79.7

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinas can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^d Includes hemophilia and blood transfusion.

^e See Technical Notes for the states/territories in each region.

Table 17a. Retention in care among people with HIV attributed to drug use (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Retained No. %		Total No.	Retained No. %		Total No.	Retained No. %		Total No.	Retained No. %		Total No.	Retained No. %		Total No.	Retained No. %		Total No.	Retained No. %		Total No.	Retained No. %		
Housing status																									
Stable	93	73	78.5	114	98	86.0	6,458	5,354	82.9	4,073	3,467	85.1	10	9	90.0	4,704	3,646	77.5	160	131	81.9	15,653	12,810	81.8	
Temporary	11	5	45.5	8	8	100.0	615	465	75.6	336	256	76.2	2	2	100.0	575	398	69.2	16	11	68.8	1,570	1,151	73.3	
Unstable	16	11	68.8	6	4	66.7	388	293	75.5	239	175	73.2	6	5	83.3	586	395	67.4	21	15	71.4	1,268	901	71.1	
Total^b	121	89	73.6	129	110	85.3	7,663	6,268	81.8	4,736	3,967	83.8	20	18	90.0	6,010	4,532	75.4	201	159	79.1	18,936	15,186	80.2	

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes: Data presented in this table represent clients who reported injection drug use as their transmission category; data may not be reflective of current injection drug use behavior.

Data are included only for clients with the transmission category injection drug use; data do not include male clients who reported male-to-male sexual contact and injection drug use or transgender clients who reported sexual contact and injection drug use.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c See Technical Notes for the states/territories in each region.

Table 17b. Viral suppression among people with HIV attributed to injection drug use (aged 13 years and older) served by the Ryan White HIV/AIDS Program (non-ADAP), by race/ethnicity and selected characteristics, 2020—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/ African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			Total ^b			
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%	No.
Housing status																									
Stable	94	80	85.1	119	112	94.1	6,412	5,759	89.8	4,053	3,606	89.0	10	10	100.0	4,704	4,253	90.4	166	152	91.6	15,607	14,019	89.8	
Temporary	11	4	36.4	9	8	88.9	620	531	85.6	348	283	81.3	2	2	100.0	617	509	82.5	21	19	90.5	1,633	1,360	83.3	
Unstable	18	14	77.8	7	5	71.4	406	311	76.6	232	163	70.3	5	4	80.0	610	449	73.6	22	15	68.2	1,306	964	73.8	
Total^b	124	99	79.8	137	126	92.0	7,613	6,767	88.9	4,712	4,120	87.4	19	18	94.7	6,049	5,313	87.8	213	190	89.2	18,930	16,689	88.2	

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes: Data presented in this table represent clients who reported injection drug use as their transmission category; data may not be reflective of current injection drug use behavior.

Data are included only for clients with the transmission category injection drug use; data do not include male clients who reported male-to-male sexual contact and injection drug use or transgender clients who reported sexual contact and injection drug use.

^a Hispanics/Latinos can be of any race.

^b Because totals were calculated independently of the values for the subpopulations, the values in each column and row may not sum to the column and row totals.

^c See Technical Notes for the states/territories in each region.

Table 18a. Retention in care among clients served by the Ryan White HIV/AIDS Program (non-ADAP), by housing status and selected characteristics, 2020—United States and 3 territories

	Stable			Temporary			Unstable		
	Total No.	Retained		Total No.	Retained		Total No.	Retained	
		No.	%		No.	%		No.	%
Age group (yrs)									
<13	520	446	85.8	16	15	93.8	2	1	50.0
13–14	212	177	83.5	5	5	100.0	2	2	100.0
15–19	1,321	1,080	81.8	82	62	75.6	32	21	65.6
20–24	8,629	6,628	76.8	827	576	69.6	462	322	69.7
25–29	22,168	16,691	75.3	2,079	1,443	69.4	1,379	940	68.2
30–34	31,404	24,022	76.5	2,850	2,042	71.6	2,024	1,395	68.9
35–39	29,717	23,210	78.1	2,584	1,918	74.2	1,775	1,223	68.9
40–44	30,227	23,886	79.0	2,304	1,675	72.7	1,657	1,185	71.5
45–49	32,038	25,853	80.7	2,150	1,647	76.6	1,509	1,115	73.9
50–54	41,125	33,609	81.7	2,711	2,085	76.9	1,779	1,341	75.4
55–59	44,902	37,025	82.5	2,539	1,977	77.9	1,691	1,319	78.0
60–64	32,278	27,011	83.7	1,617	1,281	79.2	918	720	78.4
≥65	28,876	24,053	83.3	1,086	842	77.5	509	401	78.8
Race/ethnicity									
American Indian/Alaska Native	1,218	931	76.4	88	61	69.3	112	74	66.1
Asian	4,681	3,769	80.5	303	237	78.2	133	95	71.4
Black/African American	142,676	114,187	80.0	10,646	7,923	74.4	6,897	5,047	73.2
Hispanic/Latino ^a	76,871	64,136	83.4	4,991	3,876	77.7	2,847	2,156	75.7
Native Hawaiian/Pacific Islander	461	359	77.9	43	26	60.5	30	19	63.3
White	73,161	56,981	77.9	4,452	3,212	72.1	3,449	2,421	70.2
Multiple races	2,720	2,087	76.7	205	138	67.3	199	127	63.8
Gender									
Male	214,544	170,997	79.7	15,387	11,328	73.6	10,508	7,579	72.1
Female	83,735	68,660	82.0	4,942	3,852	77.9	2,730	2,059	75.4
Transgender female	4,585	3,592	78.3	475	359	75.6	460	319	69.3
Transgender male	422	334	79.1	32	19	59.4	33	23	69.7
Other gender identity	117	97	82.9	12	9	75.0	6	4	66.7
Transmission category									
Male client									
Male-to-male sexual contact	134,334	106,891	79.6	8,711	6,456	74.1	5,848	4,303	73.6
Injection drug use	9,982	8,149	81.6	1,046	764	73.0	860	602	70.0
Male-to-male sexual contact and injection drug use	5,469	4,302	78.7	670	486	72.5	678	472	69.6
Heterosexual contact ^b	48,599	39,627	81.5	3,453	2,568	74.4	2,280	1,667	73.1
Perinatal	2,059	1,613	78.3	138	110	79.7	69	49	71.0
Other ^c	1,095	885	80.8	50	32	64.0	29	21	72.4
Female client									
Injection drug use	5,634	4,633	82.2	518	383	73.9	401	294	73.3
Heterosexual contact ^b	69,610	57,305	82.3	3,755	2,964	78.9	1,909	1,452	76.1
Perinatal	2,724	2,220	81.5	158	127	80.4	63	43	68.3
Other ^c	852	708	83.1	37	27	73.0	16	13	81.3
Transgender client									
Sexual contact ^d	4,330	3,433	79.3	401	309	77.1	396	276	69.7
Injection drug use	37	28	75.7	6	4	66.7	7	5	71.4
Sexual contact ^d and injection drug use	160	136	85.0	22	17	77.3	41	27	65.9
Perinatal	27	21	77.8	5	4	80.0	1	1	100.0
Other ^c	17	13	76.5	1	0	0.0	1	0	0.0

Table 18a. Retention in care among clients served by the Ryan White HIV/AIDS Program (non-ADAP), by housing status and selected characteristics, 2020—United States and 3 territories (cont.)

	Stable			Temporary			Unstable		
	Total No.	Retained		Total No.	Retained		Total No.	Retained	
		No.	%		No.	%		No.	%
Federal poverty level									
0–100%	178,376	143,942	80.7	15,934	11,846	74.3	11,604	8,344	71.9
101–138%	32,983	27,018	81.9	1,446	1,081	74.8	761	587	77.1
139–250%	52,585	42,241	80.3	2,090	1,603	76.7	888	689	77.6
251–400%	24,112	18,946	78.6	636	490	77.0	258	212	82.2
>400%	8,898	6,822	76.7	137	99	72.3	53	46	86.8
Health care coverage									
Private employer	32,899	25,456	77.4	877	647	73.8	660	528	80.0
Private individual	26,669	20,850	78.2	1,128	834	73.9	431	310	71.9
Medicare	32,403	26,499	81.8	1,333	1,009	75.7	635	467	73.5
Medicaid	88,293	70,852	80.2	7,970	5,967	74.9	6,043	4,355	72.1
Medicare and Medicaid	21,708	18,249	84.1	1,317	1,050	79.7	848	656	77.4
Veterans Administration	349	242	69.3	9	5	55.6	12	9	75.0
Indian Health Service	14	10	71.4	0	—	—	3	1	33.3
Other plan	5,723	4,859	84.9	390	271	69.5	382	276	72.3
No coverage	64,449	51,639	80.1	5,670	4,155	73.3	3,423	2,424	70.8
Multiple coverages	29,888	24,416	81.7	2,093	1,598	76.3	1,263	941	74.5
HHS region^a									
Region 1	10,974	8,741	79.7	702	549	78.2	355	276	77.7
Region 2	44,896	38,758	86.3	4,019	3,278	81.6	1,241	1,002	80.7
Region 3	35,778	28,892	80.8	1,347	1,004	74.5	1,221	935	76.6
Region 4	85,011	69,033	81.2	3,448	2,561	74.3	2,487	1,840	74.0
Region 5	32,507	23,548	72.4	2,622	1,745	66.6	1,431	980	68.5
Region 6	36,327	28,536	78.6	4,245	3,205	75.5	2,287	1,664	72.8
Region 7	6,226	4,946	79.4	379	272	71.8	261	170	65.1
Region 8	4,848	3,532	72.9	335	233	69.6	209	119	56.9
Region 9	35,857	29,340	81.8	2,479	1,763	71.1	2,913	2,081	71.4
Region 10	5,346	3,721	69.6	298	203	68.1	471	286	60.7
Total^f	303,417	243,691	80.3	20,850	15,568	74.7	13,739	9,985	72.7

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes hemophilia and blood transfusion.

^d Includes any sexual transmission category reported by transgender clients.

^e See Technical Notes for the states/territories in each region.

^f Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

Table 18b. Viral suppression among clients served by the Ryan White HIV/AIDS Program (non-ADAP), by housing status and selected characteristics, 2020—United States and 3 territories

	Stable			Temporary			Unstable		
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
		No.	%		No.	%		No.	%
Age group (yrs)									
<13	528	469	88.8	20	18	90.0	2	0	0.0
13–14	220	201	91.4	7	5	71.4	2	2	100.0
15–19	1,476	1,206	81.7	91	73	80.2	40	26	65.0
20–24	9,537	7,860	82.4	912	693	76.0	514	359	69.8
25–29	23,771	20,031	84.3	2,271	1,827	80.4	1,497	1,090	72.8
30–34	33,150	28,490	85.9	3,057	2,416	79.0	2,161	1,593	73.7
35–39	31,056	27,298	87.9	2,715	2,219	81.7	1,868	1,403	75.1
40–44	31,190	27,867	89.3	2,448	2,014	82.3	1,719	1,312	76.3
45–49	33,013	29,901	90.6	2,249	1,937	86.1	1,565	1,204	76.9
50–54	42,184	38,755	91.9	2,822	2,401	85.1	1,834	1,431	78.0
55–59	45,745	42,587	93.1	2,584	2,262	87.5	1,723	1,373	79.7
60–64	32,779	30,933	94.4	1,635	1,474	90.2	928	787	84.8
≥65	29,040	27,858	95.9	1,087	1,006	92.5	511	457	89.4
Race/ethnicity									
American Indian/Alaska Native	1,266	1,130	89.3	97	71	73.2	129	83	64.3
Asian	4,877	4,657	95.5	311	292	93.9	134	114	85.1
Black/African American	147,788	129,663	87.7	11,192	9,046	80.8	7,266	5,472	75.3
Hispanic/Latino ^a	79,139	72,781	92.0	5,216	4,536	87.0	2,973	2,376	79.9
Native Hawaiian/Pacific Islander	470	437	93.0	40	34	85.0	32	19	59.4
White	75,634	70,702	93.5	4,693	4,069	86.7	3,570	2,776	77.8
Multiple races	2,778	2,528	91.0	227	199	87.7	197	148	75.1
Gender									
Male	222,900	201,827	90.5	16,155	13,547	83.9	11,019	8,497	77.1
Female	85,477	77,036	90.1	5,171	4,357	84.3	2,825	2,167	76.7
Transgender female	4,739	4,086	86.2	520	403	77.5	485	345	71.1
Transgender male	445	395	88.8	34	26	76.5	29	22	75.9
Other gender identity	113	100	88.5	15	10	66.7	4	4	100.0
Transmission category									
Male client									
Male-to-male sexual contact	140,093	127,673	91.1	9,147	7,742	84.6	6,159	4,826	78.4
Injection drug use	10,035	9,006	89.7	1,098	914	83.2	893	660	73.9
Male-to-male sexual contact and injection drug use	5,560	4,997	89.9	701	575	82.0	707	529	74.8
Heterosexual contact ^b	50,268	45,250	90.0	3,639	3,018	82.9	2,394	1,849	77.2
Perinatal	2,114	1,680	79.5	148	103	69.6	67	40	59.7
Other ^c	1,131	1,051	92.9	49	42	85.7	31	26	83.9
Female client									
Injection drug use	5,538	4,986	90.0	529	442	83.6	407	299	73.5
Heterosexual contact ^b	71,252	64,531	90.6	3,949	3,347	84.8	1,971	1,532	77.7
Perinatal	2,795	2,210	79.1	170	127	74.7	69	35	50.7
Other ^c	875	817	93.4	39	32	82.1	13	10	76.9
Transgender client									
Sexual contact ^d	4,503	3,896	86.5	436	335	76.8	423	302	71.4
Injection drug use	34	27	79.4	6	4	66.7	6	5	83.3
Sexual contact ^d and injection drug use	162	140	86.4	23	19	82.6	35	25	71.4
Perinatal	27	22	81.5	5	2	40.0	1	1	100.0
Other ^c	17	14	82.4	2	1	50.0	1	1	100.0

Table 18b. Viral suppression among clients served by the Ryan White HIV/AIDS Program (non-ADAP), by housing status and selected characteristics, 2020—United States and 3 territories (cont.)

	Stable			Temporary			Unstable		
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
		No.	%		No.	%		No.	%
Federal poverty level									
0–100%	183,868	162,302	88.3	16,824	13,845	82.3	12,135	9,110	75.1
101–138%	34,023	31,414	92.3	1,502	1,298	86.4	785	662	84.3
139–250%	54,780	51,020	93.1	2,195	2,001	91.2	925	819	88.5
251–400%	25,197	23,921	94.9	648	596	92.0	279	255	91.4
>400%	9,241	8,897	96.3	139	125	89.9	63	60	95.2
Health care coverage									
Private employer	34,487	32,657	94.7	923	826	89.5	675	622	92.1
Private individual	27,964	26,345	94.2	1,183	1,047	88.5	465	370	79.6
Medicare	32,908	30,762	93.5	1,357	1,204	88.7	660	534	80.9
Medicaid	90,311	79,358	87.9	8,291	6,730	81.2	6,193	4,587	74.1
Medicare and Medicaid	21,829	20,167	92.4	1,336	1,165	87.2	868	667	76.8
Veterans Administration	358	328	91.6	9	9	100.0	12	11	91.7
Indian Health Service	16	12	75.0	1	1	100.0	4	1	25.0
Other plan	5,922	5,393	91.1	410	356	86.8	431	344	79.8
No coverage	68,685	59,194	86.2	6,162	5,038	81.8	3,718	2,789	75.0
Multiple coverages	30,316	28,472	93.9	2,180	1,932	88.6	1,311	1,091	83.2
HHS region^e									
Region 1	10,838	10,248	94.6	726	653	89.9	351	293	83.5
Region 2	46,010	41,651	90.5	4,163	3,463	83.2	1,276	895	70.1
Region 3	36,202	33,078	91.4	1,396	1,182	84.7	1,224	960	78.4
Region 4	88,920	79,116	89.0	3,736	3,058	81.9	2,668	2,020	75.7
Region 5	33,299	30,216	90.7	2,697	2,277	84.4	1,499	1,151	76.8
Region 6	38,958	34,270	88.0	4,523	3,737	82.6	2,431	1,940	79.8
Region 7	6,644	6,100	91.8	434	361	83.2	304	217	71.4
Region 8	4,878	4,574	93.8	320	284	88.8	199	152	76.4
Region 9	36,440	33,662	92.4	2,542	2,181	85.8	2,996	2,308	77.0
Region 10	5,475	5,143	93.9	311	273	87.8	483	398	82.4
Total^f	313,689	283,456	90.4	21,898	18,345	83.8	14,364	11,037	76.8

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

^a Hispanics/Latinos can be of any race.

^b Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^c Includes hemophilia and blood transfusion.

^d Includes any sexual transmission category reported by transgender clients.

^e See Technical Notes for the states/territories in each region.

^f Because column totals were calculated independently of the values for the subpopulations, the values in each column may not sum to the column total.

This page intentionally left blank

Section 3.

State- and EMA/TGA-Level Data: Client Characteristics

Table 19a. Ryan White HIV/AIDS Program Clients (non-ADAP), by year and state, 2016–2020—United States and 3 territories

	2016	2017	2018	2019	2020
State					
Alabama	8,638	9,113	9,389	10,092	9,989
Alaska	562	653	567	616	464
Arizona	6,857	8,261	7,956	9,463	9,731
Arkansas	2,368	2,388	2,553	2,682	2,833
California	57,999	54,815	55,884	57,172	56,188
Colorado	8,151	7,129	6,938	8,634	8,958
Connecticut	5,147	5,071	4,816	4,861	4,774
Delaware	1,944	2,056	1,998	2,143	2,100
District of Columbia	6,659	7,110	6,426	6,209	6,299
Florida	53,516	54,706	53,754	53,510	53,406
Georgia	21,981	22,752	22,982	24,706	23,361
Hawaii	1,069	1,118	1,123	1,171	1,361
Idaho	801	821	887	945	984
Illinois	24,375	24,628	25,119	26,108	26,256
Indiana	3,472	2,726	4,169	7,965	6,071
Iowa	1,664	1,864	1,805	1,948	2,090
Kansas	976	753	691	1,014	1,129
Kentucky	4,865	4,751	5,099	5,493	5,643
Louisiana	12,969	12,707	12,372	13,549	13,007
Maine	830	835	849	933	1,220
Maryland	15,590	16,077	15,391	16,192	15,411
Massachusetts	14,047	13,165	12,550	14,311	13,288
Michigan	8,972	9,082	9,179	9,712	9,559
Minnesota	3,916	4,567	4,510	6,201	6,972
Mississippi	4,017	4,134	4,392	4,660	4,727
Missouri	8,779	8,875	8,656	8,665	8,494
Montana	360	419	404	478	487
Nebraska	1,230	1,242	937	1,172	1,198
Nevada	3,659	3,972	4,408	5,208	5,262
New Hampshire	974	982	900	1,017	1,112
New Jersey	18,751	16,802	15,204	16,060	15,290
New Mexico	1,895	2,083	2,127	2,168	2,275
New York	65,736	51,048	48,583	51,244	50,865
North Carolina	17,031	16,903	16,448	16,252	15,468
North Dakota	229	268	275	315	310
Ohio	12,149	12,182	11,582	13,172	13,505
Oklahoma	2,891	3,105	3,116	3,416	3,698
Oregon	3,423	3,558	3,423	3,644	3,700
Pennsylvania	29,895	26,071	23,995	25,558	24,436
Rhode Island	2,024	2,067	2,023	2,168	2,335
South Carolina	10,882	11,369	11,369	12,784	17,032
South Dakota	507	510	379	487	383
Tennessee	13,349	13,655	17,501	15,796	15,849
Texas	43,930	43,266	43,784	45,948	46,647
Utah	1,897	1,601	1,471	1,528	1,850
Vermont	582	585	579	604	621
Virginia	9,346	9,973	9,863	10,460	10,617
Washington	5,894	5,736	6,607	9,404	8,225
West Virginia	795	788	758	1,520	1,553
Wisconsin	4,454	4,924	5,000	5,375	2,299
Wyoming	182	185	247	233	209
Subtotal	532,229	513,451	511,038	544,966	539,541
Territory					
Guam	33	33	35	—	—
Puerto Rico	11,160	11,716	11,381	12,309	11,542
U.S. Virgin Islands	221	223	226	232	266
Subtotal	11,414	11,972	11,642	12,541	11,808
Total	543,643	525,423	522,680	557,507	551,349

Notes: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

2019 and 2020 data for Guam are unavailable.

Table 19b. Ryan White HIV/AIDS Program Clients (non-ADAP), by year and eligible metropolitan area and transitional grant area, 2016–2020—United States and Puerto Rico

State/Territory	EMA/TGA	2016	2017	2018	2019	2020
Arizona	Phoenix	6,431	5,823	5,402	6,285	6,307
California	Los Angeles	24,673	23,027	24,970	26,100	25,352
	Oakland	3,978	3,326	2,882	3,081	2,986
	Orange County	2,285	2,339	2,392	2,362	2,374
	Riverside–San Bernardino	3,763	3,895	3,693	3,324	3,306
	Sacramento	3,503	2,836	2,593	2,410	2,777
	San Diego	7,914	6,324	6,713	7,234	7,153
	San Francisco	5,919	5,959	6,031	5,932	5,832
	San Jose	1,805	2,027	2,048	1,877	1,845
Colorado	Denver	7,723	6,936	6,683	8,208	8,330
Connecticut	Hartford	2,578	2,602	2,518	2,057	2,135
	New Haven	1,482	1,368	1,231	2,750	2,594
District of Columbia	Washington ^a	12,064	12,439	11,940	11,977	11,781
Florida	Ft. Lauderdale	10,996	12,194	11,321	13,637	17,018
	Jacksonville	3,432	2,279	3,501	3,409	4,031
	Miami	13,492	13,279	12,364	11,606	10,013
	Orlando	3,467	4,002	4,927	4,858	4,575
	Tampa–St. Petersburg	6,332	6,633	6,894	7,076	6,546
	West Palm Beach	3,672	3,683	3,641	3,664	3,889
Georgia	Atlanta	15,029	16,978	15,768	16,858	15,481
Illinois	Chicago	22,295	22,887	23,336	24,114	24,064
Indiana	Indianapolis	3,615	2,835	3,755	7,382	5,513
Louisiana	Baton Rouge	2,590	3,217	3,728	4,024	5,199
	New Orleans	8,223	7,077	7,024	7,548	6,779
Maryland	Baltimore	12,873	13,560	13,330	14,113	13,436
Massachusetts	Boston ^a	12,070	11,603	11,034	12,885	11,775
Michigan	Detroit	5,620	5,768	5,668	5,771	5,490
Minnesota	Minneapolis–St. Paul ^a	4,016	4,753	4,687	6,214	7,027
Missouri	Kansas City ^a	2,791	2,858	2,841	2,791	2,692
	St. Louis ^a	7,212	7,983	8,320	8,141	7,903
Nevada	Las Vegas ^a	2,392	3,003	3,424	3,867	4,182
New Jersey	Bergen–Passaic	1,868	1,782	1,815	1,868	1,804
	Jersey City	2,172	2,044	2,032	1,791	1,671
	Middlesex	1,646	1,637	1,614	1,623	1,582
	Newark	7,643	7,492	6,729	7,206	6,724
New York	Nassau–Suffolk	3,453	2,723	2,933	3,132	2,989
	New York	48,737	45,069	42,475	43,893	43,353
North Carolina	Charlotte ^a	3,477	3,696	3,890	4,099	4,180
Ohio	Cleveland	3,366	3,594	3,478	3,552	3,640
	Columbus	6,964	6,746	5,447	6,972	6,965
Oregon	Portland ^a	2,768	2,651	2,530	2,744	2,665
Pennsylvania	Philadelphia ^a	23,608	20,277	19,025	20,404	18,847
Puerto Rico	San Juan	10,466	9,981	6,732	7,408	7,057
Tennessee	Memphis ^a	5,226	5,596	5,324	5,360	4,819
	Nashville	6,667	6,727	11,338	10,165	10,199
Texas	Austin	5,677	7,616	3,303	3,442	3,442
	Dallas	10,127	9,186	11,994	12,609	12,564
	Ft. Worth	3,289	3,311	3,368	3,274	3,699
	Houston	15,432	15,785	16,135	17,171	17,400
	San Antonio	4,281	3,293	3,406	3,527	3,653
Virginia	Norfolk ^a	2,955	3,241	3,339	3,438	3,257
Washington	Seattle	5,119	5,266	5,737	7,324	6,215

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 20a. Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2020—United States and 3 territories

State	<13 yrs		13–24 yrs		25–34 yrs		35–44 yrs		45–54 yrs		55–64 yrs		≥65 yrs		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Alabama	84	0.8	449	4.5	2,103	21.1	2,138	21.4	2,282	22.8	2,200	22.0	733	7.3	9,989
Alaska	0	0.0	14	3.0	61	13.1	100	21.6	113	24.4	131	28.2	45	9.7	464
Arizona	80	0.8	359	3.7	1,677	17.2	1,837	18.9	2,248	23.1	2,443	25.1	1,087	11.2	9,731
Arkansas	1	<0.1	151	5.3	685	24.2	630	22.2	617	21.8	574	20.3	175	6.2	2,833
California	163	0.3	1,327	2.4	9,018	16.0	11,372	20.2	13,825	24.6	14,645	26.1	5,838	10.4	56,188
Colorado	98	1.1	332	3.7	1,734	19.4	1,930	21.5	2,121	23.7	2,002	22.3	741	8.3	8,958
Connecticut	23	0.5	71	1.5	490	10.3	661	13.8	1,201	25.2	1,680	35.2	648	13.6	4,774
Delaware	1	<0.1	39	1.9	258	12.3	307	14.6	478	22.8	704	33.5	313	14.9	2,100
District of Columbia	52	0.8	313	5.0	1,050	16.7	1,203	19.1	1,363	21.6	1,604	25.5	714	11.3	6,299
Florida	609	1.1	2,042	3.8	9,162	17.2	9,913	18.6	12,678	23.7	14,058	26.3	4,944	9.3	53,406
Georgia	153	0.7	1,098	4.7	5,399	23.1	4,838	20.7	5,097	21.8	5,062	21.7	1,714	7.3	23,361
Hawaii	1	0.1	16	1.2	130	9.6	189	13.9	294	21.6	479	35.2	252	18.5	1,361
Idaho	1	0.1	21	2.1	149	15.1	217	22.1	239	24.3	264	26.8	93	9.5	984
Illinois	199	0.8	1,110	4.2	5,517	21.0	5,378	20.5	6,006	22.9	5,959	22.7	2,087	7.9	26,256
Indiana	25	0.4	233	3.8	1,244	20.5	1,355	22.3	1,449	23.9	1,339	22.1	426	7.0	6,071
Iowa	2	0.1	86	4.1	352	16.8	454	21.7	505	24.2	509	24.4	182	8.7	2,090
Kansas	2	0.2	36	3.2	202	17.9	195	17.3	289	25.6	297	26.3	108	9.6	1,129
Kentucky	11	0.2	201	3.6	1,122	19.9	1,243	22.0	1,367	24.2	1,259	22.3	440	7.8	5,643
Louisiana	18	0.1	538	4.1	2,546	19.6	3,078	23.7	2,948	22.7	2,893	22.2	986	7.6	13,007
Maine	3	0.2	13	1.1	97	8.0	207	17.0	311	25.5	395	32.4	194	15.9	1,220
Maryland	119	0.8	474	3.1	2,566	16.7	2,749	17.8	3,421	22.2	4,311	28.0	1,771	11.5	15,411
Massachusetts	60	0.5	267	2.0	1,553	11.7	2,245	16.9	3,376	25.4	4,147	31.2	1,640	12.3	13,288
Michigan	78	0.8	385	4.0	1,884	19.7	1,803	18.9	2,224	23.3	2,352	24.6	833	8.7	9,559
Minnesota	55	0.8	235	3.4	1,185	17.0	1,600	22.9	1,667	23.9	1,627	23.3	603	8.6	6,972
Mississippi	40	0.8	195	4.1	931	19.7	1,012	21.4	1,157	24.5	1,055	22.3	337	7.1	4,727
Missouri	91	1.1	353	4.2	1,754	20.6	1,740	20.5	1,971	23.2	2,004	23.6	581	6.8	8,494
Montana	0	0.0	7	1.4	69	14.2	97	19.9	128	26.3	149	30.6	37	7.6	487
Nebraska	4	0.3	42	3.5	207	17.3	281	23.5	313	26.1	266	22.2	85	7.1	1,198
Nevada	41	0.8	189	3.6	1,196	22.7	1,139	21.6	1,136	21.6	1,145	21.8	416	7.9	5,262
New Hampshire	5	0.4	24	2.2	119	10.7	182	16.4	277	24.9	373	33.5	132	11.9	1,112
New Jersey	161	1.1	425	2.8	2,130	13.9	2,489	16.3	3,561	23.3	4,612	30.2	1,912	12.5	15,290
New Mexico	6	0.3	53	2.3	352	15.5	383	16.8	502	22.1	673	29.6	306	13.5	2,275
New York	255	0.5	1,529	3.0	8,224	16.2	8,909	17.5	11,780	23.2	14,008	27.5	6,160	12.1	50,865
North Carolina	88	0.6	818	5.3	3,072	19.9	2,932	19.0	3,525	22.8	3,643	23.6	1,390	9.0	15,468
North Dakota	3	1.0	14	4.5	67	21.6	85	27.4	78	25.2	46	14.8	17	5.5	310
Ohio	75	0.6	575	4.3	2,813	20.8	2,649	19.6	3,128	23.2	3,167	23.5	1,098	8.1	13,505
Oklahoma	1	<0.1	123	3.3	770	20.8	797	21.6	939	25.4	838	22.7	230	6.2	3,698
Oregon	1	<0.1	71	1.9	554	15.0	814	22.0	962	26.0	925	25.0	373	10.1	3,700
Pennsylvania	202	0.8	716	2.9	3,707	15.2	4,209	17.2	5,899	24.1	6,914	28.3	2,789	11.4	24,436
Rhode Island	5	0.2	86	3.7	298	12.8	379	16.2	593	25.4	711	30.4	263	11.3	2,335
South Carolina	19	0.1	554	3.3	2,877	16.9	3,077	18.1	4,103	24.1	4,548	26.7	1,854	10.9	17,032
South Dakota	3	0.8	16	4.2	52	13.6	106	27.7	98	25.6	88	23.0	20	5.2	383
Tennessee	52	0.3	594	3.7	3,328	21.0	3,370	21.3	3,963	25.0	3,479	22.0	1,063	6.7	15,849
Texas	335	0.7	2,001	4.3	10,605	22.7	10,783	23.1	10,857	23.3	9,222	19.8	2,844	6.1	46,647

Table 20a. Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2020—United States and 3 territories (cont.)

	<13 yrs		13–24 yrs		25–34 yrs		35–44 yrs		45–54 yrs		55–64 yrs		≥65 yrs		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
State															
Utah	2	0.1	67	3.6	316	17.1	468	25.3	482	26.1	389	21.0	126	6.8	1,850
Vermont	0	0.0	10	1.6	49	7.9	90	14.5	173	27.9	196	31.6	103	16.6	621
Virginia	52	0.5	381	3.6	2,130	20.1	2,047	19.3	2,414	22.7	2,603	24.5	990	9.3	10,617
Washington	3	<0.1	171	2.1	1,266	15.4	1,764	21.4	2,140	26.0	2,115	25.7	766	9.3	8,225
West Virginia	1	0.1	35	2.3	231	14.9	318	20.5	384	24.7	420	27.0	164	10.6	1,553
Wisconsin	91	4.0	163	7.1	428	18.6	416	18.1	493	21.4	526	22.9	182	7.9	2,299
Wyoming	1	0.5	5	2.4	28	13.4	45	21.5	49	23.4	59	28.2	22	10.5	209
Subtotal	3,375	0.6	19,027	3.5	97,757	18.1	106,223	19.7	127,224	23.6	135,108	25.0	50,827	9.4	539,541
Territory															
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	35	0.3	214	1.9	1,127	9.8	1,622	14.1	2,922	25.3	3,802	32.9	1,820	15.8	11,542
U.S. Virgin Islands	1	0.4	5	1.9	17	6.4	40	15.0	85	32.0	66	24.8	52	19.5	266
Subtotal	36	0.3	219	1.9	1,144	9.7	1,662	14.1	3,007	25.5	3,868	32.8	1,872	15.9	11,808
Total	3,411	0.6	19,246	3.5	98,901	17.9	107,885	19.6	130,231	23.6	138,976	25.2	52,699	9.6	551,349

Notes: Percentages shown are based on the row total.
 Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.
 2020 data for Guam are unavailable.

Table 20b. Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico

State/Territory	EMA/TGA	<13 yrs		13–24 yrs		25–34 yrs		35–44 yrs		45–54 yrs		55–64 yrs		≥65 yrs		Total No.
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Arizona	Phoenix	79	1.3	292	4.6	1,322	21.0	1,327	21.0	1,420	22.5	1,363	21.6	504	8.0	6,307
California	Los Angeles	93	0.4	656	2.6	4,755	18.8	5,604	22.1	6,392	25.2	5,841	23.0	2,011	7.9	25,352
	Oakland	32	1.1	79	2.6	432	14.5	537	18.0	710	23.8	806	27.0	390	13.1	2,986
	Orange County	2	0.1	63	2.7	397	16.7	566	23.8	638	26.9	503	21.2	205	8.6	2,374
	Riverside–San Bernardino	0	0.0	43	1.3	443	13.4	481	14.5	739	22.4	1,110	33.6	490	14.8	3,306
	Sacramento	5	0.2	94	3.4	469	16.9	494	17.8	652	23.5	788	28.4	275	9.9	2,777
	San Diego	27	0.4	126	1.8	1,100	15.4	1,418	19.8	1,784	24.9	1,937	27.1	761	10.6	7,153
	San Francisco	0	0.0	70	1.2	630	10.8	1,060	18.2	1,376	23.6	1,792	30.7	904	15.5	5,832
	San Jose	0	0.0	45	2.4	292	15.8	414	22.4	477	25.9	436	23.6	181	9.8	1,845
Colorado	Denver	100	1.2	334	4.0	1,653	19.8	1,803	21.6	1,954	23.5	1,810	21.7	676	8.1	8,330
Connecticut	Hartford	23	1.1	41	1.9	228	10.7	271	12.7	529	24.8	766	35.9	277	13.0	2,135
	New Haven	0	0.0	31	1.2	285	11.0	379	14.6	675	26.0	871	33.6	353	13.6	2,594
District of Columbia	Washington ^a	78	0.7	462	3.9	2,012	17.1	2,406	20.4	2,779	23.6	2,815	23.9	1,229	10.4	11,781
Florida	Ft. Lauderdale	412	2.4	884	5.2	3,749	22.0	3,260	19.2	3,661	21.5	3,831	22.5	1,221	7.2	17,018
	Jacksonville	7	0.2	139	3.4	765	19.0	836	20.7	982	24.4	982	24.4	320	7.9	4,031
	Miami	112	1.1	332	3.3	1,642	16.4	2,081	20.8	2,584	25.8	2,541	25.4	721	7.2	10,013
	Orlando	0	0.0	162	3.5	858	18.8	934	20.4	1,135	24.8	1,125	24.6	361	7.9	4,575
	Tampa–St. Petersburg	72	1.1	262	4.0	1,115	17.0	1,139	17.4	1,489	22.7	1,818	27.8	651	9.9	6,546
	West Palm Beach	1	<0.1	97	2.5	546	14.0	654	16.8	956	24.6	1,131	29.1	504	13.0	3,889
Georgia	Atlanta	136	0.9	756	4.9	4,014	25.9	3,411	22.0	3,277	21.2	2,976	19.2	911	5.9	15,481
Illinois	Chicago	197	0.8	1,041	4.3	5,163	21.5	4,987	20.7	5,435	22.6	5,344	22.2	1,897	7.9	24,064
Indiana	Indianapolis	22	0.4	209	3.8	1,187	21.5	1,215	22.0	1,297	23.5	1,202	21.8	381	6.9	5,513
Louisiana	Baton Rouge	13	0.3	174	3.3	889	17.1	1,186	22.8	1,181	22.7	1,262	24.3	494	9.5	5,199
	New Orleans	3	<0.1	244	3.6	1,301	19.2	1,639	24.2	1,563	23.1	1,531	22.6	498	7.3	6,779
Maryland	Baltimore	115	0.9	446	3.3	2,335	17.4	2,325	17.3	2,885	21.5	3,799	28.3	1,531	11.4	13,436
Massachusetts	Boston ^a	62	0.5	251	2.1	1,445	12.3	2,039	17.3	2,942	25.0	3,625	30.8	1,411	12.0	11,775
Michigan	Detroit	77	1.4	258	4.7	1,263	23.0	1,023	18.6	1,193	21.7	1,224	22.3	452	8.2	5,490
Minnesota	Minneapolis–St. Paul ^a	55	0.8	235	3.3	1,214	17.3	1,603	22.8	1,689	24.0	1,632	23.2	599	8.5	7,027
Missouri	Kansas City ^a	4	0.1	119	4.4	565	21.0	609	22.6	603	22.4	614	22.8	178	6.6	2,692
	St. Louis ^a	83	1.1	319	4.0	1,640	20.8	1,567	19.8	1,877	23.8	1,869	23.6	548	6.9	7,903
Nevada	Las Vegas ^a	38	0.9	172	4.1	1,030	24.6	975	23.3	888	21.2	830	19.8	249	6.0	4,182
New Jersey	Bergen–Passaic	2	0.1	47	2.6	246	13.6	286	15.9	430	23.8	562	31.2	231	12.8	1,804
	Jersey City	10	0.6	37	2.2	231	13.8	306	18.3	413	24.7	468	28.0	206	12.3	1,671
	Middlesex	40	2.5	58	3.7	259	16.4	279	17.6	367	23.2	437	27.6	142	9.0	1,582
	Newark	43	0.6	212	3.2	966	14.4	1,108	16.5	1,548	23.0	1,994	29.7	853	12.7	6,724
New York	Nassau–Suffolk	37	1.2	197	6.6	422	14.1	442	14.8	626	20.9	831	27.8	434	14.5	2,989
	New York	215	0.5	1,211	2.8	7,259	16.7	7,861	18.1	9,962	23.0	11,671	26.9	5,174	11.9	43,353
North Carolina	Charlotte ^a	0	0.0	219	5.2	1,074	25.7	846	20.2	944	22.6	816	19.5	281	6.7	4,180
Ohio	Cleveland	4	0.1	164	4.5	687	18.9	625	17.2	840	23.1	955	26.2	365	10.0	3,640
	Columbus	65	0.9	306	4.4	1,563	22.4	1,450	20.8	1,575	22.6	1,503	21.6	503	7.2	6,965
Oregon	Portland ^a	0	0.0	50	1.9	470	17.6	645	24.2	697	26.2	602	22.6	201	7.5	2,665
Pennsylvania	Philadelphia ^a	234	1.2	618	3.3	3,100	16.4	3,337	17.7	4,373	23.2	5,174	27.5	2,011	10.7	18,847
Puerto Rico	San Juan	35	0.5	134	1.9	658	9.3	944	13.4	1,771	25.1	2,416	34.2	1,099	15.6	7,057

Table 20b. Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	<13 yrs		13–24 yrs		25–34 yrs		35–44 yrs		45–54 yrs		55–64 yrs		≥65 yrs		Total No.
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Tennessee	Memphis ^a	33	0.7	243	5.0	1,113	23.1	1,106	23.0	1,143	23.7	909	18.9	272	5.6	4,819
	Nashville	22	0.2	364	3.6	2,156	21.1	2,157	21.1	2,550	25.0	2,284	22.4	666	6.5	10,199
Texas	Austin	0	0.0	123	3.6	764	22.2	780	22.7	789	22.9	756	22.0	230	6.7	3,442
	Dallas	143	1.1	489	3.9	2,899	23.1	3,048	24.3	2,870	22.8	2,397	19.1	718	5.7	12,564
	Ft. Worth	1	<0.1	182	4.9	994	26.9	840	22.7	811	21.9	667	18.0	204	5.5	3,699
	Houston	158	0.9	779	4.5	3,882	22.3	4,070	23.4	4,036	23.2	3,376	19.4	1,099	6.3	17,400
	San Antonio	6	0.2	175	4.8	927	25.4	818	22.4	833	22.8	702	19.2	192	5.3	3,653
Virginia	Norfolk ^a	4	0.1	141	4.3	744	22.8	661	20.3	656	20.1	775	23.8	276	8.5	3,257
Washington	Seattle	0	0.0	125	2.0	959	15.4	1,372	22.1	1,657	26.7	1,545	24.9	557	9.0	6,215

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes: Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 21a. Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2020—United States and 3 territories

State	American Indian/ Alaska Native		Asian		Black/ African American		Hispanic/Latino ^a		Native Hawaiian/ Pacific Islander		White		Multiple races		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Alabama	14	0.1	28	0.3	6,870	69.4	275	2.8	10	0.1	2,660	26.9	43	0.4	9,900
Alaska	87	19.1	26	5.7	88	19.3	61	13.4	7	1.5	179	39.3	7	1.5	455
Arizona	304	3.1	148	1.5	1,492	15.4	2,776	28.6	11	0.1	4,672	48.1	308	3.2	9,711
Arkansas	5	0.2	10	0.4	1,330	47.0	214	7.6	5	0.2	1,241	43.8	27	1.0	2,832
California	337	0.6	2,173	3.9	10,970	19.8	24,455	44.1	268	0.5	16,692	30.1	532	1.0	55,427
Colorado	83	1.0	80	0.9	1,304	14.9	3,319	38.0	10	0.1	3,745	42.9	196	2.2	8,737
Connecticut	3	0.1	22	0.5	1,975	41.5	1,858	39.0	6	0.1	862	18.1	37	0.8	4,763
Delaware	3	0.1	3	0.1	1,311	62.4	166	7.9	1	<0.1	606	28.9	10	0.5	2,100
District of Columbia	17	0.3	35	0.6	5,166	82.9	679	10.9	8	0.1	317	5.1	10	0.2	6,232
Florida	62	0.1	364	0.7	25,611	48.2	13,924	26.2	39	0.1	12,674	23.8	471	0.9	53,145
Georgia	27	0.1	141	0.6	17,910	76.9	1,507	6.5	9	<0.1	3,466	14.9	218	0.9	23,278
Hawaii	16	1.2	153	11.3	78	5.8	193	14.3	190	14.0	591	43.6	133	9.8	1,354
Idaho	13	1.3	11	1.1	101	10.3	157	16.0	3	0.3	687	69.8	12	1.2	984
Illinois	57	0.2	382	1.5	14,670	56.3	5,565	21.4	18	0.1	5,151	19.8	210	0.8	26,053
Indiana	10	0.2	152	2.9	2,336	44.2	485	9.2	8	0.2	2,244	42.5	51	1.0	5,286
Iowa	10	0.5	73	3.5	609	29.2	201	9.6	6	0.3	1,157	55.5	28	1.3	2,084
Kansas	9	0.8	18	1.6	312	27.6	118	10.5	3	0.3	637	56.4	32	2.8	1,129
Kentucky	14	0.2	60	1.1	1,927	34.2	437	7.7	10	0.2	3,108	55.1	83	1.5	5,639
Louisiana	16	0.1	33	0.3	9,061	72.4	520	4.2	14	0.1	2,771	22.2	93	0.7	12,508
Maine	10	0.8	7	0.6	257	21.1	64	5.2	0	0.0	840	68.9	42	3.4	1,220
Maryland	23	0.2	115	0.8	12,002	79.4	865	5.7	7	<0.1	1,964	13.0	133	0.9	15,109
Massachusetts	39	0.3	247	1.9	4,006	30.9	4,184	32.3	10	0.1	4,338	33.4	146	1.1	12,970
Michigan	39	0.4	90	0.9	5,670	59.4	535	5.6	5	0.1	3,051	32.0	158	1.7	9,548
Minnesota	137	2.0	161	2.3	3,141	45.6	775	11.2	10	0.1	2,396	34.8	269	3.9	6,889
Mississippi	12	0.3	9	0.2	3,856	81.6	67	1.4	2	<0.1	767	16.2	13	0.3	4,726
Missouri	32	0.4	67	0.8	4,373	51.5	571	6.7	14	0.2	3,282	38.6	155	1.8	8,494
Montana	31	6.4	5	1.0	21	4.3	30	6.2	0	0.0	385	79.5	12	2.5	484
Nebraska	15	1.3	33	2.8	344	28.7	242	20.2	0	0.0	546	45.6	18	1.5	1,198
Nevada	46	0.9	175	3.4	1,445	27.9	1,572	30.3	57	1.1	1,760	34.0	126	2.4	5,181
New Hampshire	6	0.5	28	2.6	166	15.1	158	14.4	2	0.2	728	66.4	8	0.7	1,096
New Jersey	14	0.1	172	1.1	8,038	53.1	4,689	31.0	16	0.1	2,144	14.2	66	0.4	15,139
New Mexico	120	5.5	20	0.9	136	6.2	860	39.4	9	0.4	1,013	46.4	24	1.1	2,182
New York	160	0.3	1,066	2.2	23,199	47.0	17,250	35.0	78	0.2	7,201	14.6	376	0.8	49,330
North Carolina	161	1.0	119	0.8	10,047	65.2	1,507	9.8	10	0.1	3,483	22.6	94	0.6	15,421
North Dakota	9	2.9	2	0.6	144	46.8	18	5.8	0	0.0	116	37.7	19	6.2	308
Ohio	20	0.2	99	0.7	6,486	48.8	973	7.3	9	0.1	5,485	41.3	211	1.6	13,283
Oklahoma	207	5.6	76	2.1	892	24.2	401	10.9	7	0.2	1,924	52.2	180	4.9	3,687
Oregon	45	1.2	60	1.6	298	8.1	703	19.1	13	0.4	2,287	62.1	278	7.5	3,684
Pennsylvania	45	0.2	250	1.0	12,780	52.8	4,031	16.6	31	0.1	6,196	25.6	885	3.7	24,218
Rhode Island	19	0.8	43	1.8	588	25.2	671	28.7	3	0.1	987	42.3	23	1.0	2,334
South Carolina	35	0.2	60	0.4	12,054	71.0	677	4.0	13	0.1	4,030	23.7	120	0.7	16,989
South Dakota	28	7.4	4	1.1	144	38.3	41	10.9	0	0.0	147	39.1	12	3.2	376
Tennessee	37	0.2	123	0.8	8,812	55.7	821	5.2	10	0.1	5,962	37.7	69	0.4	15,834
Texas	96	0.2	560	1.2	20,316	43.6	16,193	34.8	44	0.1	9,128	19.6	240	0.5	46,577

Table 21a. Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2020—United States and 3 territories (cont.)

	American Indian/ Alaska Native		Asian		Black/ African American		Hispanic/Latino ^a		Native Hawaiian/ Pacific Islander		White		Multiple races		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
State															
Utah	22	1.5	41	2.7	153	10.1	505	33.5	11	0.7	768	50.9	9	0.6	1,509
Vermont	7	1.1	16	2.6	76	12.3	33	5.3	0	0.0	479	77.6	6	1.0	617
Virginia	25	0.2	149	1.4	6,930	65.4	972	9.2	17	0.2	2,395	22.6	109	1.0	10,597
Washington	142	1.8	333	4.2	1,934	24.1	1,403	17.5	65	0.8	3,951	49.3	184	2.3	8,012
West Virginia	8	0.5	7	0.5	308	19.8	42	2.7	0	0.0	1,170	75.4	17	1.1	1,552
Wisconsin	14	0.6	39	1.7	1,051	45.8	377	16.4	2	0.1	792	34.5	19	0.8	2,294
Wyoming	14	6.7	1	0.5	13	6.2	38	18.2	1	0.5	140	67.0	2	1.0	209
Subtotal	2,705	0.5	8,089	1.5	252,801	47.5	118,178	22.2	1,072	0.2	143,315	26.9	6,524	1.2	532,684
Territory															
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	1	<0.1	2	<0.1	43	0.4	11,279	97.8	0	0.0	176	1.5	35	0.3	11,536
U.S. Virgin Islands	0	0.0	0	0.0	157	59.0	92	34.6	0	0.0	17	6.4	0	0.0	266
Subtotal	1	<0.1	2	<0.1	200	1.7	11,371	96.3	0	0.0	193	1.6	35	0.3	11,802
Total	2,706	0.5	8,091	1.5	253,001	46.5	129,549	23.8	1,072	0.2	143,508	26.4	6,559	1.2	544,486

Notes: Percentages shown are based on the row total.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

2020 data for Guam are unavailable.

^a Hispanics/Latinos can be of any race.

Table 21b. Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico

State/Territory	EMA/TGA	American Indian/ Alaska Native		Asian		Black/ African American		Hispanic/Latino ^a		Native Hawaiian/ Pacific Islander		White		Total No. ^b
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Arizona	Phoenix	133	2.1	122	1.9	1,236	19.7	2,046	32.5	8	0.1	2,515	40.0	6,290
California	Los Angeles	82	0.3	907	3.6	6,077	24.0	12,799	50.5	86	0.3	5,254	20.7	25,346
	Oakland	22	0.8	166	5.7	1,337	45.8	817	28.0	25	0.9	520	17.8	2,922
	Orange County	5	0.2	141	6.0	132	5.6	1,433	60.7	12	0.5	617	26.1	2,361
	Riverside—San Bernardino	10	0.3	56	1.7	363	11.0	1,270	38.4	7	0.2	1,575	47.7	3,305
	Sacramento	28	1.0	89	3.3	659	24.1	653	23.9	14	0.5	1,252	45.8	2,734
	San Diego	34	0.5	186	2.8	838	12.5	3,128	46.6	31	0.5	2,428	36.2	6,706
	San Francisco	74	1.3	322	5.6	1,114	19.5	1,695	29.6	49	0.9	2,312	40.4	5,724
	San Jose	11	0.6	208	11.3	244	13.3	906	49.4	9	0.5	444	24.2	1,835
Colorado	Denver	71	0.9	68	0.8	1,304	16.1	3,096	38.1	9	0.1	3,379	41.6	8,121
Connecticut	Hartford	*	*	9	0.4	759	35.7	951	44.8	*	*	383	18.0	2,125
	New Haven	*	*	13	0.5	1,223	47.2	921	35.5	*	*	418	16.1	2,593
District of Columbia	Washington ^c	20	0.2	156	1.3	8,844	75.5	1,665	14.2	10	0.1	976	8.3	11,708
Florida	Ft. Lauderdale	14	0.1	127	0.8	8,471	50.1	4,430	26.2	17	0.1	3,703	21.9	16,920
	Jacksonville	*	*	48	1.2	2,684	67.9	234	5.9	*	*	927	23.5	3,950
	Miami	10	0.1	26	0.3	3,757	37.6	5,490	55.0	*	*	682	6.8	9,989
	Orlando	9	0.2	33	0.7	1,974	43.1	1,532	33.5	*	*	984	21.5	4,575
	Tampa—St. Petersburg	9	0.1	64	1.0	2,574	39.3	1,367	20.9	*	*	2,434	37.2	6,545
	West Palm Beach	7	0.2	25	0.7	2,368	61.6	710	18.5	*	*	708	18.4	3,842
Georgia	Atlanta	21	0.1	120	0.8	12,063	78.3	1,216	7.9	9	0.1	1,808	11.7	15,407
Illinois	Chicago	53	0.2	366	1.5	13,751	57.6	5,419	22.7	15	0.1	4,067	17.0	23,862
Indiana	Indianapolis	11	0.2	149	2.8	2,356	44.6	473	9.0	7	0.1	2,229	42.2	5,282
Louisiana	Baton Rouge	*	*	14	0.3	3,695	73.0	239	4.7	*	*	1,073	21.2	5,065
	New Orleans	11	0.2	21	0.3	4,648	68.6	398	5.9	8	0.1	1,657	24.4	6,779
Maryland	Baltimore	23	0.2	93	0.7	10,503	79.9	599	4.6	6	<0.1	1,799	13.7	13,141
Massachusetts	Boston ^c	35	0.3	232	2.0	3,744	32.7	3,322	29.0	10	0.1	3,979	34.7	11,463
Michigan	Detroit	5	0.1	16	0.3	4,371	79.7	202	3.7	*	*	833	15.2	5,484
Minnesota	Minneapolis—St. Paul ^c	138	2.0	155	2.2	3,173	45.7	792	11.4	9	0.1	2,410	34.7	6,944
Missouri	Kansas City ^c	12	0.4	32	1.2	1,237	46.0	351	13.0	5	0.2	994	36.9	2,692
	St. Louis ^c	29	0.4	63	0.8	4,141	52.4	465	5.9	9	0.1	3,078	38.9	7,903
Nevada	Las Vegas ^c	32	0.8	141	3.4	1,430	34.5	1,278	30.9	26	0.6	1,144	27.6	4,141
New Jersey	Bergen—Passaic	*	*	20	1.1	766	42.5	786	43.6	*	*	225	12.5	1,801
	Jersey City	*	*	41	2.5	614	36.7	828	49.6	*	*	181	10.8	1,671
	Middlesex	*	*	36	2.3	767	48.5	575	36.4	*	*	194	12.3	1,580
	Newark	8	0.1	41	0.6	4,486	66.9	1,618	24.1	10	0.1	540	8.1	6,708
New York	Nassau—Suffolk	7	0.2	90	3.0	1,307	43.8	896	30.0	*	*	660	22.1	2,986
	New York	122	0.3	912	2.2	20,030	47.9	15,785	37.7	70	0.2	4,618	11.0	41,828
North Carolina	Charlotte ^c	13	0.3	41	1.0	2,949	70.6	424	10.2	*	*	715	17.1	4,176
Ohio	Cleveland	*	*	15	0.4	2,118	58.2	388	10.7	*	*	1,084	29.8	3,640
	Columbus	10	0.1	54	0.8	2,856	42.3	469	6.9	7	0.1	3,208	47.5	6,749
Oregon	Portland ^c	27	1.0	53	2.0	263	9.9	554	20.9	6	0.2	1,521	57.4	2,649
Pennsylvania	Philadelphia ^c	28	0.2	194	1.0	11,449	61.4	3,031	16.2	24	0.1	3,105	16.6	18,655
Puerto Rico	San Juan	*	*	*	*	39	0.6	6,873	97.4	*	*	110	1.6	7,056

Table 21b. Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	American Indian/ Alaska Native		Asian		Black/ African American		Hispanic/Latino ^a		Native Hawaiian/ Pacific Islander		White		Total No. ^b
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Tennessee	Memphis ^c	6	0.1	11	0.2	4,226	87.8	132	2.7	*	*	403	8.4	4,815
	Nashville	21	0.2	106	1.0	5,024	49.3	622	6.1	5	<0.1	4,376	43.0	10,188
Texas	Austin	15	0.4	49	1.4	944	27.4	1,247	36.2	*	*	1,130	32.8	3,441
	Dallas	20	0.2	154	1.2	6,677	53.2	3,141	25.0	18	0.1	2,510	20.0	12,550
	Ft. Worth	17	0.5	54	1.5	1,829	49.6	853	23.1	*	*	891	24.2	3,685
	Houston	20	0.1	221	1.3	9,162	52.7	5,389	31.0	11	0.1	2,523	14.5	17,400
	San Antonio	10	0.3	41	1.1	625	17.1	2,326	63.7	*	*	639	17.5	3,653
Virginia	Norfolk ^c	6	0.2	22	0.7	2,470	75.8	155	4.8	5	0.2	554	17.0	3,257
Washington	Seattle	100	1.7	278	4.6	1,619	26.9	1,005	16.7	45	0.7	2,861	47.6	6,014

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes: Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

* To ensure confidentiality, calculations with a denominator less than (<) 5 have been suppressed; in addition, all data for clients of multiple races have been suppressed. Therefore, the numbers for each subpopulation may not sum to the row total.

^a Hispanics/Latinos can be of any race.

^b Includes all clients with reported race/ethnicity information.

^c The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 22a. Ryan White HIV/AIDS Program clients (non-ADAP), by gender and state, 2020—United States and 3 territories

	Male		Female		Transgender female		Transgender male		Other gender identity		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	
State											
Alabama	7,004	70.1	2,825	28.3	150	1.5	6	0.1	3	<0.1	9,988
Alaska	340	73.3	117	25.2	4	0.9	0	0.0	3	0.6	464
Arizona	8,082	83.1	1,495	15.4	140	1.4	14	0.1	0	0.0	9,731
Arkansas	2,168	76.5	640	22.6	24	0.8	1	<0.1	0	0.0	2,833
California	46,434	82.6	8,151	14.5	1,516	2.7	83	0.1	1	<0.1	56,185
Colorado	7,276	81.4	1,470	16.5	103	1.2	16	0.2	69	0.8	8,934
Connecticut	2,794	58.5	1,898	39.8	71	1.5	8	0.2	3	0.1	4,774
Delaware	1,401	66.7	681	32.4	17	0.8	1	<0.1	0	0.0	2,100
District of Columbia	3,886	61.7	2,074	33.0	240	3.8	73	1.2	21	0.3	6,294
Florida	37,289	69.8	15,317	28.7	715	1.3	72	0.1	7	<0.1	53,400
Georgia	16,620	71.1	6,371	27.3	336	1.4	28	0.1	6	<0.1	23,361
Hawaii	1,154	84.8	169	12.4	34	2.5	3	0.2	1	0.1	1,361
Idaho	803	81.6	173	17.6	8	0.8	0	0.0	0	0.0	984
Illinois	19,796	75.4	5,745	21.9	610	2.3	76	0.3	14	0.1	26,241
Indiana	4,514	74.4	1,458	24.0	96	1.6	3	<0.1	0	0.0	6,071
Iowa	1,543	73.8	523	25.0	23	1.1	1	<0.1	0	0.0	2,090
Kansas	903	80.0	213	18.9	10	0.9	3	0.3	0	0.0	1,129
Kentucky	4,416	78.3	1,118	19.8	100	1.8	7	0.1	2	<0.1	5,643
Louisiana	8,419	64.7	4,198	32.3	272	2.1	111	0.9	7	0.1	13,007
Maine	908	74.4	297	24.3	14	1.1	1	0.1	0	0.0	1,220
Maryland	9,621	62.4	5,492	35.6	245	1.6	45	0.3	8	0.1	15,411
Massachusetts	8,817	66.4	4,234	31.9	173	1.3	14	0.1	35	0.3	13,273
Michigan	7,200	75.3	2,185	22.9	168	1.8	5	0.1	1	<0.1	9,559
Minnesota	4,722	67.8	2,041	29.3	161	2.3	19	0.3	26	0.4	6,969
Mississippi	3,127	66.2	1,533	32.4	61	1.3	6	0.1	0	0.0	4,727
Missouri	6,377	75.1	1,922	22.6	191	2.2	3	<0.1	1	<0.1	8,494
Montana	416	85.4	70	14.4	1	0.2	0	0.0	0	0.0	487
Nebraska	893	74.5	283	23.6	19	1.6	2	0.2	1	0.1	1,198
Nevada	4,223	80.3	907	17.2	122	2.3	8	0.2	2	<0.1	5,262
New Hampshire	814	73.2	285	25.6	12	1.1	1	0.1	0	0.0	1,112
New Jersey	9,593	62.7	5,511	36.0	179	1.2	6	<0.1	1	<0.1	15,290
New Mexico	1,984	87.2	270	11.9	20	0.9	1	<0.1	0	0.0	2,275
New York	32,681	64.3	16,513	32.5	1,385	2.7	153	0.3	128	0.3	50,860
North Carolina	10,760	69.6	4,484	29.0	207	1.3	13	0.1	4	<0.1	15,468
North Dakota	195	62.9	112	36.1	3	1.0	0	0.0	0	0.0	310
Ohio	10,165	76.1	2,969	22.2	197	1.5	6	<0.1	22	0.2	13,359
Oklahoma	2,958	80.0	703	19.0	33	0.9	4	0.1	0	0.0	3,698
Oregon	3,069	83.0	552	14.9	62	1.7	10	0.3	6	0.2	3,699
Pennsylvania	16,276	66.7	7,518	30.8	510	2.1	54	0.2	32	0.1	24,390
Rhode Island	1,648	70.6	660	28.3	25	1.1	1	<0.1	1	<0.1	2,335
South Carolina	11,856	69.6	4,995	29.3	160	0.9	18	0.1	3	<0.1	17,032
South Dakota	232	60.6	147	38.4	3	0.8	1	0.3	0	0.0	383
Tennessee	11,921	75.2	3,673	23.2	241	1.5	10	0.1	4	<0.1	15,849
Texas	34,512	74.0	11,238	24.1	846	1.8	44	0.1	0	0.0	46,640

Table 22a. Ryan White HIV/AIDS Program clients (non-ADAP), by gender and state, 2020—United States and 3 territories (cont.)

	Male		Female		Transgender female		Transgender male		Other gender identity		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	
State											
Utah	1,516	81.9	322	17.4	9	0.5	3	0.2	0	0.0	1,850
Vermont	503	81.0	105	16.9	7	1.1	6	1.0	0	0.0	621
Virginia	7,263	68.4	3,123	29.4	216	2.0	13	0.1	2	<0.1	10,617
Washington	6,469	78.7	1,590	19.4	133	1.6	18	0.2	5	0.1	8,215
West Virginia	1,176	75.7	359	23.1	10	0.6	8	0.5	0	0.0	1,553
Wisconsin	1,656	72.0	575	25.0	66	2.9	2	0.1	0	0.0	2,299
Wyoming	166	79.4	43	20.6	0	0.0	0	0.0	0	0.0	209
Subtotal	388,559	72.1	139,347	25.8	9,948	1.8	981	0.2	419	0.1	539,254
Territory											
Guam	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	7,726	66.9	3,722	32.2	76	0.7	18	0.2	0	0.0	11,542
U.S. Virgin Islands	137	51.5	128	48.1	1	0.4	0	0.0	0	0.0	266
Subtotal	7,863	66.6	3,850	32.6	77	0.7	18	0.2	0	0.0	11,808
Total	396,422	71.9	143,197	26.0	10,025	1.8	999	0.2	419	0.1	551,062

Notes: Percentages shown are based on the row total.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals. 2020 data for Guam are unavailable.

Table 22b. Ryan White HIV/AIDS Program clients (non-ADAP), by gender and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico

State/Territory	EMA/TGA	Male		Female		Transgender female		Transgender male		Total No. ^a
		No.	%	No.	%	No.	%	No.	%	
Arizona	Phoenix	5,109	81.0	1,096	17.4	95	1.5	7	0.1	6,307
California	Los Angeles	21,241	83.8	3,332	13.1	739	2.9	37	0.1	25,350
	Oakland	2,126	71.2	753	25.2	98	3.3	9	0.3	2,986
	Orange County	2,011	84.7	318	13.4	42	1.8	*	*	2,374
	Riverside—San Bernardino	2,928	88.6	339	10.3	34	1.0	5	0.2	3,306
	Sacramento	2,191	78.9	532	19.2	50	1.8	*	*	2,777
	San Diego	6,015	84.1	976	13.6	157	2.2	*	*	7,152
	San Francisco	4,828	82.8	687	11.8	304	5.2	13	0.2	5,832
	San Jose	1,513	82.0	299	16.2	30	1.6	*	*	1,845
Colorado	Denver	6,776	81.4	1,362	16.4	101	1.2	16	0.2	8,323
Connecticut	Hartford	1,255	58.8	844	39.5	30	1.4	*	*	2,135
	New Haven	1,518	58.5	1,031	39.7	40	1.5	*	*	2,594
District of Columbia	Washington ^b	7,196	61.1	4,173	35.4	308	2.6	77	0.7	11,776
Florida	Ft. Lauderdale	12,616	74.1	4,139	24.3	240	1.4	21	0.1	17,017
	Jacksonville	2,621	65.0	1,324	32.9	80	2.0	5	0.1	4,030
	Miami	7,400	73.9	2,518	25.1	91	0.9	*	*	10,012
	Orlando	3,213	70.2	1,259	27.5	86	1.9	17	0.4	4,575
	Tampa—St. Petersburg	4,790	73.2	1,638	25.0	111	1.7	7	0.1	6,546
	West Palm Beach	2,416	62.2	1,416	36.4	53	1.4	*	*	3,886
Georgia	Atlanta	11,783	76.1	3,418	22.1	253	1.6	21	0.1	15,481
Illinois	Chicago	18,261	75.9	5,141	21.4	567	2.4	66	0.3	24,049
Indiana	Indianapolis	4,117	74.7	1,295	23.5	97	1.8	*	*	5,513
Louisiana	Baton Rouge	3,341	64.3	1,722	33.1	105	2.0	31	0.6	5,199
	New Orleans	4,484	66.1	2,000	29.5	178	2.6	111	1.6	6,779
Maryland	Baltimore	8,557	63.7	4,602	34.3	226	1.7	44	0.3	13,436
Massachusetts	Boston ^b	7,855	66.8	3,707	31.5	150	1.3	13	0.1	11,760
Michigan	Detroit	4,004	72.9	1,355	24.7	127	2.3	*	*	5,490
Minnesota	Minneapolis—St. Paul ^b	4,773	68.0	2,044	29.1	162	2.3	19	0.3	7,024
Missouri	Kansas City ^b	2,058	76.4	559	20.8	74	2.7	*	*	2,692
	St. Louis ^b	5,921	74.9	1,804	22.8	169	2.1	8	0.1	7,903
Nevada	Las Vegas ^b	3,321	79.4	749	17.9	103	2.5	7	0.2	4,182
New Jersey	Bergen—Passaic	1,123	62.3	668	37.0	13	0.7	*	*	1,804
	Jersey City	1,177	70.4	472	28.2	22	1.3	*	*	1,671
	Middlesex	943	59.6	615	38.9	24	1.5	*	*	1,582
	Newark	4,066	60.5	2,577	38.3	77	1.1	*	*	6,724
New York	Nassau—Suffolk	1,376	46.0	1,563	52.3	44	1.5	5	0.2	2,989
	New York	28,438	65.6	13,406	30.9	1,248	2.9	137	0.3	43,348
North Carolina	Charlotte ^b	3,063	73.3	1,043	25.0	68	1.6	5	0.1	4,180
Ohio	Cleveland	2,750	75.5	807	22.2	78	2.1	*	*	3,640
	Columbus	5,263	77.2	1,458	21.4	86	1.3	*	*	6,819
Oregon	Portland ^b	2,251	84.5	350	13.1	48	1.8	9	0.3	2,664
Pennsylvania	Philadelphia ^b	12,415	66.0	5,846	31.1	461	2.5	48	0.3	18,801
Puerto Rico	San Juan	4,583	64.9	2,440	34.6	26	0.4	8	0.1	7,057
Tennessee	Memphis ^b	3,133	65.0	1,555	32.3	122	2.5	*	*	4,819
	Nashville	8,004	78.5	2,049	20.1	140	1.4	5	<0.1	10,199
Texas	Austin	2,760	80.2	615	17.9	61	1.8	6	0.2	3,442
	Dallas	9,263	73.8	3,031	24.1	246	2.0	18	0.1	12,558
	Ft. Worth	2,723	73.6	914	24.7	57	1.5	*	*	3,698
	Houston	12,543	72.1	4,531	26.0	316	1.8	10	0.1	17,400
	San Antonio	2,981	81.6	575	15.7	94	2.6	*	*	3,653
Virginia	Norfolk ^b	2,243	68.9	923	28.3	87	2.7	*	*	3,257
Washington	Seattle	4,929	79.4	1,154	18.6	106	1.7	14	0.2	6,205

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes: Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

* To ensure confidentiality, calculations with a denominator less than (<) 5 have been suppressed; in addition, all data in the Other gender identity category have been suppressed. Therefore, the numbers for each subpopulation may not sum to the row total.

^a Includes all clients with reported gender information.

^b The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 23a-i. Male clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and state, 2020—United States and 3 territories

	Male-to-male sexual contact		Injection drug use		Male-to-male sexual contact and injection drug use		Heterosexual contact ^a		Perinatal		Other ^b		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
State													
Alabama	4,387	66.8	288	4.4	74	1.1	1,750	26.6	54	0.8	16	0.2	6,569
Alaska	168	58.1	20	6.9	26	9.0	68	23.5	3	1.0	4	1.4	289
Arizona	4,960	69.0	256	3.6	694	9.7	1,138	15.8	102	1.4	35	0.5	7,185
Arkansas	1,501	71.7	110	5.3	90	4.3	367	17.5	13	0.6	13	0.6	2,094
California	32,451	76.5	1,814	4.3	2,375	5.6	5,374	12.7	218	0.5	214	0.5	42,446
Colorado	3,920	74.6	297	5.6	389	7.4	549	10.4	82	1.6	21	0.4	5,258
Connecticut	1,064	42.0	570	22.5	49	1.9	786	31.0	48	1.9	17	0.7	2,534
Delaware	789	57.3	148	10.8	44	3.2	377	27.4	14	1.0	4	0.3	1,376
District of Columbia	1,616	58.1	102	3.7	14	0.5	974	35.0	65	2.3	10	0.4	2,781
Florida	22,347	65.0	872	2.5	483	1.4	10,045	29.2	479	1.4	161	0.5	34,387
Georgia	10,837	68.8	352	2.2	231	1.5	4,106	26.1	179	1.1	51	0.3	15,756
Hawaii	860	85.3	42	4.2	13	1.3	81	8.0	4	0.4	8	0.8	1,008
Idaho	507	68.1	48	6.5	78	10.5	95	12.8	4	0.5	12	1.6	744
Illinois	10,151	70.8	587	4.1	163	1.1	3,168	22.1	172	1.2	90	0.6	14,331
Indiana	2,908	72.0	183	4.5	49	1.2	806	20.0	37	0.9	56	1.4	4,039
Iowa	961	67.1	83	5.8	77	5.4	282	19.7	9	0.6	21	1.5	1,433
Kansas	674	77.3	41	4.7	0	0.0	138	15.8	8	0.9	11	1.3	872
Kentucky	3,082	71.4	225	5.2	267	6.2	698	16.2	22	0.5	24	0.6	4,318
Louisiana	4,039	59.9	382	5.7	113	1.7	2,140	31.7	44	0.7	26	0.4	6,744
Maine	287	71.4	32	8.0	12	3.0	64	15.9	3	0.7	4	1.0	402
Maryland	3,492	50.9	888	13.0	112	1.6	2,181	31.8	138	2.0	45	0.7	6,856
Massachusetts	4,596	56.9	1,256	15.5	202	2.5	1,796	22.2	154	1.9	74	0.9	8,078
Michigan	4,509	72.4	193	3.1	131	2.1	1,270	20.4	86	1.4	36	0.6	6,225
Minnesota	1,427	61.6	104	4.5	182	7.9	534	23.0	52	2.2	18	0.8	2,317
Mississippi	1,736	57.7	65	2.2	44	1.5	1,121	37.2	29	1.0	15	0.5	3,010
Missouri	4,735	75.8	219	3.5	16	0.3	1,170	18.7	49	0.8	57	0.9	6,246
Montana	250	67.9	32	8.7	43	11.7	40	10.9	1	0.3	2	0.5	368
Nebraska	563	65.8	56	6.5	12	1.4	199	23.3	14	1.6	11	1.3	855
Nevada	2,778	77.9	171	4.8	89	2.5	457	12.8	36	1.0	35	1.0	3,566
New Hampshire	516	69.4	63	8.5	23	3.1	110	14.8	17	2.3	15	2.0	744
New Jersey	4,295	50.1	894	10.4	125	1.5	2,962	34.5	228	2.7	71	0.8	8,575
New Mexico	1,530	78.9	79	4.1	168	8.7	138	7.1	14	0.7	11	0.6	1,940
New York	15,812	60.0	1,814	6.9	395	1.5	7,608	28.9	523	2.0	192	0.7	26,344
North Carolina	6,135	62.9	382	3.9	275	2.8	2,804	28.7	119	1.2	44	0.5	9,759
North Dakota	101	55.2	9	4.9	20	10.9	53	29.0	0	0.0	0	0.0	183
Ohio	6,332	73.9	334	3.9	175	2.0	1,596	18.6	85	1.0	49	0.6	8,571
Oklahoma	2,063	71.2	165	5.7	224	7.7	407	14.0	9	0.3	31	1.1	2,899
Oregon	1,813	68.0	208	7.8	348	13.0	255	9.6	16	0.6	27	1.0	2,667
Pennsylvania	8,403	58.6	1,526	10.6	357	2.5	3,683	25.7	268	1.9	104	0.7	14,341
Rhode Island	883	59.1	157	10.5	50	3.3	360	24.1	28	1.9	17	1.1	1,495
South Carolina	7,118	65.3	517	4.7	94	0.9	3,012	27.6	71	0.7	86	0.8	10,898
South Dakota	143	63.6	3	1.3	46	20.4	31	13.8	1	0.4	1	0.4	225
Tennessee	6,072	70.4	327	3.8	205	2.4	1,925	22.3	57	0.7	45	0.5	8,631
Texas	21,842	69.2	1,051	3.3	1,006	3.2	7,266	23.0	281	0.9	106	0.3	31,552

Table 23a-i. Male clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and state, 2020—United States and 3 territories (cont.)

	Male-to-male sexual contact		Injection drug use		Male-to-male sexual contact and injection drug use		Heterosexual contact ^a		Perinatal		Other ^b		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
State													
Utah	762	66.3	66	5.7	183	15.9	112	9.7	14	1.2	12	1.0	1,149
Vermont	356	74.2	34	7.1	24	5.0	55	11.5	6	1.3	5	1.0	480
Virginia	4,489	66.5	259	3.8	131	1.9	1,750	25.9	67	1.0	58	0.9	6,754
Washington	3,382	66.3	304	6.0	643	12.6	730	14.3	17	0.3	26	0.5	5,102
West Virginia	776	69.8	113	10.2	42	3.8	159	14.3	7	0.6	14	1.3	1,111
Wisconsin	1,079	70.2	58	3.8	29	1.9	305	19.8	47	3.1	19	1.2	1,537
Wyoming	103	64.8	12	7.5	25	15.7	17	10.7	2	1.3	0	0.0	159
Subtotal	225,600	66.9	17,811	5.3	10,660	3.2	77,112	22.9	3,996	1.2	2,024	0.6	337,203
Territory													
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	3,420	45.9	1,057	14.2	69	0.9	2,751	36.9	110	1.5	45	0.6	7,452
U.S. Virgin Islands	48	39.0	7	5.7	1	0.8	66	53.7	1	0.8	0	0.0	123
Subtotal	3,468	45.8	1,064	14.0	70	0.9	2,817	37.2	111	1.5	45	0.6	7,575
Total	229,068	66.4	18,875	5.5	10,730	3.1	79,929	23.2	4,107	1.2	2,069	0.6	344,778

Notes: Percentages shown are based on the row total.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

2020 data for Guam are unavailable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia and blood transfusion.

Table 23a-ii. Female clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and state, 2020—United States and 3 territories

	Injection drug use		Heterosexual contact ^a		Perinatal		Other ^b		Total No.
	No.	%	No.	%	No.	%	No.	%	
State									
Alabama	145	5.5	2,419	91.6	66	2.5	11	0.4	2,641
Alaska	16	15.8	84	83.2	1	1.0	0	0.0	101
Arizona	190	13.4	1,152	81.0	66	4.6	14	1.0	1,422
Arkansas	57	9.2	546	88.5	9	1.5	5	0.8	617
California	812	11.3	5,990	83.2	276	3.8	125	1.7	7,203
Colorado	141	13.1	830	77.1	92	8.5	14	1.3	1,077
Connecticut	294	17.1	1,339	78.0	62	3.6	22	1.3	1,717
Delaware	99	14.9	535	80.7	22	3.3	7	1.1	663
District of Columbia	88	6.5	1,165	86.1	93	6.9	7	0.5	1,353
Florida	565	4.1	12,568	90.7	573	4.1	147	1.1	13,853
Georgia	187	3.0	5,712	92.8	202	3.3	51	0.8	6,152
Hawaii	14	10.1	114	82.6	5	3.6	5	3.6	138
Idaho	17	10.5	136	84.0	6	3.7	3	1.9	162
Illinois	284	6.4	3,851	87.1	227	5.1	59	1.3	4,421
Indiana	82	6.4	1,129	87.7	47	3.6	30	2.3	1,288
Iowa	33	6.7	442	89.7	9	1.8	9	1.8	493
Kansas	15	7.5	178	89.4	3	1.5	3	1.5	199
Kentucky	133	12.2	914	83.9	28	2.6	15	1.4	1,090
Louisiana	205	6.1	3,057	91.6	55	1.6	21	0.6	3,338
Maine	11	7.9	118	84.3	7	5.0	4	2.9	140
Maryland	534	12.7	3,381	80.4	218	5.2	71	1.7	4,204
Massachusetts	670	17.4	2,969	77.2	153	4.0	54	1.4	3,846
Michigan	134	6.8	1,741	88.4	79	4.0	15	0.8	1,969
Minnesota	72	7.0	876	85.3	66	6.4	13	1.3	1,027
Mississippi	42	2.9	1,385	94.5	24	1.6	14	1.0	1,465
Missouri	65	3.5	1,711	92.5	54	2.9	20	1.1	1,850
Montana	16	25.4	46	73.0	0	0.0	1	1.6	63
Nebraska	14	5.5	232	90.6	6	2.3	4	1.6	256
Nevada	50	6.8	620	84.7	49	6.7	13	1.8	732
New Hampshire	43	17.5	179	72.8	17	6.9	7	2.8	246
New Jersey	511	10.7	3,943	82.5	248	5.2	75	1.6	4,777
New Mexico	48	18.2	198	75.0	11	4.2	7	2.7	264
New York	1,000	7.4	11,484	85.5	719	5.4	225	1.7	13,428
North Carolina	210	5.3	3,614	90.6	137	3.4	27	0.7	3,988
North Dakota	7	6.4	94	86.2	8	7.3	0	0.0	109
Ohio	149	5.7	2,332	88.8	124	4.7	20	0.8	2,625
Oklahoma	107	15.4	562	81.1	14	2.0	10	1.4	693
Oregon	101	22.5	332	73.9	5	1.1	11	2.4	449
Pennsylvania	840	12.6	5,459	82.1	277	4.2	75	1.1	6,651
Rhode Island	101	16.4	484	78.4	25	4.1	7	1.1	617
South Carolina	307	6.8	4,053	89.9	102	2.3	44	1.0	4,506
South Dakota	15	11.0	120	88.2	1	0.7	0	0.0	136
Tennessee	176	6.3	2,548	90.6	71	2.5	18	0.6	2,813
Texas	585	6.1	8,582	89.7	305	3.2	92	1.0	9,564
Utah	26	11.9	182	83.1	7	3.2	4	1.8	219
Vermont	16	16.7	73	76.0	2	2.1	5	5.2	96
Virginia	185	6.4	2,581	89.0	89	3.1	45	1.6	2,900
Washington	199	16.5	951	78.8	32	2.7	25	2.1	1,207
West Virginia	89	26.4	242	71.8	6	1.8	0	0.0	337
Wisconsin	30	5.8	417	81.3	60	11.7	6	1.2	513
Wyoming	12	30.8	25	64.1	2	5.1	0	0.0	39
Subtotal	9,742	8.1	103,695	86.7	4,760	4.0	1,460	1.2	119,657
Territory									
Guam	—	—	—	—	—	—	—	—	—
Puerto Rico	215	6.0	3,227	89.5	108	3.0	55	1.5	3,605
U.S. Virgin Islands	4	3.5	108	94.7	1	0.9	1	0.9	114
Subtotal	219	5.9	3,335	89.7	109	2.9	56	1.5	3,719
Total	9,961	8.1	107,030	86.8	4,869	3.9	1,516	1.2	123,376

Notes: Percentages shown are based on the row total.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals. 2020 data for Guam are unavailable.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia and blood transfusion.

Table 23a-iii. Transgender clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and state, 2020—United States and 3 territories

	Sexual contact ^a		Injection drug use		Sexual contact ^a and injection drug use		Perinatal		Other ^b		Total No.
	No.	%	No.	%	No.	%	No.	%	No.	%	
State											
Alabama	147	96.7	2	1.3	2	1.3	1	0.7	0	0.0	152
Alaska	4	66.7	0	0.0	2	33.3	0	0.0	0	0.0	6
Arizona	114	88.4	0	0.0	15	11.6	0	0.0	0	0.0	129
Arkansas	22	95.7	0	0.0	1	4.3	0	0.0	0	0.0	23
California	1,294	88.6	33	2.3	129	8.8	2	0.1	3	0.2	1,461
Colorado	85	85.9	4	4.0	9	9.1	0	0.0	1	1.0	99
Connecticut	65	87.8	4	5.4	5	6.8	0	0.0	0	0.0	74
Delaware	16	88.9	0	0.0	1	5.6	1	5.6	0	0.0	18
District of Columbia	176	98.9	1	0.6	1	0.6	0	0.0	0	0.0	178
Florida	670	96.1	3	0.4	17	2.4	6	0.9	1	0.1	697
Georgia	328	98.2	0	0.0	3	0.9	2	0.6	1	0.3	334
Hawaii	27	90.0	0	0.0	3	10.0	0	0.0	0	0.0	30
Idaho	7	87.5	0	0.0	1	12.5	0	0.0	0	0.0	8
Illinois	443	95.9	5	1.1	10	2.2	3	0.6	1	0.2	462
Indiana	87	95.6	0	0.0	3	3.3	1	1.1	0	0.0	91
Iowa	19	90.5	1	4.8	1	4.8	0	0.0	0	0.0	21
Kansas	13	100.0	0	0.0	0	0.0	0	0.0	0	0.0	13
Kentucky	95	88.8	1	0.9	9	8.4	2	1.9	0	0.0	107
Louisiana	342	95.8	6	1.7	8	2.2	0	0.0	1	0.3	357
Maine	5	83.3	1	16.7	0	0.0	0	0.0	0	0.0	6
Maryland	146	94.2	5	3.2	4	2.6	0	0.0	0	0.0	155
Massachusetts	174	89.2	6	3.1	13	6.7	2	1.0	0	0.0	195
Michigan	146	96.7	0	0.0	4	2.6	1	0.7	0	0.0	151
Minnesota	62	89.9	0	0.0	7	10.1	0	0.0	0	0.0	69
Mississippi	64	98.5	0	0.0	0	0.0	0	0.0	1	1.5	65
Missouri	190	99.0	0	0.0	1	0.5	1	0.5	0	0.0	192
Montana	0	0.0	0	0.0	1	100.0	0	0.0	0	0.0	1
Nebraska	21	95.5	1	4.5	0	0.0	0	0.0	0	0.0	22
Nevada	110	94.8	0	0.0	5	4.3	1	0.9	0	0.0	116
New Hampshire	8	66.7	1	8.3	3	25.0	0	0.0	0	0.0	12
New Jersey	93	86.9	6	5.6	1	0.9	2	1.9	5	4.7	107
New Mexico	15	78.9	0	0.0	4	21.1	0	0.0	0	0.0	19
New York	1,180	94.1	21	1.7	36	2.9	11	0.9	6	0.5	1,254
North Carolina	208	96.7	1	0.5	4	1.9	1	0.5	1	0.5	215
North Dakota	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Ohio	167	94.4	2	1.1	7	4.0	1	0.6	0	0.0	177
Oklahoma	37	100.0	0	0.0	0	0.0	0	0.0	0	0.0	37
Oregon	50	79.4	1	1.6	11	17.5	0	0.0	1	1.6	63
Pennsylvania	405	90.4	4	0.9	24	5.4	9	2.0	6	1.3	448
Rhode Island	18	85.7	0	0.0	3	14.3	0	0.0	0	0.0	21
South Carolina	168	96.0	1	0.6	4	2.3	1	0.6	1	0.6	175
South Dakota	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3
Tennessee	177	94.1	2	1.1	7	3.7	1	0.5	1	0.5	188
Texas	770	95.2	2	0.2	33	4.1	1	0.1	3	0.4	809
Utah	8	66.7	0	0.0	4	33.3	0	0.0	0	0.0	12
Vermont	10	100.0	0	0.0	0	0.0	0	0.0	0	0.0	10
Virginia	201	96.6	1	0.5	5	2.4	1	0.5	0	0.0	208
Washington	97	82.2	1	0.8	19	16.1	1	0.8	0	0.0	118
West Virginia	15	83.3	2	11.1	0	0.0	1	5.6	0	0.0	18
Wisconsin	60	96.8	0	0.0	1	1.6	1	1.6	0	0.0	62
Wyoming	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Subtotal	8,562	93.2	118	1.3	421	4.6	54	0.6	33	0.4	9,188
Territory											
Guam	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	88	95.7	1	1.1	2	2.2	1	1.1	0	0.0	92
U.S. Virgin Islands	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	1
Subtotal	89	95.7	1	1.1	2	2.2	1	1.1	0	0.0	93
Total	8,651	93.2	119	1.3	423	4.6	55	0.6	33	0.4	9,281

Notes: Percentages shown are based on the row total.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals. 2020 data for Guam are unavailable.

^a Includes any sexual transmission category reported by transgender clients.

^b Includes hemophilia and blood transfusion.

Table 23b-i. Male clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico

State/Territory	EMA/TGA	Male-to-male sexual contact		Injection drug use		Male-to-male sexual contact and injection drug use		Heterosexual contact ^a		Perinatal		Other ^b		Total No.
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Arizona	Phoenix	3,617	73.8	159	3.2	512	10.4	510	10.4	89	1.8	14	0.3	4,901
California	Los Angeles	15,851	78.6	460	2.3	953	4.7	2,708	13.4	107	0.5	77	0.4	20,156
	Oakland	1,293	68.2	91	4.8	90	4.7	378	19.9	32	1.7	12	0.6	1,896
	Orange County	1,435	77.3	76	4.1	69	3.7	266	14.3	4	0.2	7	0.4	1,857
	Riverside—San Bernardino	2,440	84.1	49	1.7	134	4.6	270	9.3	2	0.1	7	0.2	2,902
	Sacramento	1,332	65.8	194	9.6	131	6.5	336	16.6	17	0.8	15	0.7	2,025
	San Diego	3,926	80.8	176	3.6	300	6.2	392	8.1	31	0.6	34	0.7	4,859
	San Francisco	2,986	72.5	409	9.9	471	11.4	225	5.5	8	0.2	22	0.5	4,121
	San Jose	974	74.8	48	3.7	65	5.0	206	15.8	2	0.2	7	0.5	1,302
Colorado	Denver	3,633	75.3	257	5.3	362	7.5	476	9.9	82	1.7	16	0.3	4,826
Connecticut	Hartford	431	40.2	286	26.7	29	2.7	296	27.6	27	2.5	4	0.4	1,073
	New Haven	633	44.0	278	19.3	23	1.6	472	32.8	22	1.5	11	0.8	1,439
District of Columbia	Washington ^c	3,231	57.3	219	3.9	45	0.8	1,992	35.4	97	1.7	50	0.9	5,634
Florida	Ft. Lauderdale	8,125	73.5	150	1.4	136	1.2	2,485	22.5	125	1.1	30	0.3	11,051
	Jacksonville	1,479	63.9	83	3.6	54	2.3	671	29.0	22	1.0	5	0.2	2,314
	Miami	4,798	67.0	117	1.6	59	0.8	2,032	28.4	129	1.8	24	0.3	7,159
	Orlando	1,992	65.3	99	3.2	36	1.2	885	29.0	25	0.8	13	0.4	3,050
	Tampa—St. Petersburg	3,320	70.5	174	3.7	104	2.2	977	20.8	86	1.8	47	1.0	4,708
	West Palm Beach	995	43.7	45	2.0	29	1.3	1,164	51.1	31	1.4	12	0.5	2,276
Georgia	Atlanta	8,242	75.1	186	1.7	191	1.7	2,200	20.0	140	1.3	23	0.2	10,982
Illinois	Chicago	9,131	70.6	497	3.8	150	1.2	2,923	22.6	167	1.3	74	0.6	12,942
Indiana	Indianapolis	2,798	72.5	155	4.0	59	1.5	761	19.7	31	0.8	55	1.4	3,859
Louisiana	Baton Rouge	1,531	56.7	149	5.5	55	2.0	937	34.7	29	1.1	1	<0.1	2,702
	New Orleans	2,480	65.1	186	4.9	37	1.0	1,073	28.2	12	0.3	21	0.6	3,809
Maryland	Baltimore	3,132	51.8	857	14.2	109	1.8	1,789	29.6	123	2.0	31	0.5	6,041
Massachusetts	Boston ^c	4,215	58.9	997	13.9	204	2.9	1,525	21.3	143	2.0	69	1.0	7,153
Michigan	Detroit	2,400	69.1	114	3.3	65	1.9	822	23.7	63	1.8	8	0.2	3,472
Minnesota	Minneapolis—St. Paul ^c	1,480	62.5	103	4.3	192	8.1	527	22.3	51	2.2	15	0.6	2,368
Missouri	Kansas City ^c	1,538	75.8	70	3.4	3	0.1	397	19.6	10	0.5	12	0.6	2,030
	St. Louis ^c	4,420	76.5	188	3.3	23	0.4	1,050	18.2	45	0.8	49	0.8	5,775
Nevada	Las Vegas ^c	2,271	79.7	99	3.5	78	2.7	353	12.4	30	1.1	17	0.6	2,848
New Jersey	Bergen—Passaic	507	46.4	123	11.3	11	1.0	420	38.5	18	1.6	13	1.2	1,092
	Jersey City	686	59.8	91	7.9	5	0.4	334	29.1	19	1.7	13	1.1	1,148
	Middlesex	424	49.2	86	10.0	14	1.6	290	33.6	40	4.6	8	0.9	862
	Newark	1,699	48.1	332	9.4	48	1.4	1,325	37.5	105	3.0	23	0.7	3,532
New York	Nassau—Suffolk	553	50.1	81	7.3	17	1.5	381	34.5	61	5.5	11	1.0	1,104
	New York	13,864	61.0	1,480	6.5	302	1.3	6,492	28.6	438	1.9	163	0.7	22,739
North Carolina	Charlotte ^c	2,040	69.5	88	3.0	38	1.3	732	24.9	17	0.6	21	0.7	2,936
Ohio	Cleveland	1,896	72.1	107	4.1	49	1.9	546	20.8	21	0.8	9	0.3	2,628
	Columbus	2,943	77.1	104	2.7	117	3.1	578	15.1	53	1.4	24	0.6	3,819
Oregon	Portland ^c	1,390	73.0	122	6.4	236	12.4	134	7.0	12	0.6	11	0.6	1,905
Pennsylvania	Philadelphia ^c	5,899	55.9	1,179	11.2	245	2.3	2,947	27.9	242	2.3	48	0.5	10,560
Puerto Rico	San Juan	1,985	45.4	697	15.9	44	1.0	1,552	35.5	63	1.4	29	0.7	4,370

Table 23b-i. Male clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	Male-to-male sexual contact		Injection drug use		Male-to-male sexual contact and injection drug use		Heterosexual contact ^a		Perinatal		Other ^b		Total No.
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
Tennessee	Memphis ^c	1,721	63.2	41	1.5	24	0.9	922	33.8	11	0.4	6	0.2	2,725
	Nashville	3,818	75.1	197	3.9	139	2.7	861	16.9	42	0.8	28	0.6	5,085
Texas	Austin	1,992	72.3	134	4.9	179	6.5	434	15.8	7	0.3	9	0.3	2,755
	Dallas	6,520	73.4	201	2.3	302	3.4	1,758	19.8	70	0.8	28	0.3	8,879
	Ft. Worth	1,739	70.1	79	3.2	95	3.8	561	22.6	2	0.1	3	0.1	2,479
	Houston	6,734	65.1	307	3.0	135	1.3	2,957	28.6	160	1.5	44	0.4	10,337
	San Antonio	2,202	74.7	121	4.1	102	3.5	496	16.8	13	0.4	12	0.4	2,946
Virginia	Norfolk ^c	1,499	68.0	85	3.9	34	1.5	553	25.1	17	0.8	18	0.8	2,206
Washington	Seattle	2,527	66.7	187	4.9	535	14.1	518	13.7	10	0.3	12	0.3	3,789

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes: Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia and blood transfusion.

^c The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 23b-ii. Female clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico

State/Territory	EMA/TGA	Injection drug use		Heterosexual contact ^a		Perinatal		Other ^b		Total No.
		No.	%	No.	%	No.	%	No.	%	
Arizona	Phoenix	149	14.3	822	79.0	64	6.1	6	0.6	1,041
California	Los Angeles	163	5.3	2,749	89.0	122	3.9	55	1.8	3,089
	Oakland	87	13.9	486	77.5	40	6.4	14	2.2	627
	Orange County	19	6.6	252	87.5	9	3.1	8	2.8	288
	Riverside–San Bernardino	23	6.9	301	90.9	4	1.2	3	0.9	331
	Sacramento	58	12.0	396	81.8	21	4.3	9	1.9	484
	San Diego	90	11.4	648	81.8	44	5.6	10	1.3	792
	San Francisco	200	36.2	329	59.6	12	2.2	11	2.0	552
	San Jose	21	9.1	201	87.4	4	1.7	4	1.7	230
	Colorado	Denver	126	12.9	743	76.1	94	9.6	13	1.3
Connecticut	Hartford	159	21.8	518	71.1	38	5.2	14	1.9	729
	New Haven	133	13.8	799	83.1	23	2.4	7	0.7	962
District of Columbia	Washington ^c	159	5.1	2,736	88.1	149	4.8	61	2.0	3,105
Florida	Ft. Lauderdale	75	2.2	3,085	91.7	179	5.3	27	0.8	3,366
	Jacksonville	65	5.5	1,098	92.1	25	2.1	4	0.3	1,192
	Miami	88	3.7	2,156	90.6	120	5.0	16	0.7	2,380
	Orlando	38	3.3	1,069	93.4	22	1.9	16	1.4	1,145
	Tampa–St. Petersburg	75	4.7	1,390	86.7	105	6.5	34	2.1	1,604
	West Palm Beach	30	2.2	1,262	94.0	37	2.8	14	1.0	1,343
Georgia	Atlanta	89	2.8	2,950	91.3	162	5.0	30	0.9	3,231
Illinois	Chicago	236	6.1	3,373	87.0	217	5.6	49	1.3	3,875
Indiana	Indianapolis	70	5.9	1,048	88.0	43	3.6	30	2.5	1,191
Louisiana	Baton Rouge	90	6.0	1,374	91.8	26	1.7	7	0.5	1,497
	New Orleans	88	5.7	1,412	91.7	24	1.6	15	1.0	1,539
Maryland	Baltimore	521	14.7	2,782	78.6	190	5.4	47	1.3	3,540
Massachusetts	Boston ^c	569	17.0	2,584	77.4	136	4.1	51	1.5	3,340
Michigan	Detroit	82	6.8	1,057	87.6	60	5.0	7	0.6	1,206
Minnesota	Minneapolis–St. Paul ^c	70	6.8	884	85.7	63	6.1	14	1.4	1,031
Missouri	Kansas City ^c	23	4.2	506	92.2	9	1.6	11	2.0	549
	St. Louis ^c	58	3.4	1,601	92.8	54	3.1	13	0.8	1,726
Nevada	Las Vegas ^c	39	6.5	510	84.9	43	7.2	9	1.5	601
New Jersey	Bergen–Passaic	61	9.4	553	85.6	22	3.4	10	1.5	646
	Jersey City	46	10.0	388	84.5	16	3.5	9	2.0	459
	Middlesex	67	12.5	416	77.3	49	9.1	6	1.1	538
	Newark	183	8.7	1,770	84.0	111	5.3	42	2.0	2,106
New York	Nassau–Suffolk	97	6.9	1,188	83.9	100	7.1	31	2.2	1,416
	New York	774	7.2	9,172	85.7	585	5.5	170	1.6	10,701
North Carolina	Charlotte ^c	33	3.3	924	93.1	24	2.4	12	1.2	993
Ohio	Cleveland	35	4.5	711	90.6	34	4.3	5	0.6	785
	Columbus	45	4.0	1,012	88.9	70	6.2	11	1.0	1,138
Oregon	Portland ^c	58	22.2	197	75.5	1	0.4	5	1.9	261
Pennsylvania	Philadelphia ^c	657	13.1	4,069	81.4	234	4.7	38	0.8	4,998
Puerto Rico	San Juan	152	6.5	2,075	88.6	75	3.2	40	1.7	2,342
Tennessee	Memphis ^c	25	1.9	1,269	96.0	26	2.0	2	0.2	1,322
	Nashville	108	7.7	1,235	88.2	46	3.3	12	0.9	1,401
Texas	Austin	72	11.7	527	85.7	9	1.5	7	1.1	615
	Dallas	130	5.5	2,129	90.0	83	3.5	23	1.0	2,365
	Ft. Worth	70	8.7	732	90.8	1	0.1	3	0.4	806
	Houston	131	3.6	3,324	90.5	172	4.7	46	1.3	3,673
	San Antonio	50	8.9	499	88.6	11	2.0	3	0.5	563
Virginia	Norfolk ^c	58	6.5	814	90.5	19	2.1	8	0.9	899
Washington	Seattle	134	16.3	656	79.9	21	2.6	10	1.2	821

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes: Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a Heterosexual contact with a person known to have, or to be at high risk for, HIV infection.

^b Includes hemophilia and blood transfusion.

^c The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 23b-iii. Transgender clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico

State/Territory	EMA/TGA	Sexual contact ^a		Injection drug use		Sexual contact ^a and injection drug use		Perinatal		Other ^b		Total No.
		No.	%	No.	%	No.	%	No.	%	No.	%	
Arizona	Phoenix	90	91.8	0	0.0	8	8.2	0	0.0	0	0.0	98
California	Los Angeles	680	93.4	9	1.2	36	4.9	1	0.1	2	0.3	728
	Oakland	82	84.5	3	3.1	12	12.4	0	0.0	0	0.0	97
	Orange County	42	100.0	0	0.0	0	0.0	0	0.0	0	0.0	42
	Riverside—San Bernardino	36	94.7	0	0.0	2	5.3	0	0.0	0	0.0	38
	Sacramento	41	80.4	2	3.9	7	13.7	1	2.0	0	0.0	51
	San Diego	132	91.0	1	0.7	12	8.3	0	0.0	0	0.0	145
	San Francisco	200	71.2	17	6.0	64	22.8	0	0.0	0	0.0	281
	San Jose	14	93.3	1	6.7	0	0.0	0	0.0	0	0.0	15
Colorado	Denver	84	87.5	3	3.1	8	8.3	0	0.0	1	1.0	96
Connecticut	Hartford	27	84.4	1	3.1	4	12.5	0	0.0	0	0.0	32
	New Haven	38	92.7	3	7.3	0	0.0	0	0.0	0	0.0	41
District of Columbia	Washington ^c	234	98.7	1	0.4	2	0.8	0	0.0	0	0.0	237
Florida	Ft. Lauderdale	210	97.7	1	0.5	3	1.4	1	0.5	0	0.0	215
	Jacksonville	74	98.7	0	0.0	1	1.3	0	0.0	0	0.0	75
	Miami	88	97.8	0	0.0	1	1.1	1	1.1	0	0.0	90
	Orlando	86	91.5	1	1.1	5	5.3	1	1.1	1	1.1	94
	Tampa—St. Petersburg	111	96.5	0	0.0	2	1.7	2	1.7	0	0.0	115
	West Palm Beach	42	93.3	0	0.0	3	6.7	0	0.0	0	0.0	45
Georgia	Atlanta	238	97.5	0	0.0	3	1.2	2	0.8	1	0.4	244
Illinois	Chicago	397	96.1	5	1.2	8	1.9	2	0.5	1	0.2	413
Indiana	Indianapolis	92	94.8	0	0.0	4	4.1	1	1.0	0	0.0	97
Louisiana	Baton Rouge	126	98.4	0	0.0	2	1.6	0	0.0	0	0.0	128
	New Orleans	259	96.3	5	1.9	4	1.5	0	0.0	1	0.4	269
Maryland	Baltimore	129	92.8	5	3.6	5	3.6	0	0.0	0	0.0	139
Massachusetts	Boston ^c	151	87.3	6	3.5	14	8.1	2	1.2	0	0.0	173
Michigan	Detroit	109	98.2	0	0.0	1	0.9	1	0.9	0	0.0	111
Minnesota	Minneapolis—St. Paul ^c	63	90.0	0	0.0	7	10.0	0	0.0	0	0.0	70
Missouri	Kansas City ^c	73	100.0	0	0.0	0	0.0	0	0.0	0	0.0	73
	St. Louis ^c	172	98.3	0	0.0	2	1.1	1	0.6	0	0.0	175
Nevada	Las Vegas ^c	93	93.9	0	0.0	6	6.1	0	0.0	0	0.0	99
New Jersey	Bergen—Passaic	11	91.7	0	0.0	0	0.0	0	0.0	1	8.3	12
	Jersey City	19	95.0	0	0.0	0	0.0	0	0.0	1	5.0	20
	Middlesex	18	90.0	1	5.0	1	5.0	0	0.0	0	0.0	20
	Newark	9	60.0	3	20.0	0	0.0	1	6.7	2	13.3	15
New York	Nassau—Suffolk	32	94.1	1	2.9	1	2.9	0	0.0	0	0.0	34
	New York	1,075	94.2	17	1.5	32	2.8	11	1.0	6	0.5	1,141
North Carolina	Charlotte ^c	67	93.1	1	1.4	3	4.2	1	1.4	0	0.0	72
Ohio	Cleveland	78	96.3	1	1.2	2	2.5	0	0.0	0	0.0	81
	Columbus	49	89.1	1	1.8	4	7.3	1	1.8	0	0.0	55
Oregon	Portland ^c	42	85.7	0	0.0	6	12.2	0	0.0	1	2.0	49
Pennsylvania	Philadelphia ^c	354	90.5	3	0.8	22	5.6	7	1.8	5	1.3	391
Puerto Rico	San Juan	30	93.8	1	3.1	1	3.1	0	0.0	0	0.0	32

Table 23b-iii. Transgender clients served by the Ryan White HIV/AIDS Program (non-ADAP), by transmission category and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	Sexual contact ^a		Injection drug use		Sexual contact ^a and injection drug use		Perinatal		Other ^b		Total No.
		No.	%	No.	%	No.	%	No.	%	No.	%	
Tennessee	Memphis ^c	105	99.1	0	0.0	1	0.9	0	0.0	0	0.0	106
	Nashville	93	92.1	2	2.0	4	4.0	1	1.0	1	1.0	101
Texas	Austin	58	86.6	0	0.0	9	13.4	0	0.0	0	0.0	67
	Dallas	245	96.8	0	0.0	6	2.4	1	0.4	1	0.4	253
	Ft. Worth	51	96.2	0	0.0	2	3.8	0	0.0	0	0.0	53
	Houston	264	98.5	1	0.4	2	0.7	0	0.0	1	0.4	268
	San Antonio	88	92.6	1	1.1	6	6.3	0	0.0	0	0.0	95
Virginia	Norfolk ^c	86	96.6	1	1.1	2	2.2	0	0.0	0	0.0	89
Washington	Seattle	70	77.8	1	1.1	18	20.0	1	1.1	0	0.0	90

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes: Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a Includes any sexual transmission category reported by transgender clients.

^b Includes hemophilia and blood transfusion.

^c The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 24a. Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and state, 2020—United States and 3 territories

	0–100% FPL		101–138% FPL		139–250% FPL		251–400% FPL		>400% FPL	
	No.	%	No.	%	No.	%	No.	%	No.	%
State										
Alabama	6,529	66.8	934	9.6	1,339	13.7	683	7.0	290	3.0
Alaska	209	50.6	58	14.0	95	23.0	38	9.2	13	3.1
Arizona	4,379	46.7	1,152	12.3	2,133	22.8	1,359	14.5	349	3.7
Arkansas	1,366	50.1	322	11.8	591	21.7	336	12.3	113	4.1
California	34,190	62.7	6,354	11.6	9,341	17.1	3,557	6.5	1,127	2.1
Colorado	4,404	57.5	784	10.2	1,294	16.9	795	10.4	385	5.0
Connecticut	2,888	66.0	503	11.5	749	17.1	210	4.8	27	0.6
Delaware	926	45.5	254	12.5	412	20.3	288	14.2	154	7.6
District of Columbia	3,654	73.9	306	6.2	597	12.1	296	6.0	94	1.9
Florida	27,987	56.7	6,568	13.3	9,951	20.2	4,608	9.3	234	0.5
Georgia	14,383	65.8	2,514	11.5	3,514	16.1	1,235	5.6	224	1.0
Hawaii	841	62.3	150	11.1	274	20.3	80	5.9	6	0.4
Idaho	321	35.4	111	12.2	206	22.7	145	16.0	124	13.7
Illinois	15,025	62.2	1,778	7.4	3,711	15.4	1,855	7.7	1,773	7.3
Indiana	3,123	59.0	606	11.4	1,229	23.2	320	6.0	16	0.3
Iowa	768	42.2	166	9.1	419	23.0	320	17.6	148	8.1
Kansas	633	56.1	100	8.9	206	18.2	137	12.1	53	4.7
Kentucky	2,981	54.7	576	10.6	1,029	18.9	653	12.0	210	3.9
Louisiana	5,700	57.6	1,468	14.8	1,873	18.9	738	7.5	110	1.1
Maine	286	49.8	78	13.6	117	20.4	72	12.5	21	3.7
Maryland	7,547	62.6	1,174	9.7	2,006	16.6	930	7.7	398	3.3
Massachusetts	7,532	62.0	1,207	9.9	1,743	14.4	957	7.9	704	5.8
Michigan	4,523	54.1	877	10.5	1,651	19.7	854	10.2	460	5.5
Minnesota	3,431	58.3	578	9.8	1,215	20.6	592	10.1	73	1.2
Mississippi	3,167	68.9	451	9.8	702	15.3	228	5.0	46	1.0
Missouri	5,135	61.3	899	10.7	1,639	19.6	654	7.8	47	0.6
Montana	176	40.6	54	12.5	111	25.6	59	13.6	33	7.6
Nebraska	568	49.9	142	12.5	279	24.5	141	12.4	8	0.7
Nevada	2,220	48.7	584	12.8	1,169	25.6	554	12.1	34	0.7
New Hampshire	303	36.2	105	12.6	198	23.7	149	17.8	81	9.7
New Jersey	8,860	61.6	1,559	10.8	2,503	17.4	1,060	7.4	393	2.7
New Mexico	840	43.8	266	13.9	424	22.1	262	13.7	127	6.6
New York	32,491	68.6	4,958	10.5	6,939	14.6	2,050	4.3	932	2.0
North Carolina	8,172	59.1	1,762	12.7	2,710	19.6	977	7.1	201	1.5
North Dakota	119	38.4	41	13.2	85	27.4	61	19.7	4	1.3
Ohio	6,993	57.5	1,345	11.1	2,173	17.9	1,243	10.2	410	3.4
Oklahoma	2,203	60.3	360	9.8	717	19.6	313	8.6	63	1.7
Oregon	1,738	54.4	371	11.6	597	18.7	361	11.3	125	3.9
Pennsylvania	12,954	60.2	2,257	10.5	3,505	16.3	1,866	8.7	919	4.3
Rhode Island	1,608	74.0	128	5.9	218	10.0	146	6.7	74	3.4
South Carolina	7,629	57.8	1,363	10.3	2,387	18.1	1,317	10.0	501	3.8
South Dakota	143	37.3	57	14.9	128	33.4	49	12.8	6	1.6
Tennessee	7,846	52.1	1,507	10.0	3,121	20.7	2,347	15.6	243	1.6
Texas	27,809	62.4	5,195	11.7	8,336	18.7	2,750	6.2	486	1.1
Utah	1,045	57.1	173	9.4	431	23.5	142	7.8	40	2.2
Vermont	206	33.3	96	15.5	151	24.4	96	15.5	69	11.2
Virginia	4,817	51.5	1,162	12.4	1,938	20.7	1,102	11.8	336	3.6
Washington	3,946	48.0	998	12.1	1,608	19.6	1,174	14.3	489	6.0
West Virginia	738	52.7	247	17.6	279	19.9	124	8.9	13	0.9
Wisconsin	1,169	56.9	180	8.8	335	16.3	245	11.9	126	6.1
Wyoming	62	31.6	36	18.4	50	25.5	32	16.3	16	8.2
Subtotal	296,583	60.1	54,914	11.1	88,428	17.9	40,560	8.2	12,928	2.6
Territory										
Guam	—	—	—	—	—	—	—	—	—	—
Puerto Rico	9,788	87.5	515	4.6	603	5.4	194	1.7	83	0.7
U.S. Virgin Islands	164	65.9	19	7.6	39	15.7	21	8.4	6	2.4
Subtotal	9,952	87.1	534	4.7	642	5.6	215	1.9	89	0.8
Total	306,535	60.7	55,448	11.0	89,070	17.6	40,775	8.1	13,017	2.6

Abbreviation: FPL, federal poverty level.

Notes: Percentages shown are based on the row total.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals. 2020 data for Guam are unavailable.

Table 24b. Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico

State/Territory	EMA/TGA	0–100% FPL		101–138% FPL		139–250% FPL		251–400% FPL		>400% FPL	
		No.	%	No.	%	No.	%	No.	%	No.	%
Arizona	Phoenix	2,889	48.0	664	11.0	1,411	23.5	906	15.1	143	2.4
California	Los Angeles	16,186	65.1	2,477	10.0	3,941	15.9	1,734	7.0	526	2.1
	Oakland	1,984	68.0	352	12.1	413	14.1	116	4.0	54	1.8
	Orange County	1,055	45.1	269	11.5	589	25.2	346	14.8	82	3.5
	Riverside–San Bernardino	1,752	53.1	577	17.5	802	24.3	159	4.8	12	0.4
	Sacramento	1,500	57.8	392	15.1	449	17.3	170	6.5	86	3.3
	San Diego	4,743	72.9	632	9.7	819	12.6	234	3.6	78	1.2
	San Francisco	3,584	61.7	821	14.1	1,036	17.8	297	5.1	72	1.2
	San Jose	1,011	55.6	238	13.1	339	18.6	184	10.1	46	2.5
Colorado	Denver	4,291	60.4	620	8.7	1,179	16.6	738	10.4	277	3.9
Connecticut	Hartford	1,331	70.5	185	9.8	284	15.1	83	4.4	4	0.2
	New Haven	1,569	64.4	303	12.4	425	17.4	120	4.9	20	0.8
District of Columbia	Washington ^a	5,987	60.8	894	9.1	1,689	17.2	949	9.6	328	3.3
Florida	Ft. Lauderdale	9,240	60.0	1,942	12.6	2,895	18.8	1,256	8.2	60	0.4
	Jacksonville	2,275	64.2	354	10.0	594	16.8	306	8.6	15	0.4
	Miami	4,916	52.2	1,445	15.4	2,118	22.5	917	9.7	14	0.1
	Orlando	2,660	60.0	593	13.4	817	18.4	347	7.8	18	0.4
	Tampa–St. Petersburg	3,651	56.2	866	13.3	1,295	19.9	672	10.3	15	0.2
	West Palm Beach	2,162	59.1	438	12.0	711	19.4	325	8.9	22	0.6
Georgia	Atlanta	9,607	66.3	1,645	11.4	2,384	16.5	737	5.1	111	0.8
Illinois	Chicago	13,848	63.0	1,536	7.0	3,273	14.9	1,611	7.3	1,696	7.7
Indiana	Indianapolis	3,000	59.5	574	11.4	1,170	23.2	291	5.8	10	0.2
Louisiana	Baton Rouge	1,898	49.8	500	13.1	942	24.7	438	11.5	33	0.9
	New Orleans	3,035	52.0	1,005	17.2	1,203	20.6	516	8.8	80	1.4
Maryland	Baltimore	6,780	65.1	963	9.3	1,645	15.8	726	7.0	295	2.8
Massachusetts	Boston ^a	6,502	60.9	1,116	10.4	1,559	14.6	851	8.0	652	6.1
Michigan	Detroit	2,979	61.7	478	9.9	856	17.7	405	8.4	111	2.3
Minnesota	Minneapolis–St. Paul ^a	3,513	59.0	576	9.7	1,206	20.3	583	9.8	72	1.2
Missouri	Kansas City ^a	1,553	57.8	281	10.5	586	21.8	245	9.1	21	0.8
	St. Louis ^a	4,745	60.9	871	11.2	1,509	19.4	618	7.9	46	0.6
Nevada	Las Vegas ^a	1,952	53.8	456	12.6	839	23.1	363	10.0	19	0.5
New Jersey	Bergen–Passaic	1,101	61.2	201	11.2	334	18.6	126	7.0	37	2.1
	Jersey City	949	58.7	192	11.9	303	18.7	121	7.5	52	3.2
	Middlesex	890	60.8	164	11.2	220	15.0	135	9.2	54	3.7
	Newark	4,331	65.7	712	10.8	1,016	15.4	401	6.1	131	2.0
New York	Nassau–Suffolk	1,411	51.9	316	11.6	518	19.1	316	11.6	156	5.7
	New York	28,256	70.4	4,273	10.6	5,530	13.8	1,366	3.4	703	1.8
North Carolina	Charlotte ^a	2,254	56.2	428	10.7	932	23.2	338	8.4	60	1.5
Ohio	Cleveland	2,313	66.4	386	11.1	423	12.1	285	8.2	79	2.3
	Columbus	3,057	51.9	725	12.3	1,324	22.5	665	11.3	122	2.1
Oregon	Portland ^a	1,280	57.8	197	8.9	371	16.7	269	12.1	99	4.5
Pennsylvania	Philadelphia ^a	10,608	66.2	1,574	9.8	2,345	14.6	1,058	6.6	428	2.7
Puerto Rico	San Juan	5,976	88.5	323	4.8	339	5.0	87	1.3	30	0.4

Table 24b. Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	0–100% FPL		101–138% FPL		139–250% FPL		251–400% FPL		>400% FPL	
		No.	%	No.	%	No.	%	No.	%	No.	%
Tennessee	Memphis ^a	2,718	64.8	404	9.6	660	15.7	403	9.6	9	0.2
	Nashville	4,953	49.2	932	9.3	2,196	21.8	1,772	17.6	214	2.1
Texas	Austin	1,953	56.8	347	10.1	728	21.2	324	9.4	87	2.5
	Dallas	6,868	64.2	1,143	10.7	2,072	19.4	559	5.2	57	0.5
	Ft. Worth	2,129	58.5	435	12.0	723	19.9	281	7.7	69	1.9
	Houston	11,340	65.7	1,940	11.2	2,856	16.6	985	5.7	133	0.8
	San Antonio	2,113	57.9	516	14.1	782	21.4	198	5.4	43	1.2
Virginia	Norfolk ^a	1,782	55.8	383	12.0	647	20.2	323	10.1	61	1.9
Washington	Seattle	2,986	48.1	761	12.3	1,136	18.3	898	14.5	429	6.9

Abbreviations: EMA, eligible metropolitan area; FPL, federal poverty level; TGA, transitional grant area.

Notes: Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 25a. Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and state, 2020—United States and 3 territories

	Stable		Temporary		Unstable		Total No.
	No.	%	No.	%	No.	%	
State							
Alabama	9,003	92.0	537	5.5	250	2.6	9,790
Alaska	357	86.2	21	5.1	36	8.7	414
Arizona	8,884	93.1	210	2.2	445	4.7	9,539
Arkansas	2,590	95.0	92	3.4	43	1.6	2,725
California	45,634	83.5	4,191	7.7	4,845	8.9	54,670
Colorado	6,369	87.1	596	8.2	347	4.7	7,312
Connecticut	4,190	91.5	212	4.6	179	3.9	4,581
Delaware	2,012	95.9	39	1.9	46	2.2	2,097
District of Columbia	4,397	85.2	242	4.7	524	10.1	5,163
Florida	44,638	89.3	3,407	6.8	1,947	3.9	49,992
Georgia	20,928	95.1	252	1.1	837	3.8	22,017
Hawaii	1,232	91.3	67	5.0	50	3.7	1,349
Idaho	845	91.4	37	4.0	43	4.6	925
Illinois	21,717	88.6	1,978	8.1	807	3.3	24,502
Indiana	4,637	86.2	565	10.5	177	3.3	5,379
Iowa	1,791	91.3	83	4.2	88	4.5	1,962
Kansas	993	91.5	35	3.2	57	5.3	1,085
Kentucky	5,004	91.4	316	5.8	157	2.9	5,477
Louisiana	9,621	92.3	517	5.0	282	2.7	10,420
Maine	781	91.3	33	3.9	41	4.8	855
Maryland	11,675	95.1	316	2.6	292	2.4	12,283
Massachusetts	9,341	84.6	1,081	9.8	625	5.7	11,047
Michigan	8,004	95.1	185	2.2	228	2.7	8,417
Minnesota	5,055	84.5	579	9.7	347	5.8	5,981
Mississippi	4,479	96.3	70	1.5	100	2.2	4,649
Missouri	7,162	86.8	700	8.5	391	4.7	8,253
Montana	438	90.5	14	2.9	32	6.6	484
Nebraska	1,054	89.9	40	3.4	79	6.7	1,173
Nevada	4,005	87.4	263	5.7	315	6.9	4,583
New Hampshire	1,009	92.7	46	4.2	34	3.1	1,089
New Jersey	12,208	83.9	1,917	13.2	427	2.9	14,552
New Mexico	2,020	91.4	104	4.7	86	3.9	2,210
New York	40,967	84.8	4,412	9.1	2,948	6.1	48,327
North Carolina	13,226	94.3	495	3.5	310	2.2	14,031
North Dakota	279	92.4	15	5.0	8	2.6	302
Ohio	9,000	84.6	1,202	11.3	439	4.1	10,641
Oklahoma	3,474	95.0	78	2.1	104	2.8	3,656
Oregon	2,894	85.3	261	7.7	236	7.0	3,391
Pennsylvania	19,820	90.4	1,292	5.9	807	3.7	21,919
Rhode Island	1,925	87.7	198	9.0	71	3.2	2,194
South Carolina	12,604	96.1	426	3.2	89	0.7	13,119
South Dakota	370	96.6	7	1.8	6	1.6	383
Tennessee	14,091	91.9	1,045	6.8	200	1.3	15,336
Texas	37,432	81.7	5,174	11.3	3,184	7.0	45,790
Utah	1,619	90.6	122	6.8	45	2.5	1,786
Vermont	588	95.1	21	3.4	9	1.5	618
Virginia	9,238	95.7	191	2.0	221	2.3	9,650
Washington	6,948	85.9	333	4.1	803	9.9	8,084
West Virginia	1,372	92.3	46	3.1	69	4.6	1,487
Wisconsin	1,804	85.2	100	4.7	213	10.1	2,117
Wyoming	172	87.8	15	7.7	9	4.6	196
Subtotal	439,896	88.3	34,178	6.9	23,928	4.8	498,002
Territory							
Guam	—	—	—	—	—	—	—
Puerto Rico	10,936	97.8	207	1.9	34	0.3	11,177
U.S. Virgin Islands	242	97.2	1	0.4	6	2.4	249
Subtotal	11,178	97.8	208	1.8	40	0.4	11,426
Total	451,074	88.5	34,386	6.7	23,968	4.7	509,428

Notes: Percentages shown are based on the row total.

Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

2020 data for Guam are unavailable.

Table 25b. Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico

State/Territory	EMA/TGA	Stable		Temporary		Unstable		Total No.
		No.	%	No.	%	No.	%	
Arizona	Phoenix	5,670	92.3	103	1.7	370	6.0	6,143
California	Los Angeles	21,681	86.8	848	3.4	2,449	9.8	24,978
	Oakland	2,349	79.6	204	6.9	397	13.5	2,950
	Orange County	1,984	85.3	212	9.1	130	5.6	2,326
	Riverside—San Bernardino	2,988	90.4	136	4.1	182	5.5	3,306
	Sacramento	1,934	79.4	165	6.8	336	13.8	2,435
	San Diego	5,185	78.4	741	11.2	689	10.4	6,615
	San Francisco	4,190	72.3	1,167	20.1	439	7.6	5,796
	San Jose	1,391	76.3	284	15.6	148	8.1	1,823
Colorado	Denver	5,824	85.7	625	9.2	345	5.1	6,794
Connecticut	Hartford	1,743	86.8	123	6.1	141	7.0	2,007
	New Haven	2,354	93.1	120	4.7	55	2.2	2,529
District of Columbia	Washington ^a	9,055	89.6	362	3.6	689	6.8	10,106
Florida	Ft. Lauderdale	12,995	84.0	2,014	13.0	465	3.0	15,474
	Jacksonville	3,277	91.4	167	4.7	140	3.9	3,584
	Miami	8,904	93.7	114	1.2	489	5.1	9,507
	Orlando	3,787	85.4	345	7.8	304	6.9	4,436
	Tampa—St. Petersburg	5,616	86.4	527	8.1	357	5.5	6,500
	West Palm Beach	3,325	88.0	256	6.8	198	5.2	3,779
Georgia	Atlanta	13,171	92.2	219	1.5	900	6.3	14,290
Illinois	Chicago	19,570	87.7	1,938	8.7	806	3.6	22,314
Indiana	Indianapolis	4,431	85.0	588	11.3	191	3.7	5,210
Louisiana	Baton Rouge	4,112	95.9	105	2.4	72	1.7	4,289
	New Orleans	5,359	90.8	364	6.2	176	3.0	5,899
Maryland	Baltimore	10,042	94.5	299	2.8	283	2.7	10,624
Massachusetts	Boston ^a	7,857	82.4	1,104	11.6	574	6.0	9,535
Michigan	Detroit	4,617	95.4	99	2.0	124	2.6	4,840
Minnesota	Minneapolis—St. Paul ^a	5,065	83.8	606	10.0	371	6.1	6,042
Missouri	Kansas City ^a	2,255	85.7	202	7.7	173	6.6	2,630
	St. Louis ^a	6,760	87.4	618	8.0	356	4.6	7,734
Nevada	Las Vegas ^a	3,066	84.5	272	7.5	291	8.0	3,629
New Jersey	Bergen—Passaic	1,660	92.4	59	3.3	78	4.3	1,797
	Jersey City	1,516	93.8	42	2.6	59	3.6	1,617
	Middlesex	1,314	85.0	120	7.8	112	7.2	1,546
	Newark	4,605	69.9	1,744	26.5	243	3.7	6,592
New York	Nassau—Suffolk	2,484	91.5	197	7.3	34	1.3	2,715
	New York	34,452	83.8	3,742	9.1	2,912	7.1	41,106
North Carolina	Charlotte ^a	3,794	94.7	127	3.2	84	2.1	4,005
Ohio	Cleveland	3,126	89.6	221	6.3	143	4.1	3,490
	Columbus	3,477	81.4	634	14.8	162	3.8	4,273
Oregon	Portland ^a	1,995	82.5	233	9.6	190	7.9	2,418
Pennsylvania	Philadelphia ^a	14,779	90.7	779	4.8	732	4.5	16,290
Puerto Rico	San Juan	6,545	97.0	173	2.6	32	0.5	6,750
Tennessee	Memphis ^a	4,303	96.4	116	2.6	47	1.1	4,466
	Nashville	8,834	87.7	1,051	10.4	185	1.8	10,070
Texas	Austin	3,145	91.4	144	4.2	153	4.4	3,442
	Dallas	6,957	59.2	3,028	25.8	1,769	15.1	11,754
	Ft. Worth	3,176	87.0	307	8.4	169	4.6	3,652
	Houston	14,866	85.4	1,686	9.7	847	4.9	17,399
	San Antonio	3,386	92.7	128	3.5	139	3.8	3,653
Virginia	Norfolk ^a	3,003	93.9	95	3.0	99	3.1	3,197
Washington	Seattle	5,139	84.5	263	4.3	677	11.1	6,079

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Notes: Percentages shown are based on the row total.

EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Section 4.

State- and EMA/TGA-Level Data: Retention in Care and Viral Suppression

Table 26a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by year and state, 2016–2020—United States and 3 territories

State	2016			2017			2018			2019			2020		
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
		No.	%		No.	%		No.	%		No.	%		No.	%
Alabama	4,441	3,834	86.3	7,136	6,194	86.8	7,572	6,319	83.5	5,498	4,584	83.4	5,250	3,991	76.0
Alaska	335	268	80.0	346	253	73.1	290	210	72.4	437	328	75.1	146	114	78.1
Arizona	2,300	1,825	79.3	3,765	2,654	70.5	4,107	3,424	83.4	4,940	3,844	77.8	5,109	4,331	84.8
Arkansas	690	579	83.9	627	514	82.0	2,050	1,673	81.6	1,251	832	66.5	1,140	801	70.3
California	32,938	26,541	80.6	32,118	26,424	82.3	32,560	26,578	81.6	30,085	24,041	79.9	33,538	27,060	80.7
Colorado	3,943	3,241	82.2	4,050	3,329	82.2	4,275	3,462	81.0	4,511	3,511	77.8	4,373	2,964	67.8
Connecticut	3,604	3,077	85.4	3,194	2,522	79.0	3,474	2,941	84.7	3,272	2,721	83.2	3,216	2,611	81.2
Delaware	1,530	1,285	84.0	1,514	1,308	86.4	1,548	1,283	82.9	1,594	1,284	80.6	1,521	1,221	80.3
District of Columbia	5,252	4,284	81.6	5,702	4,002	70.2	3,787	3,132	82.7	3,135	2,391	76.3	3,080	2,593	84.2
Florida	29,062	24,029	82.7	30,590	24,826	81.2	30,281	24,929	82.3	30,457	24,909	81.8	28,088	22,259	79.2
Georgia	18,258	15,665	85.8	18,928	15,792	83.4	19,277	16,223	84.2	21,183	18,004	85.0	19,901	16,747	84.2
Hawaii	591	472	79.9	443	336	75.8	270	205	75.9	407	269	66.1	341	257	75.4
Idaho	632	519	82.1	695	566	81.4	786	640	81.4	796	594	74.6	779	600	77.0
Illinois	14,903	11,362	76.2	15,837	12,227	77.2	16,632	13,063	78.5	16,483	12,959	78.6	15,883	11,811	74.4
Indiana	1,794	1,463	81.5	1,769	1,378	77.9	1,788	1,430	80.0	2,031	1,679	82.7	2,585	2,115	81.8
Iowa	1,187	934	78.7	1,355	1,113	82.1	1,399	1,153	82.4	1,480	1,172	79.2	1,511	1,199	79.4
Kansas	662	599	90.5	389	309	79.4	427	366	85.7	549	467	85.1	569	416	73.1
Kentucky	3,635	2,941	80.9	3,854	3,005	78.0	4,208	3,289	78.2	4,316	3,462	80.2	4,101	3,041	74.2
Louisiana	6,333	4,725	74.6	7,537	6,013	79.8	7,617	6,059	79.5	8,276	6,109	73.8	7,275	5,387	74.0
Maine	496	398	80.2	388	236	60.8	435	368	84.6	379	277	73.1	461	375	81.3
Maryland	9,910	8,151	82.3	9,872	8,109	82.1	10,540	8,824	83.7	10,574	8,852	83.7	10,077	8,209	81.5
Massachusetts	7,043	5,989	85.0	6,570	5,340	81.3	6,348	5,270	83.0	6,739	5,570	82.7	6,770	5,457	80.6
Michigan	5,999	4,537	75.6	6,102	4,558	74.7	6,225	4,661	74.9	6,419	4,587	71.5	5,907	4,025	68.1
Minnesota	2,000	1,588	79.4	2,020	1,565	77.5	1,989	1,536	77.2	2,343	1,590	67.9	3,362	1,733	51.5
Mississippi	3,464	2,656	76.7	3,516	2,902	82.5	3,957	3,345	84.5	4,170	3,559	85.3	3,895	3,246	83.3
Missouri	3,561	2,669	75.0	3,716	2,901	78.1	4,130	3,399	82.3	4,293	3,372	78.5	4,172	3,304	79.2
Montana	302	227	75.2	310	238	76.8	332	260	78.3	356	273	76.7	397	308	77.6
Nebraska	719	596	82.9	799	557	69.7	745	549	73.7	663	485	73.2	682	513	75.2
Nevada	1,713	1,183	69.1	2,108	1,632	77.4	2,471	2,025	82.0	2,653	2,074	78.2	2,823	1,916	67.9
New Hampshire	652	525	80.5	763	552	72.3	696	555	79.7	743	561	75.5	695	452	65.0
New Jersey	9,367	7,496	80.0	8,596	7,098	82.6	7,941	6,568	82.7	11,439	9,779	85.5	10,965	9,280	84.6
New Mexico	1,274	766	60.1	1,686	1,512	89.7	1,804	1,597	88.5	1,376	1,189	86.4	1,950	1,743	89.4
New York	32,142	27,500	85.6	30,822	26,254	85.2	29,335	25,231	86.0	30,325	25,891	85.4	30,679	26,006	84.8
North Carolina	12,420	10,249	82.5	12,937	10,747	83.1	12,449	9,927	79.7	12,193	9,740	79.9	11,755	9,297	79.1
North Dakota	99	79	79.8	107	89	83.2	111	83	74.8	106	81	76.4	76	66	86.8
Ohio	7,214	5,436	75.4	7,279	5,293	72.7	7,224	5,512	76.3	8,534	6,386	74.8	8,573	6,163	71.9
Oklahoma	2,004	1,521	75.9	2,224	1,532	68.9	2,227	1,258	56.5	1,677	1,249	74.5	2,902	2,245	77.4
Oregon	1,177	957	81.3	1,154	950	82.3	1,162	928	79.9	1,212	953	78.6	1,225	921	75.2
Pennsylvania	18,561	15,698	84.6	18,777	15,888	84.6	18,665	15,677	84.0	19,134	15,919	83.2	17,970	14,535	80.9
Rhode Island	1,561	1,278	81.9	1,618	1,323	81.8	1,668	1,370	82.1	1,718	1,405	81.8	1,697	1,389	81.9
South Carolina	9,167	7,792	85.0	9,628	8,195	85.1	9,355	7,833	83.7	10,667	9,122	85.5	10,518	8,859	84.2
South Dakota	310	209	67.4	307	235	76.5	269	216	80.3	316	219	69.3	204	135	66.2
Tennessee	8,318	7,045	84.7	8,306	6,941	83.6	8,459	6,877	81.3	9,267	7,496	80.9	8,573	6,690	78.0
Texas	30,614	24,285	79.3	29,628	22,335	75.4	29,019	21,207	73.1	30,298	23,200	76.6	30,801	24,011	78.0

Table 26a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by year and state, 2016–2020—United States and 3 territories (cont.)

	2016			2017			2018			2019			2020		
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
		No.	%		No.	%		No.	%		No.	%		No.	%
State															
Utah	1,443	1,182	81.9	1,325	1,116	84.2	1,181	1,005	85.1	1,182	984	83.2	1,069	796	74.5
Vermont	401	333	83.0	422	344	81.5	433	335	77.4	425	311	73.2	440	320	72.7
Virginia	5,138	3,722	72.4	7,262	5,408	74.5	5,599	3,607	64.4	5,934	4,480	75.5	5,781	4,343	75.1
Washington	3,178	2,553	80.3	3,308	2,725	82.4	3,442	2,827	82.1	4,002	2,993	74.8	4,085	2,637	64.6
West Virginia	660	488	73.9	637	421	66.1	564	415	73.6	1,234	906	73.4	1,183	830	70.2
Wisconsin	2,410	1,965	81.5	2,556	2,038	79.7	3,260	2,609	80.0	3,456	2,839	82.1	1,737	1,395	80.3
Wyoming	120	55	45.8	87	22	25.3	60	8	13.3	54	14	25.9	39	9	23.1
Subtotal	315,527	256,771	81.4	324,679	261,821	80.6	324,443	262,261	80.8	334,582	269,516	80.6	329,869	260,726	79.0
Territory															
Guam	30	25	83.3	29	23	79.3	34	30	88.2	—	—	—	—	—	—
Puerto Rico	8,582	8,031	93.6	9,249	8,236	89.0	9,476	8,786	92.7	9,999	9,262	92.6	9,227	8,375	90.8
U.S. Virgin Islands	201	179	89.1	209	158	75.6	197	163	82.7	187	132	70.6	181	131	72.4
Subtotal	8,813	8,235	93.4	9,487	8,417	88.7	9,707	8,979	92.5	10,186	9,394	92.2	9,408	8,506	90.4
Total	324,340	265,006	81.7	334,166	270,238	80.9	334,150	271,240	81.2	344,768	278,910	80.9	339,277	269,232	79.4

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.
Notes: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.
 2019 and 2020 data for Guam are unavailable.

Table 26b. Retention in care among Ryan White HIV/AIDS Program clients, by year and eligible metropolitan area and transitional grant area, 2016–2020—United States and Puerto Rico

State/Territory	EMA/TGA	2016			2017			2018			2019			2020		
		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
			No.	%		No.	%		No.	%		No.	%		No.	%
Arizona	Phoenix	2,366	1,876	79.3	2,157	1,304	60.5	2,276	1,933	84.9	3,220	2,592	80.5	3,831	3,284	85.7
California	Los Angeles	16,952	13,492	79.6	15,373	12,718	82.7	16,489	13,916	84.4	16,331	13,381	81.9	16,741	13,850	82.7
	Oakland	1,309	891	68.1	1,405	922	65.6	838	612	73.0	990	666	67.3	923	645	69.9
	Orange County	792	685	86.5	784	678	86.5	802	702	87.5	815	665	81.6	906	712	78.6
	Riverside–San Bernardino	911	703	77.2	1,140	850	74.6	1,046	735	70.3	446	310	69.5	1,002	797	79.5
	Sacramento	2,269	1,794	79.1	2,385	2,275	95.4	2,161	1,844	85.3	1,976	1,656	83.8	2,303	1,950	84.7
	San Diego	4,997	4,340	86.9	5,064	4,308	85.1	5,167	4,180	80.9	4,449	3,680	82.7	5,317	4,263	80.2
	San Francisco	1,710	1,320	77.2	1,566	1,112	71.0	1,935	1,335	69.0	1,662	980	59.0	2,010	1,485	73.9
	San Jose	1,152	947	82.2	1,153	976	84.6	1,206	885	73.4	277	68	24.5	1,221	804	65.8
	Colorado	Denver	3,647	2,995	82.1	3,921	3,214	82.0	4,092	3,298	80.6	4,209	3,284	78.0	3,955	2,682
Connecticut	Hartford	1,850	1,565	84.6	1,679	1,217	72.5	1,838	1,590	86.5	1,382	1,193	86.3	1,510	1,227	81.3
	New Haven	1,044	916	87.7	758	633	83.5	837	693	82.8	1,925	1,557	80.9	1,738	1,402	80.7
District of Columbia	Washington ^a	8,990	7,284	81.0	9,155	6,636	72.5	7,381	6,113	82.8	6,880	5,380	78.2	6,702	5,536	82.6
Florida	Ft. Lauderdale	4,383	3,305	75.4	4,908	3,640	74.2	4,265	3,091	72.5	6,397	4,784	74.8	7,813	5,928	75.9
	Jacksonville	2,149	1,721	80.1	1,474	1,119	75.9	2,338	1,884	80.6	2,162	1,731	80.1	2,113	1,606	76.0
	Miami	7,725	6,209	80.4	7,328	5,803	79.2	7,274	6,010	82.6	7,378	6,036	81.8	5,862	4,846	82.7
	Orlando	1,962	1,655	84.4	2,312	1,963	84.9	2,958	2,513	85.0	2,829	2,428	85.8	2,691	2,301	85.5
	Tampa–St. Petersburg	3,933	3,483	88.6	4,177	3,626	86.8	4,354	3,755	86.2	4,350	3,762	86.5	3,459	2,707	78.3
	West Palm Beach	2,034	1,768	86.9	1,956	1,715	87.7	2,195	1,947	88.7	1,445	1,210	83.7	1,338	1,127	84.2
Georgia	Atlanta	11,947	10,256	85.8	13,640	11,349	83.2	12,784	10,698	83.7	14,029	11,764	83.9	12,877	10,705	83.1
Illinois	Chicago	14,246	10,894	76.5	15,497	12,009	77.5	16,423	12,916	78.6	16,042	12,655	78.9	15,233	11,371	74.6
Indiana	Indianapolis	1,904	1,554	81.6	1,852	1,441	77.8	1,918	1,529	79.7	2,163	1,782	82.4	2,795	2,278	81.5
Louisiana	Baton Rouge	1,514	1,039	68.6	1,964	1,514	77.1	2,497	2,101	84.1	2,688	2,137	79.5	3,028	2,358	77.9
	New Orleans	4,136	3,225	78.0	4,352	3,582	82.3	4,513	3,553	78.7	5,054	3,605	71.3	3,850	2,839	73.7
Maryland	Baltimore	8,409	7,065	84.0	8,812	7,354	83.5	9,490	7,989	84.2	9,724	8,198	84.3	9,269	7,616	82.2
Massachusetts	Boston ^a	5,599	4,735	84.6	5,331	4,249	79.7	5,175	4,269	82.5	5,671	4,722	83.3	5,685	4,706	82.8
Michigan	Detroit	3,900	2,810	72.1	4,093	2,905	71.0	4,145	2,947	71.1	4,189	2,911	69.5	3,743	2,548	68.1
Minnesota	Minneapolis–St. Paul ^a	2,063	1,635	79.3	2,140	1,652	77.2	2,111	1,629	77.2	2,416	1,634	67.6	3,457	1,788	51.7
Missouri	Kansas City ^a	918	628	68.4	864	606	70.1	1,406	1,100	78.2	1,462	1,113	76.1	1,456	1,083	74.4
	St. Louis ^a	3,574	2,823	79.0	4,141	3,330	80.4	4,471	3,756	84.0	4,315	3,466	80.3	3,887	3,146	80.9
Nevada	Las Vegas ^a	1,189	719	60.5	1,653	1,147	69.4	2,043	1,600	78.3	2,199	1,649	75.0	2,465	1,597	64.8
New Jersey	Bergen–Passaic	1,200	1,037	86.4	1,202	1,051	87.4	1,205	1,017	84.4	1,294	1,144	88.4	1,260	1,110	88.1
	Jersey City	1,480	1,342	90.7	1,486	1,338	90.0	1,509	1,360	90.1	1,415	1,271	89.8	1,303	1,176	90.3
	Middlesex	843	716	84.9	869	742	85.4	872	757	86.8	1,082	927	85.7	1,083	966	89.2
	Newark	2,242	1,539	68.6	2,177	1,595	73.3	2,094	1,566	74.8	5,105	4,311	84.4	5,034	4,135	82.1
New York	Nassau–Suffolk	1,207	895	74.2	1,093	883	80.8	1,178	929	78.9	1,157	892	77.1	1,075	811	75.4
	New York	28,590	24,610	86.1	27,450	23,571	85.9	26,162	22,636	86.5	26,925	22,962	85.3	27,243	23,148	85.0
North Carolina	Charlotte ^a	2,641	2,164	81.9	2,858	2,390	83.6	2,980	2,454	82.3	3,121	2,382	76.3	3,071	2,353	76.6
Ohio	Cleveland	2,195	1,700	77.4	2,294	1,736	75.7	2,452	2,029	82.7	2,661	2,191	82.3	2,683	2,087	77.8
	Columbus	3,286	2,446	74.4	3,318	2,295	69.2	2,675	1,966	73.5	3,872	2,815	72.7	3,796	2,609	68.7
Oregon	Portland ^a	1,249	1,011	80.9	1,253	1,023	81.6	1,269	1,008	79.4	1,293	1,015	78.5	1,307	985	75.4
Pennsylvania	Philadelphia ^a	13,673	11,451	83.7	14,129	11,927	84.4	13,811	11,529	83.5	14,162	11,699	82.6	12,905	10,380	80.4
Puerto Rico	San Juan	7,943	7,475	94.1	7,633	6,779	88.8	5,504	5,077	92.2	5,854	5,368	91.7	5,534	5,011	90.5

Table 26b. Retention in care among Ryan White HIV/AIDS Program clients, by year and eligible metropolitan area and transitional grant area, 2016–2020—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	2016			2017			2018			2019			2020		
		Retained			Retained			Retained			Retained			Retained		
		Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%
Tennessee	Memphis ^a	3,438	2,997	87.2	3,570	3,098	86.8	3,771	3,202	84.9	3,726	3,149	84.5	3,154	2,691	85.3
	Nashville	4,740	3,967	83.7	3,973	3,263	82.1	4,317	3,444	79.8	5,267	4,298	81.6	4,866	3,745	77.0
Texas	Austin	4,529	3,969	87.6	5,611	4,653	82.9	2,741	2,239	81.7	2,827	2,364	83.6	2,783	2,250	80.8
	Dallas	6,745	5,514	81.7	6,947	5,702	82.1	8,720	6,569	75.3	9,091	7,226	79.5	9,057	7,427	82.0
	Ft. Worth	2,145	1,752	81.7	2,054	1,136	55.3	1,431	983	68.7	1,570	1,225	78.0	1,916	1,638	85.5
	Houston	9,919	7,291	73.5	10,458	7,687	73.5	10,544	7,713	73.2	11,020	7,987	72.5	11,067	8,178	73.9
	San Antonio	3,377	2,771	82.1	1,612	1,159	71.9	1,683	1,111	66.0	1,549	1,085	70.0	1,752	1,295	73.9
Virginia	Norfolk ^a	946	593	62.7	2,414	1,477	61.2	2,413	1,079	44.7	2,458	1,637	66.6	2,343	1,511	64.5
Washington	Seattle	2,680	2,162	80.7	2,845	2,341	82.3	3,180	2,620	82.4	3,421	2,628	76.8	3,735	2,312	61.9

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 27a. Viral Suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by year and state, 2016–2020—United States and 3 territories

State	2016			2017			2018			2019			2020		
	Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%
Alabama	4,682	3,762	80.4	7,491	6,341	84.6	7,870	6,779	86.1	5,718	4,912	85.9	5,227	4,595	87.9
Alaska	355	313	88.2	374	330	88.2	317	285	89.9	486	444	91.4	148	138	93.2
Arizona	1,723	1,586	92.0	3,902	3,512	90.0	4,327	3,971	91.8	5,224	4,790	91.7	5,413	5,042	93.1
Arkansas	730	562	77.0	657	479	72.9	1,921	1,588	82.7	1,278	1,093	85.5	1,272	1,102	86.6
California	32,683	28,228	86.4	32,592	28,462	87.3	33,411	29,440	88.1	31,212	27,848	89.2	33,743	30,515	90.4
Colorado	3,855	3,408	88.4	4,181	3,694	88.4	4,307	3,920	91.0	4,548	4,146	91.2	3,971	3,655	92.0
Connecticut	3,623	3,201	88.4	3,227	2,864	88.8	3,453	3,131	90.7	3,302	3,056	92.6	3,120	2,891	92.7
Delaware	1,575	1,369	86.9	1,568	1,373	87.6	1,624	1,467	90.3	1,616	1,458	90.2	1,630	1,509	92.6
District of Columbia	5,285	4,383	82.9	5,739	4,760	82.9	3,936	3,321	84.4	3,212	2,790	86.9	3,064	2,683	87.6
Florida	30,300	25,271	83.4	32,210	27,379	85.0	32,212	27,655	85.9	32,052	27,856	86.9	29,550	25,875	87.6
Georgia	18,954	15,424	81.4	19,701	16,282	82.6	20,340	16,974	83.5	22,381	18,946	84.7	20,910	18,245	87.3
Hawaii	625	564	90.2	503	445	88.5	268	262	97.8	485	428	88.2	352	307	87.2
Idaho	685	641	93.6	738	702	95.1	833	790	94.8	858	823	95.9	864	834	96.5
Illinois	15,412	13,019	84.5	16,772	14,467	86.3	17,470	15,252	87.3	17,040	15,017	88.1	15,858	14,051	88.6
Indiana	1,863	1,602	86.0	1,849	1,603	86.7	1,874	1,645	87.8	2,177	1,915	88.0	2,610	2,345	89.8
Iowa	1,314	1,184	90.1	1,480	1,356	91.6	1,487	1,372	92.3	1,548	1,434	92.6	1,606	1,496	93.2
Kansas	726	607	83.6	403	355	88.1	462	402	87.0	606	547	90.3	608	554	91.1
Kentucky	3,863	3,393	87.8	4,036	3,581	88.7	4,306	3,805	88.4	4,462	4,048	90.7	4,050	3,738	92.3
Louisiana	6,864	5,590	81.4	7,890	6,599	83.6	8,073	6,991	86.6	8,679	7,567	87.2	7,849	6,991	89.1
Maine	494	457	92.5	397	371	93.5	322	304	94.4	415	401	96.6	461	445	96.5
Maryland	10,600	9,067	85.5	10,071	8,737	86.8	10,782	9,458	87.7	10,785	9,592	88.9	9,941	9,069	91.2
Massachusetts	7,242	6,636	91.6	6,699	6,199	92.5	6,477	6,028	93.1	6,913	6,486	93.8	6,540	6,187	94.6
Michigan	6,565	5,669	86.4	6,625	5,845	88.2	6,767	5,999	88.7	7,050	6,329	89.8	6,508	5,885	90.4
Minnesota	2,034	1,809	88.9	1,766	1,589	90.0	1,774	1,620	91.3	2,607	2,374	91.1	3,423	3,124	91.3
Mississippi	3,607	2,983	82.7	3,766	3,119	82.8	4,132	3,508	84.9	4,420	3,795	85.9	4,157	3,634	87.4
Missouri	3,934	3,303	84.0	4,066	3,483	85.7	4,724	4,132	87.5	4,565	4,064	89.0	4,492	4,021	89.5
Montana	308	271	88.0	332	301	90.7	341	315	92.4	383	363	94.8	407	377	92.6
Nebraska	765	693	90.6	849	770	90.7	809	712	88.0	724	641	88.5	746	670	89.8
Nevada	1,797	1,515	84.3	2,305	1,970	85.5	2,717	2,395	88.1	2,944	2,615	88.8	3,039	2,785	91.6
New Hampshire	690	637	92.3	804	732	91.0	752	710	94.4	799	754	94.4	741	703	94.9
New Jersey	9,870	8,447	85.6	9,124	7,795	85.4	8,519	7,354	86.3	11,919	10,403	87.3	11,408	10,178	89.2
New Mexico	1,564	1,438	91.9	1,755	1,563	89.1	1,846	1,712	92.7	1,402	1,318	94.0	1,940	1,824	94.0
New York	33,460	28,684	85.7	31,556	27,320	86.6	30,661	26,653	86.9	31,427	27,608	87.8	31,361	27,886	88.9
North Carolina	13,113	11,169	85.2	13,679	11,842	86.6	13,176	11,612	88.1	12,992	11,534	88.8	12,389	11,076	89.4
North Dakota	95	88	92.6	107	104	97.2	111	108	97.3	110	103	93.6	80	79	98.8
Ohio	7,600	6,551	86.2	7,779	6,772	87.1	7,703	6,789	88.1	9,036	8,082	89.4	8,656	7,792	90.0
Oklahoma	2,105	1,817	86.3	2,337	2,007	85.9	2,313	2,013	87.0	1,982	1,643	82.9	3,028	2,627	86.8
Oregon	1,241	1,067	86.0	1,206	1,068	88.6	1,227	1,096	89.3	1,275	1,140	89.4	1,203	1,090	90.6
Pennsylvania	19,223	16,712	86.9	19,444	17,300	89.0	19,331	17,482	90.4	19,808	17,877	90.3	17,866	16,333	91.4
Rhode Island	1,639	1,504	91.8	1,683	1,544	91.7	1,714	1,604	93.6	1,793	1,689	94.2	1,730	1,636	94.6
South Carolina	9,653	8,176	84.7	10,126	8,682	85.7	9,838	8,630	87.7	11,133	9,946	89.3	11,075	10,000	90.3
South Dakota	303	274	90.4	308	278	90.3	279	255	91.4	320	305	95.3	212	203	95.8
Tennessee	8,771	7,269	82.9	8,794	7,358	83.7	8,905	7,520	84.4	9,842	8,402	85.4	8,984	7,912	88.1
Texas	32,613	26,124	80.1	31,849	25,619	80.4	31,178	25,766	82.6	32,956	27,557	83.6	33,033	28,494	86.3

Table 27a. Viral Suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by year and state, 2016–2020—United States and 3 territories (cont.)

	2016			2017			2018			2019			2020		
	Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%
State															
Utah	1,494	1,333	89.2	1,258	1,129	89.7	1,264	1,125	89.0	1,230	1,144	93.0	1,159	1,082	93.4
Vermont	421	401	95.2	438	412	94.1	432	410	94.9	454	435	95.8	418	398	95.2
Virginia	5,526	4,767	86.3	7,706	6,606	85.7	6,108	5,343	87.5	6,382	5,692	89.2	6,220	5,545	89.1
Washington	3,311	2,983	90.1	3,427	3,084	90.0	3,541	3,227	91.1	3,983	3,819	95.9	4,164	3,857	92.6
West Virginia	715	657	91.9	675	611	90.5	585	530	90.6	1,378	1,234	89.6	1,276	1,154	90.4
Wisconsin	2,592	2,319	89.5	2,729	2,433	89.2	3,446	3,129	90.8	3,561	3,286	92.3	1,828	1,671	91.4
Wyoming	124	105	84.7	88	85	96.6	81	76	93.8	57	53	93.0	46	41	89.1
Subtotal	328,586	279,032	84.9	339,061	291,312	85.9	340,346	296,665	87.2	351,529	309,802	88.1	340,376	304,344	89.4
Territory															
Guam	32	18	56.3	31	21	67.7	34	26	76.5	—	—	—	—	—	—
Puerto Rico	8,722	7,652	87.7	9,193	8,066	87.7	9,415	8,424	89.5	10,127	9,125	90.1	9,303	8,497	91.3
U.S. Virgin Islands	205	158	77.1	206	179	86.9	198	170	85.9	187	164	87.7	195	168	86.2
Subtotal	8,959	7,828	87.4	9,430	8,266	87.7	9,647	8,620	89.4	10,314	9,289	90.1	9,498	8,665	91.2
Total	337,545	286,860	85.0	348,491	299,578	86.0	349,993	305,285	87.2	361,843	319,091	88.2	349,874	313,009	89.5

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.
Notes: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.
 2019 and 2020 data for Guam are unavailable.

Table 27b. Viral suppression among Ryan White HIV/AIDS Program clients, by year and eligible metropolitan area and transitional grant area, 2016–2020—United States and Puerto Rico

State/Territory	EMA/TGA	2016			2017			2018			2019			2020		
		Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
		Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%
Arizona	Phoenix	1,790	1,639	91.6	2,250	1,982	88.1	2,405	2,174	90.4	3,486	3,134	89.9	4,023	3,718	92.4
California	Los Angeles	16,358	13,899	85.0	15,542	13,400	86.2	16,677	14,465	86.7	16,969	14,957	88.1	16,888	15,131	89.6
	Oakland	956	828	86.6	1,489	1,317	88.4	974	848	87.1	1,137	1,002	88.1	991	892	90.0
	Orange County	845	734	86.9	838	756	90.2	871	771	88.5	867	780	90.0	816	758	92.9
	Riverside–San Bernardino	1,034	862	83.4	1,237	1,062	85.9	1,104	954	86.4	489	435	89.0	1,069	954	89.2
	Sacramento	2,395	2,010	83.9	2,139	1,840	86.0	2,060	1,796	87.2	1,875	1,643	87.6	2,137	1,886	88.3
	San Diego	5,099	4,598	90.2	5,062	4,531	89.5	5,245	4,833	92.1	4,519	4,161	92.1	5,338	4,946	92.7
	San Francisco	1,752	1,476	84.2	1,763	1,500	85.1	2,214	1,903	86.0	1,398	1,238	88.6	2,098	1,888	90.0
	San Jose	1,235	1,104	89.4	1,199	1,080	90.1	1,251	1,151	92.0	687	650	94.6	1,225	1,154	94.2
Colorado	Denver	3,527	3,082	87.4	4,030	3,539	87.8	4,092	3,697	90.3	4,211	3,827	90.9	3,435	3,137	91.3
Connecticut	Hartford	1,800	1,593	88.5	1,645	1,457	88.6	1,727	1,563	90.5	1,335	1,236	92.6	1,341	1,250	93.2
	New Haven	1,104	978	88.6	794	707	89.0	900	818	90.9	2,012	1,862	92.5	1,801	1,658	92.1
District of Columbia	Washington ^a	9,218	7,752	84.1	9,451	7,834	82.9	7,728	6,606	85.5	7,216	6,354	88.1	6,921	6,204	89.6
Florida	Ft. Lauderdale	4,931	4,075	82.6	5,251	4,419	84.2	4,727	3,919	82.9	6,975	6,023	86.4	8,708	7,543	86.6
	Jacksonville	2,173	1,715	78.9	1,536	1,236	80.5	2,526	2,131	84.4	2,271	1,912	84.2	2,235	1,894	84.7
	Miami	7,784	6,434	82.7	7,704	6,551	85.0	7,744	6,510	84.1	7,690	6,556	85.3	5,822	4,964	85.3
	Orlando	2,121	1,779	83.9	2,458	2,082	84.7	3,105	2,705	87.1	2,954	2,615	88.5	2,810	2,515	89.5
	Tampa–St. Petersburg	4,059	3,380	83.3	4,429	3,746	84.6	4,534	3,910	86.2	4,621	4,076	88.2	3,839	3,406	88.7
	West Palm Beach	2,048	1,672	81.6	1,968	1,700	86.4	2,302	2,052	89.1	1,466	1,284	87.6	1,329	1,201	90.4
Georgia	Atlanta	12,296	9,966	81.1	14,196	11,626	81.9	13,490	11,096	82.3	14,892	12,444	83.6	13,452	11,510	85.6
Illinois	Chicago	14,673	12,373	84.3	16,386	14,142	86.3	17,220	15,048	87.4	16,544	14,608	88.3	15,130	13,413	88.7
Indiana	Indianapolis	1,981	1,697	85.7	1,936	1,667	86.1	2,014	1,758	87.3	2,304	2,028	88.0	2,821	2,535	89.9
Louisiana	Baton Rouge	1,680	1,278	76.1	2,020	1,635	80.9	2,596	2,321	89.4	2,824	2,436	86.3	3,204	2,887	90.1
	New Orleans	4,491	3,755	83.6	4,566	3,920	85.9	4,790	4,182	87.3	5,246	4,699	89.6	4,364	3,872	88.7
Maryland	Baltimore	9,047	7,761	85.8	8,900	7,754	87.1	9,740	8,536	87.6	9,868	8,773	88.9	9,096	8,291	91.2
Massachusetts	Boston ^a	5,761	5,273	91.5	5,452	5,044	92.5	5,267	4,903	93.1	5,794	5,424	93.6	5,418	5,140	94.9
Michigan	Detroit	4,382	3,625	82.7	4,501	3,840	85.3	4,587	3,957	86.3	4,615	4,032	87.4	4,112	3,623	88.1
Minnesota	Minneapolis–St. Paul ^a	2,104	1,862	88.5	1,889	1,685	89.2	1,893	1,723	91.0	2,698	2,454	91.0	3,532	3,220	91.2
Missouri	Kansas City ^a	1,034	861	83.3	994	856	86.1	1,607	1,400	87.1	1,557	1,409	90.5	1,552	1,380	88.9
	St. Louis ^a	3,901	3,263	83.6	4,517	3,815	84.5	4,982	4,330	86.9	4,620	4,063	87.9	4,216	3,751	89.0
Nevada	Las Vegas ^a	1,300	1,057	81.3	1,920	1,631	84.9	2,330	2,043	87.7	2,478	2,227	89.9	2,692	2,453	91.1
New Jersey	Bergen–Passaic	1,281	1,073	83.8	1,261	1,094	86.8	1,261	1,100	87.2	1,360	1,197	88.0	1,304	1,188	91.1
	Jersey City	1,531	1,359	88.8	1,543	1,337	86.6	1,566	1,383	88.3	1,440	1,313	91.2	1,354	1,236	91.3
	Middlesex	860	767	89.2	912	799	87.6	906	802	88.5	1,128	1,018	90.2	1,112	1,014	91.2
	Newark	2,526	2,055	81.4	2,535	2,066	81.5	2,387	2,013	84.3	5,463	4,672	85.5	5,269	4,660	88.4
New York	Nassau–Suffolk	1,291	1,154	89.4	1,037	866	83.5	1,248	1,126	90.2	1,235	1,140	92.3	1,150	1,083	94.2
	New York	29,778	25,381	85.2	28,460	24,594	86.4	27,307	23,532	86.2	27,855	24,251	87.1	27,902	24,620	88.2
North Carolina	Charlotte ^a	2,850	2,363	82.9	3,061	2,599	84.9	3,252	2,859	87.9	3,381	2,950	87.3	3,325	2,981	89.7
Ohio	Cleveland	2,439	2,104	86.3	2,562	2,233	87.2	2,715	2,408	88.7	2,856	2,546	89.1	2,740	2,468	90.1
	Columbus	3,399	2,943	86.6	3,423	2,982	87.1	2,734	2,434	89.0	4,042	3,630	89.8	3,714	3,363	90.5
Oregon	Portland ^a	1,324	1,139	86.0	1,310	1,157	88.3	1,338	1,196	89.4	1,364	1,216	89.1	1,288	1,163	90.3
Pennsylvania	Philadelphia ^a	14,217	12,241	86.1	14,640	12,830	87.6	14,322	12,729	88.9	14,627	13,003	88.9	12,745	11,490	90.2
Puerto Rico	San Juan	8,068	7,020	87.0	7,572	6,628	87.5	5,476	4,838	88.3	5,934	5,269	88.8	5,521	4,984	90.3

Table 27b. Viral suppression among Ryan White HIV/AIDS Program clients, by year and eligible metropolitan area and transitional grant area, 2016–2020—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	2016			2017			2018			2019			2020		
		Viral suppression			Viral suppression			Viral suppression			Viral suppression			Viral suppression		
		Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%	Total No.	No.	%
Tennessee	Memphis ^a	3,611	2,726	75.5	3,739	2,878	77.0	3,941	3,034	77.0	3,948	3,098	78.5	3,145	2,547	81.0
	Nashville	5,019	4,359	86.9	4,212	3,671	87.2	4,559	3,994	87.6	5,561	4,907	88.2	5,199	4,712	90.6
Texas	Austin	4,776	4,010	84.0	5,944	5,072	85.3	2,876	2,511	87.3	2,993	2,655	88.7	2,895	2,594	89.6
	Dallas	7,320	5,834	79.7	7,347	5,898	80.3	9,320	7,586	81.4	9,767	8,195	83.9	9,421	8,113	86.1
	Ft. Worth	2,263	1,797	79.4	2,197	1,803	82.1	1,629	1,273	78.1	1,764	1,404	79.6	2,121	1,805	85.1
	Houston	10,730	8,439	78.6	11,345	8,903	78.5	11,344	9,354	82.5	12,032	9,874	82.1	12,198	10,472	85.9
	San Antonio	3,514	2,751	78.3	1,816	1,365	75.2	1,874	1,446	77.2	1,795	1,417	78.9	1,885	1,513	80.3
Virginia	Norfolk ^a	1,091	823	75.4	2,598	2,161	83.2	2,633	2,273	86.3	2,663	2,317	87.0	2,555	2,210	86.5
Washington	Seattle	2,802	2,526	90.1	2,939	2,652	90.2	3,260	2,972	91.2	3,344	3,236	96.8	3,795	3,537	93.2

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 28a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2020—United States and 3 territories

State	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Alabama	13	12	92.3	313	243	77.6	1,270	1,005	79.1	1,151	880	76.5	1,191	884	74.2	978	729	74.5	334	238	71.3
Alaska	0	—	—	3	1	33.3	17	14	82.4	29	22	75.9	42	32	76.2	47	39	83.0	8	6	75.0
Arizona	19	13	68.4	206	167	81.1	893	738	82.6	1,057	897	84.9	1,270	1,086	85.5	1,212	1,024	84.5	452	406	89.8
Arkansas	0	—	—	62	41	66.1	295	196	66.4	275	186	67.6	263	196	74.5	199	145	72.9	46	37	80.4
California	28	27	96.4	707	537	76.0	5,457	4,072	74.6	7,201	5,617	78.0	8,672	7,151	82.5	8,473	7,083	83.6	3,000	2,573	85.8
Colorado	25	22	88.0	182	135	74.2	839	524	62.5	957	612	63.9	1,063	731	68.8	986	706	71.6	321	234	72.9
Connecticut	6	6	100.0	47	37	78.7	319	249	78.1	446	355	79.6	827	669	80.9	1,140	936	82.1	431	359	83.3
Delaware	0	—	—	32	26	81.3	182	125	68.7	234	183	78.2	350	279	79.7	508	426	83.9	215	182	84.7
District of Columbia	0	—	—	181	149	82.3	473	346	73.2	576	468	81.3	705	617	87.5	815	726	89.1	330	287	87.0
Florida	58	54	93.1	1,141	881	77.2	5,238	3,950	75.4	5,684	4,392	77.3	6,811	5,542	81.4	7,014	5,712	81.4	2,142	1,728	80.7
Georgia	48	45	93.8	908	741	81.6	4,499	3,573	79.4	4,116	3,431	83.4	4,415	3,795	86.0	4,421	3,866	87.4	1,494	1,296	86.7
Hawaii	0	—	—	6	4	66.7	31	23	74.2	53	42	79.2	85	65	76.5	118	87	73.7	48	36	75.0
Idaho	1	0	0.0	17	12	70.6	120	94	78.3	166	119	71.7	192	145	75.5	211	173	82.0	72	57	79.2
Illinois	39	34	87.2	576	425	73.8	3,307	2,277	68.9	3,393	2,460	72.5	3,713	2,809	75.7	3,589	2,825	78.7	1,266	981	77.5
Indiana	17	16	94.1	129	92	71.3	618	474	76.7	637	521	81.8	607	519	85.5	458	394	86.0	119	99	83.2
Iowa	1	1	100.0	50	32	64.0	232	169	72.8	332	272	81.9	373	293	78.6	384	318	82.8	139	114	82.0
Kansas	0	—	—	13	10	76.9	84	55	65.5	96	66	68.8	148	109	73.6	171	135	78.9	57	41	71.9
Kentucky	5	5	100.0	128	90	70.3	769	555	72.2	899	641	71.3	1,039	787	75.7	958	738	77.0	303	225	74.3
Louisiana	11	6	54.5	280	181	64.6	1,362	923	67.8	1,735	1,272	73.3	1,682	1,288	76.6	1,660	1,279	77.0	545	438	80.4
Maine	1	1	100.0	4	4	100.0	40	29	72.5	82	63	76.8	133	110	82.7	130	109	83.8	71	59	83.1
Maryland	22	18	81.8	297	240	80.8	1,508	1,130	74.9	1,757	1,379	78.5	2,260	1,855	82.1	3,003	2,545	84.7	1,230	1,042	84.7
Massachusetts	13	11	84.6	156	118	75.6	827	642	77.6	1,191	949	79.7	1,732	1,379	79.6	2,072	1,721	83.1	779	637	81.8
Michigan	13	12	92.3	248	182	73.4	1,182	732	61.9	1,119	751	67.1	1,370	971	70.9	1,437	990	68.9	538	387	71.9
Minnesota	0	—	—	59	27	45.8	557	252	45.2	821	397	48.4	856	451	52.7	805	451	56.0	264	155	58.7
Mississippi	1	1	100.0	142	113	79.6	743	589	79.3	834	682	81.8	980	832	84.9	893	771	86.3	302	258	85.4
Missouri	17	16	94.1	212	161	75.9	868	641	73.8	863	677	78.4	965	774	80.2	947	784	82.8	300	251	83.7
Montana	0	—	—	7	5	71.4	53	41	77.4	78	58	74.4	104	75	72.1	125	101	80.8	30	28	93.3
Nebraska	3	1	33.3	29	24	82.8	122	85	69.7	162	117	72.2	171	127	74.3	150	127	84.7	45	32	71.1
Nevada	2	2	100.0	116	79	68.1	671	414	61.7	612	389	63.6	624	432	69.2	605	437	72.2	193	163	84.5
New Hampshire	4	2	50.0	20	10	50.0	77	48	62.3	117	74	63.2	171	112	65.5	233	152	65.2	73	54	74.0
New Jersey	30	25	83.3	317	258	81.4	1,558	1,251	80.3	1,827	1,515	82.9	2,566	2,194	85.5	3,277	2,833	86.5	1,390	1,204	86.6
New Mexico	6	0	0.0	44	35	79.5	301	251	83.4	318	281	88.4	426	383	89.9	588	543	92.3	267	250	93.6
New York	20	19	95.0	747	610	81.7	4,841	3,918	80.9	5,491	4,547	82.8	7,222	6,165	85.4	8,591	7,487	87.1	3,767	3,260	86.5
North Carolina	21	18	85.7	537	419	78.0	2,335	1,767	75.7	2,261	1,758	77.8	2,731	2,178	79.8	2,845	2,326	81.8	1,025	831	81.1
North Dakota	0	—	—	2	1	50.0	9	8	88.9	22	20	90.9	23	18	78.3	14	13	92.9	6	6	100.0
Ohio	20	14	70.0	344	242	70.3	1,775	1,165	65.6	1,685	1,178	69.9	2,044	1,470	71.9	2,016	1,556	77.2	689	538	78.1
Oklahoma	0	—	—	92	63	68.5	612	449	73.4	635	494	77.8	749	587	78.4	645	515	79.8	169	137	81.1
Oregon	0	—	—	20	16	80.0	222	149	67.1	310	231	74.5	331	250	75.5	265	214	80.8	77	61	79.2
Pennsylvania	31	29	93.5	520	407	78.3	2,657	2,037	76.7	2,999	2,336	77.9	4,401	3,563	81.0	5,221	4,378	83.9	2,141	1,785	83.4
Rhode Island	0	—	—	28	22	78.6	204	154	75.5	288	234	81.3	451	367	81.4	528	446	84.5	198	166	83.8
South Carolina	10	10	100.0	358	282	78.8	1,934	1,605	83.0	1,991	1,660	83.4	2,519	2,146	85.2	2,707	2,306	85.2	999	850	85.1
South Dakota	2	2	100.0	9	6	66.7	22	12	54.5	57	39	68.4	56	34	60.7	47	32	68.1	11	10	90.9
Tennessee	18	18	100.0	311	234	75.2	1,725	1,293	75.0	1,845	1,411	76.5	2,170	1,712	78.9	1,918	1,555	81.1	586	467	79.7
Texas	26	17	65.4	1,300	962	74.0	7,320	5,441	74.3	7,658	5,938	77.5	7,256	5,793	79.8	5,665	4,595	81.1	1,576	1,265	80.3

Table 28a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2020—United States and 3 territories (cont.)

	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs			
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%	No.
State																						
Utah	1	1	100.0	35	24	68.6	192	121	63.0	282	207	73.4	284	212	74.6	210	180	85.7	65	51	78.5	
Vermont	0	—	—	7	4	57.1	28	19	67.9	64	45	70.3	131	90	68.7	137	104	75.9	73	58	79.5	
Virginia	2	2	100.0	174	119	68.4	1,071	761	71.1	1,176	842	71.6	1,378	1,083	78.6	1,431	1,101	76.9	549	435	79.2	
Washington	0	—	—	73	42	57.5	607	384	63.3	877	576	65.7	1,111	733	66.0	1,059	682	64.4	358	220	61.5	
West Virginia	1	1	100.0	23	9	39.1	164	113	68.9	237	161	67.9	297	220	74.1	336	243	72.3	125	83	66.4	
Wisconsin	3	2	66.7	73	55	75.3	306	241	78.8	330	259	78.5	424	345	81.4	441	368	83.4	160	125	78.1	
Wyoming	0	—	—	2	1	50.0	6	2	33.3	9	2	22.2	11	3	27.3	9	1	11.1	2	0	0.0	
Subtotal	538	463	86.1	11,287	8,578	76.0	60,542	45,106	74.5	67,035	51,706	77.1	79,395	63,661	80.2	81,692	67,007	82.0	29,380	24,205	82.4	
Territory																						
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Puerto Rico	2	2	100.0	161	136	84.5	928	798	86.0	1,293	1,153	89.2	2,324	2,108	90.7	3,047	2,821	92.6	1,472	1,357	92.2	
U.S. Virgin Islands	1	0	0.0	4	4	100.0	11	5	45.5	28	21	75.0	58	40	69.0	43	33	76.7	36	28	77.8	
Subtotal	3	2	66.7	165	140	84.8	939	803	85.5	1,321	1,174	88.9	2,382	2,148	90.2	3,090	2,854	92.4	1,508	1,385	91.8	
Total	541	465	86.0	11,452	8,718	76.1	61,481	45,909	74.7	68,356	52,880	77.4	81,777	65,809	80.5	84,782	69,861	82.4	30,888	25,590	82.8	

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

2020 data for Guam are unavailable.

Table 28b. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico

State/Territory	EMA/TGA	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
		Total	Retained		Total	Retained		Total	Retained		Total	Retained		Total	Retained		Total	Retained		Total	Retained	
		No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%	No.	No.	%
Arizona	Phoenix	19	13	68.4	194	157	80.9	830	692	83.4	884	769	87.0	921	798	86.6	761	654	85.9	222	201	90.5
California	Los Angeles	3	3	100.0	320	252	78.8	2,885	2,183	75.7	3,775	3,006	79.6	4,492	3,795	84.5	3,952	3,439	87.0	1,314	1,172	89.2
	Oakland	11	11	100.0	55	46	83.6	194	135	69.6	168	118	70.2	208	143	68.8	198	136	68.7	89	56	62.9
	Orange County	0	—	—	18	14	77.8	164	126	76.8	289	240	83.0	260	205	78.8	142	108	76.1	33	19	57.6
	Riverside—San Bernardino	0	—	—	30	21	70.0	263	207	78.7	227	175	77.1	241	198	82.2	200	161	80.5	41	35	85.4
	Sacramento	4	3	75.0	67	55	82.1	384	306	79.7	411	345	83.9	563	490	87.0	653	559	85.6	221	192	86.9
	San Diego	8	8	100.0	65	49	75.4	820	615	75.0	1,086	848	78.1	1,347	1,106	82.1	1,466	1,192	81.3	525	445	84.8
	San Francisco	0	—	—	40	25	62.5	295	185	62.7	434	284	65.4	480	364	75.8	532	436	82.0	229	191	83.4
	San Jose	0	—	—	21	13	61.9	163	98	60.1	286	193	67.5	339	223	65.8	294	190	64.6	118	87	73.7
Colorado	Denver	27	23	85.2	184	136	73.9	791	504	63.7	878	558	63.6	953	654	68.6	841	601	71.5	281	206	73.3
Connecticut	Hartford	6	6	100.0	31	27	87.1	149	109	73.2	181	142	78.5	375	304	81.1	556	467	84.0	212	172	81.1
	New Haven	0	—	—	17	11	64.7	192	157	81.8	268	216	80.6	466	374	80.3	578	460	79.6	217	184	84.8
District of Columbia	Washington ^a	3	3	100.0	278	224	80.6	1,094	841	76.9	1,404	1,133	80.7	1,653	1,400	84.7	1,595	1,375	86.2	675	560	83.0
Florida	Ft. Lauderdale	8	7	87.5	397	294	74.1	2,157	1,625	75.3	1,771	1,355	76.5	1,704	1,319	77.4	1,458	1,088	74.6	318	240	75.5
	Jacksonville	5	5	100.0	78	58	74.4	424	325	76.7	453	335	74.0	501	388	77.4	502	397	79.1	150	98	65.3
	Miami	20	20	100.0	243	206	84.8	949	750	79.0	1,217	972	79.9	1,473	1,252	85.0	1,527	1,294	84.7	433	352	81.3
	Orlando	0	—	—	102	86	84.3	517	423	81.8	572	484	84.6	679	597	87.9	646	556	86.1	175	155	88.6
	Tampa—St. Petersburg	19	18	94.7	200	167	83.5	703	534	76.0	716	541	75.6	803	646	80.4	824	656	79.6	194	145	74.7
	West Palm Beach	0	—	—	23	17	73.9	188	142	75.5	223	178	79.8	358	314	87.7	384	326	84.9	162	150	92.6
Georgia	Atlanta	48	45	93.8	626	516	82.4	3,294	2,584	78.4	2,853	2,329	81.6	2,771	2,367	85.4	2,518	2,195	87.2	767	669	87.2
Illinois	Chicago	39	34	87.2	568	416	73.2	3,206	2,225	69.4	3,279	2,401	73.2	3,515	2,663	75.8	3,413	2,694	78.9	1,213	938	77.3
Indiana	Indianapolis	17	16	94.1	129	95	73.6	674	511	75.8	679	554	81.6	658	563	85.6	504	428	84.9	134	111	82.8
Louisiana	Baton Rouge	8	5	62.5	100	74	74.0	479	336	70.1	743	566	76.2	710	578	81.4	731	591	80.8	257	208	80.9
	New Orleans	3	1	33.3	123	72	58.5	742	508	68.5	892	663	74.3	887	680	76.7	913	688	75.4	290	227	78.3
Maryland	Baltimore	19	15	78.9	281	229	81.5	1,434	1,086	75.7	1,570	1,240	79.0	2,034	1,677	82.4	2,817	2,412	85.6	1,114	957	85.9
Massachusetts	Boston ^a	14	11	78.6	148	111	75.0	755	602	79.7	1,044	854	81.8	1,440	1,185	82.3	1,678	1,425	84.9	606	518	85.5
Michigan	Detroit	13	12	92.3	180	136	75.6	870	553	63.6	689	461	66.9	820	579	70.6	843	568	67.4	328	239	72.9
Minnesota	Minneapolis—St. Paul ^a	0	—	—	64	28	43.8	587	271	46.2	838	408	48.7	880	465	52.8	821	460	56.0	267	156	58.4
Missouri	Kansas City ^a	0	—	—	73	48	65.8	322	218	67.7	344	246	71.5	325	248	76.3	312	257	82.4	80	66	82.5
	St. Louis ^a	17	16	94.1	184	144	78.3	819	622	75.9	774	619	80.0	933	770	82.5	880	741	84.2	280	234	83.6
Nevada	Las Vegas ^a	3	3	100.0	113	77	68.1	625	380	60.8	585	374	63.9	527	339	64.3	482	324	67.2	130	100	76.9
New Jersey	Bergen—Passaic	2	2	100.0	35	32	91.4	171	147	86.0	208	189	90.9	309	264	85.4	382	341	89.3	153	135	88.2
	Jersey City	2	2	100.0	28	24	85.7	175	146	83.4	240	210	87.5	321	292	91.0	377	355	94.2	160	147	91.9
	Middlesex	7	6	85.7	47	40	85.1	185	160	86.5	193	161	83.4	241	219	90.9	310	288	92.9	100	92	92.0
	Newark	13	9	69.2	156	118	75.6	744	593	79.7	848	684	80.7	1,169	967	82.7	1,459	1,220	83.6	645	544	84.3
New York	Nassau—Suffolk	2	2	100.0	80	64	80.0	108	74	68.5	125	93	74.4	253	176	69.6	316	251	79.4	191	151	79.1
	New York	18	17	94.4	653	537	82.2	4,565	3,713	81.3	5,081	4,219	83.0	6,328	5,439	86.0	7,377	6,443	87.3	3,221	2,780	86.3
North Carolina	Charlotte ^a	0	—	—	151	113	74.8	822	635	77.3	652	499	76.5	714	549	76.9	581	449	77.3	151	108	71.5
Ohio	Cleveland	1	1	100.0	108	77	71.3	468	319	68.2	433	327	75.5	639	499	78.1	740	616	83.2	294	248	84.4
	Columbus	18	13	72.2	175	124	70.9	927	630	68.0	846	569	67.3	867	598	69.0	736	520	70.7	227	155	68.3
Oregon	Portland ^a	0	—	—	22	17	77.3	245	168	68.6	336	252	75.0	347	260	74.9	279	226	81.0	78	62	79.5
Pennsylvania	Philadelphia ^a	26	25	96.2	453	365	80.6	2,141	1,611	75.2	2,219	1,727	77.8	3,009	2,436	81.0	3,641	3,039	83.5	1,416	1,177	83.1
Puerto Rico	San Juan	2	2	100.0	95	80	84.2	540	468	86.7	741	658	88.8	1,386	1,256	90.6	1,891	1,740	92.0	879	807	91.8

Table 28b. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
		Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%	
Tennessee	Memphis ^a	6	6	100.0	157	128	81.5	747	592	79.3	735	616	83.8	742	650	87.6	584	535	91.6	183	164	89.6
	Nashville	15	15	100.0	168	124	73.8	927	686	74.0	1,031	771	74.8	1,240	967	78.0	1,150	919	79.9	335	263	78.5
Texas	Austin	0	—	—	85	60	70.6	588	441	75.0	678	536	79.1	632	529	83.7	614	528	86.0	186	156	83.9
	Dallas	21	13	61.9	360	279	77.5	2,145	1,651	77.0	2,257	1,819	80.6	2,130	1,799	84.5	1,660	1,436	86.5	484	430	88.8
	Ft. Worth	0	—	—	110	90	81.8	610	503	82.5	525	450	85.7	386	349	90.4	245	215	87.8	40	31	77.5
	Houston	3	3	100.0	457	324	70.9	2,571	1,801	70.1	2,784	2,081	74.7	2,621	1,968	75.1	2,047	1,552	75.8	584	449	76.9
	San Antonio	2	2	100.0	116	84	72.4	567	423	74.6	479	339	70.8	364	282	77.5	196	145	74.0	28	20	71.4
Virginia	Norfolk ^a	0	—	—	90	55	61.1	524	317	60.5	466	286	61.4	476	329	69.1	588	379	64.5	199	145	72.9
Washington	Seattle	0	—	—	68	36	52.9	546	328	60.1	799	499	62.5	1,024	655	64.0	974	604	62.0	324	190	58.6

Abbreviation: EMA, eligible metropolitan area; TGA, transitional grant area.

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 29a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2020—United States and 3 territories

State	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Alabama	13	9	69.2	336	291	86.6	1,319	1,114	84.5	1,155	1,000	86.6	1,144	1,020	89.2	953	875	91.8	307	286	93.2
Alaska	0	—	—	2	1	50.0	19	17	89.5	26	23	88.5	43	42	97.7	50	47	94.0	8	8	100.0
Arizona	17	14	82.4	222	197	88.7	968	869	89.8	1,120	1,034	92.3	1,348	1,253	93.0	1,266	1,216	96.1	472	459	97.2
Arkansas	0	—	—	73	60	82.2	345	276	80.0	305	256	83.9	285	260	91.2	213	200	93.9	51	50	98.0
California	28	27	96.4	781	636	81.4	5,665	4,895	86.4	7,276	6,429	88.4	8,693	7,899	90.9	8,369	7,805	93.3	2,931	2,824	96.3
Colorado	24	24	100.0	165	150	90.9	724	645	89.1	844	758	89.8	977	905	92.6	934	882	94.4	303	291	96.0
Connecticut	6	6	100.0	49	36	73.5	314	281	89.5	454	409	90.1	802	743	92.6	1,086	1,015	93.5	409	401	98.0
Delaware	0	—	—	35	32	91.4	205	171	83.4	255	225	88.2	372	351	94.4	538	515	95.7	225	215	95.6
District of Columbia	6	6	100.0	190	149	78.4	478	376	78.7	569	483	84.9	704	630	89.5	794	730	91.9	323	309	95.7
Florida	59	45	76.3	1,263	986	78.1	5,744	4,712	82.0	5,995	5,153	86.0	7,152	6,363	89.0	7,177	6,586	91.8	2,160	2,030	94.0
Georgia	46	40	87.0	1,003	805	80.3	4,863	3,909	80.4	4,337	3,739	86.2	4,569	4,082	89.3	4,558	4,203	92.2	1,534	1,467	95.6
Hawaii	0	—	—	6	6	100.0	35	28	80.0	52	42	80.8	89	76	85.4	119	108	90.8	51	47	92.2
Idaho	1	1	100.0	19	17	89.5	137	123	89.8	185	176	95.1	215	214	99.5	232	228	98.3	75	75	100.0
Illinois	38	32	84.2	627	476	75.9	3,411	2,822	82.7	3,400	2,986	87.8	3,677	3,343	90.9	3,505	3,256	92.9	1,200	1,136	94.7
Indiana	19	16	84.2	138	111	80.4	629	533	84.7	650	584	89.8	605	559	92.4	451	428	94.9	118	114	96.6
Iowa	1	1	100.0	55	50	90.9	251	218	86.9	355	326	91.8	401	376	93.8	397	385	97.0	146	140	95.9
Kansas	0	—	—	15	14	93.3	96	84	87.5	100	85	85.0	157	141	89.8	180	170	94.4	60	60	100.0
Kentucky	5	3	60.0	128	115	89.8	774	678	87.6	879	798	90.8	1,029	954	92.7	933	894	95.8	302	296	98.0
Louisiana	10	7	70.0	341	276	80.9	1,479	1,265	85.5	1,884	1,644	87.3	1,829	1,651	90.3	1,743	1,614	92.6	563	534	94.8
Maine	1	1	100.0	4	3	75.0	36	35	97.2	89	85	95.5	135	128	94.8	127	124	97.6	69	69	100.0
Maryland	26	24	92.3	317	261	82.3	1,515	1,288	85.0	1,762	1,577	89.5	2,222	2,042	91.9	2,915	2,748	94.3	1,184	1,129	95.4
Massachusetts	11	10	90.9	156	133	85.3	799	727	91.0	1,107	1,033	93.3	1,704	1,614	94.7	1,998	1,924	96.3	765	746	97.5
Michigan	13	11	84.6	285	244	85.6	1,308	1,108	84.7	1,230	1,079	87.7	1,534	1,404	91.5	1,557	1,477	94.9	581	562	96.7
Minnesota	0	—	—	61	47	77.0	586	501	85.5	822	736	89.5	865	811	93.8	819	769	93.9	270	260	96.3
Mississippi	1	1	100.0	161	131	81.4	810	658	81.2	898	785	87.4	1,033	917	88.8	944	849	89.9	310	293	94.5
Missouri	18	16	88.9	243	207	85.2	984	847	86.1	948	815	86.0	1,012	927	91.6	981	912	93.0	306	297	97.1
Montana	0	—	—	7	7	100.0	55	51	92.7	79	71	89.9	111	99	89.2	124	118	95.2	31	31	100.0
Nebraska	3	2	66.7	31	28	90.3	143	121	84.6	173	149	86.1	184	163	88.6	166	163	98.2	46	44	95.7
Nevada	2	2	100.0	125	105	84.0	726	637	87.7	668	611	91.5	677	619	91.4	647	621	96.0	194	190	97.9
New Hampshire	4	3	75.0	19	17	89.5	80	72	90.0	126	118	93.7	187	179	95.7	249	239	96.0	76	75	98.7
New Jersey	29	25	86.2	354	293	82.8	1,671	1,401	83.8	1,927	1,693	87.9	2,638	2,349	89.0	3,392	3,092	91.2	1,397	1,325	94.8
New Mexico	6	6	100.0	47	46	97.9	294	257	87.4	319	292	91.5	420	392	93.3	589	569	96.6	265	262	98.9
New York	20	18	90.0	827	695	84.0	5,035	4,289	85.2	5,665	4,925	86.9	7,357	6,503	88.4	8,661	7,857	90.7	3,796	3,599	94.8
North Carolina	21	18	85.7	609	494	81.1	2,533	2,150	84.9	2,421	2,102	86.8	2,871	2,611	90.9	2,913	2,723	93.5	1,021	978	95.8
North Dakota	0	—	—	2	2	100.0	10	10	100.0	22	22	100.0	24	23	95.8	15	15	100.0	7	7	100.0
Ohio	22	22	100.0	384	308	80.2	1,843	1,557	84.5	1,701	1,510	88.8	2,031	1,855	91.3	1,985	1,867	94.1	690	673	97.5
Oklahoma	0	—	—	101	73	72.3	642	535	83.3	676	555	82.1	784	697	88.9	658	609	92.6	167	158	94.6
Oregon	0	—	—	25	18	72.0	219	193	88.1	314	276	87.9	309	285	92.2	264	249	94.3	72	69	95.8
Pennsylvania	34	33	97.1	547	447	81.7	2,625	2,242	85.4	2,965	2,647	89.3	4,400	4,050	92.0	5,196	4,898	94.3	2,099	2,016	96.0
Rhode Island	0	—	—	29	28	96.6	215	194	90.2	295	261	88.5	455	435	95.6	537	521	97.0	199	197	99.0
South Carolina	11	11	100.0	412	342	83.0	2,092	1,791	85.6	2,087	1,866	89.4	2,638	2,365	89.7	2,802	2,635	94.0	1,033	990	95.8
South Dakota	3	3	100.0	10	10	100.0	24	22	91.7	59	57	96.6	56	55	98.2	48	44	91.7	12	12	100.0
Tennessee	18	16	88.9	333	275	82.6	1,818	1,478	81.3	1,910	1,624	85.0	2,265	2,038	90.0	2,026	1,887	93.1	614	594	96.7
Texas	28	27	96.4	1,475	1,169	79.3	8,065	6,585	81.6	8,178	6,948	85.0	7,712	6,781	87.9	5,947	5,435	91.4	1,628	1,549	95.1

Table 29a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and state, 2020—United States and 3 territories (cont.)

	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs			
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%	No.
State																						
Utah	0	—	—	40	36	90.0	221	202	91.4	307	284	92.5	291	265	91.1	234	230	98.3	66	65	98.5	
Vermont	0	—	—	7	5	71.4	28	25	89.3	62	60	96.8	121	114	94.2	132	127	96.2	68	67	98.5	
Virginia	2	2	100.0	206	166	80.6	1,223	1,010	82.6	1,262	1,105	87.6	1,442	1,310	90.8	1,509	1,400	92.8	576	552	95.8	
Washington	0	—	—	88	75	85.2	655	593	90.5	884	802	90.7	1,123	1,041	92.7	1,055	997	94.5	359	349	97.2	
West Virginia	1	1	100.0	23	19	82.6	183	155	84.7	262	223	85.1	320	294	91.9	351	327	93.2	136	135	99.3	
Wisconsin	4	4	100.0	82	59	72.0	333	294	88.3	342	296	86.5	437	410	93.8	464	447	96.3	166	161	97.0	
Wyoming	0	—	—	2	2	100.0	6	5	83.3	10	9	90.0	13	10	76.9	12	12	100.0	3	3	100.0	
Subtotal	551	487	88.4	12,460	10,153	81.5	64,233	54,049	84.1	69,411	60,766	87.5	81,462	73,648	90.4	82,815	77,042	93.0	29,444	28,199	95.8	
Territory																						
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Puerto Rico	1	1	100.0	179	140	78.2	930	818	88.0	1,323	1,163	87.9	2,335	2,127	91.1	3,066	2,852	93.0	1,469	1,396	95.0	
U.S. Virgin Islands	0	—	—	4	4	100.0	9	5	55.6	26	20	76.9	67	57	85.1	50	45	90.0	39	37	94.9	
Subtotal	1	1	100.0	183	144	78.7	939	823	87.6	1,349	1,183	87.7	2,402	2,184	90.9	3,116	2,897	93.0	1,508	1,433	95.0	
Total	552	488	88.4	12,643	10,297	81.4	65,172	54,872	84.2	70,760	61,949	87.5	83,864	75,832	90.4	85,931	79,939	93.0	30,952	29,632	95.7	

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

2020 data for Guam are unavailable.

Table 29b. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico

State/Territory	EMA/TGA	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
			No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Arizona	Phoenix	17	14	82.4	210	183	87.1	891	795	89.2	927	859	92.7	963	894	92.8	786	751	95.5	229	222	96.9
California	Los Angeles	4	4	100.0	352	284	80.7	2,985	2,550	85.4	3,803	3,339	87.8	4,530	4,094	90.4	3,926	3,626	92.4	1,288	1,234	95.8
	Oakland	11	11	100.0	61	51	83.6	217	191	88.0	188	161	85.6	218	198	90.8	198	186	93.9	98	94	95.9
	Orange County	0	—	—	26	18	69.2	167	154	92.2	272	259	95.2	238	219	92.0	101	96	95.0	12	12	100.0
	Riverside–San Bernardino	0	—	—	30	24	80.0	294	251	85.4	246	215	87.4	252	231	91.7	205	191	93.2	42	42	100.0
	Sacramento	2	1	50.0	70	55	78.6	358	296	82.7	377	319	84.6	525	468	89.1	607	556	91.6	198	191	96.5
	San Diego	8	8	100.0	70	62	88.6	834	749	89.8	1,078	981	91.0	1,343	1,234	91.9	1,483	1,405	94.7	522	507	97.1
	San Francisco	0	—	—	44	39	88.6	331	280	84.6	462	397	85.9	499	449	90.0	538	508	94.4	224	215	96.0
	San Jose	0	—	—	21	17	81.0	173	160	92.5	297	280	94.3	336	313	93.2	284	271	95.4	114	113	99.1
Colorado	Denver	26	26	100.0	165	151	91.5	651	572	87.9	745	665	89.3	837	770	92.0	758	711	93.8	253	242	95.7
Connecticut	Hartford	6	6	100.0	30	22	73.3	134	118	88.1	164	150	91.5	337	318	94.4	485	455	93.8	185	181	97.8
	New Haven	0	—	—	20	15	75.0	199	177	88.9	293	263	89.8	478	437	91.4	589	549	93.2	222	217	97.7
District of Columbia	Washington ^a	10	9	90.0	297	240	80.8	1,170	981	83.8	1,452	1,265	87.1	1,696	1,559	91.9	1,613	1,497	92.8	683	653	95.6
Florida	Ft. Lauderdale	9	8	88.9	468	374	79.9	2,445	2,016	82.5	1,935	1,687	87.2	1,893	1,669	88.2	1,607	1,453	90.4	351	336	95.7
	Jacksonville	5	2	40.0	88	62	70.5	466	353	75.8	471	390	82.8	530	470	88.7	521	473	90.8	154	144	93.5
	Miami	20	14	70.0	248	169	68.1	1,001	815	81.4	1,221	1,027	84.1	1,476	1,294	87.7	1,467	1,296	88.3	389	349	89.7
	Orlando	0	—	—	115	96	83.5	558	478	85.7	596	529	88.8	703	634	90.2	658	610	92.7	180	168	93.3
	Tampa–St. Petersburg	19	16	84.2	224	180	80.4	821	672	81.9	800	699	87.4	879	792	90.1	880	840	95.5	216	207	95.8
	West Palm Beach	0	—	—	23	18	78.3	187	157	84.0	222	200	90.1	367	329	89.6	374	351	93.9	156	146	93.6
Georgia	Atlanta	46	40	87.0	684	530	77.5	3,558	2,786	78.3	2,988	2,547	85.2	2,832	2,508	88.6	2,578	2,372	92.0	766	727	94.9
Illinois	Chicago	38	32	84.2	606	464	76.6	3,292	2,718	82.6	3,270	2,880	88.1	3,467	3,155	91.0	3,310	3,080	93.1	1,147	1,084	94.5
Indiana	Indianapolis	20	17	85.0	139	112	80.6	691	583	84.4	690	620	89.9	652	604	92.6	495	470	94.9	134	129	96.3
Louisiana	Baton Rouge	7	5	71.4	117	89	76.1	505	420	83.2	776	700	90.2	754	686	91.0	780	733	94.0	265	254	95.8
	New Orleans	3	2	66.7	155	125	80.6	834	714	85.6	1,038	886	85.4	1,018	923	90.7	1,002	923	92.1	314	299	95.2
Maryland	Baltimore	22	21	95.5	304	252	82.9	1,434	1,219	85.0	1,566	1,400	89.4	1,985	1,815	91.4	2,721	2,569	94.4	1,064	1,015	95.4
Massachusetts	Boston ^a	11	10	90.9	145	125	86.2	729	661	90.7	961	906	94.3	1,385	1,319	95.2	1,600	1,546	96.6	587	573	97.6
Michigan	Detroit	13	11	84.6	203	168	82.8	949	790	83.2	762	647	84.9	914	819	89.6	923	857	92.8	348	331	95.1
Minnesota	Minneapolis–St. Paul ^a	0	—	—	65	49	75.4	621	531	85.5	840	753	89.6	893	835	93.5	839	788	93.9	274	264	96.4
Missouri	Kansas City ^a	0	—	—	80	72	90.0	354	313	88.4	368	313	85.1	347	304	87.6	323	300	92.9	80	78	97.5
	St. Louis ^a	18	16	88.9	219	180	82.2	922	775	84.1	860	742	86.3	980	895	91.3	927	862	93.0	290	281	96.9
Nevada	Las Vegas ^a	3	3	100.0	124	104	83.9	691	598	86.5	639	581	90.9	573	531	92.7	525	502	95.6	137	134	97.8
New Jersey	Bergen–Passaic	2	2	100.0	38	35	92.1	180	159	88.3	217	202	93.1	317	292	92.1	394	352	89.3	156	146	93.6
	Jersey City	2	2	100.0	29	26	89.7	192	158	82.3	255	233	91.4	329	298	90.6	385	362	94.0	162	157	96.9
	Middlesex	7	5	71.4	48	36	75.0	200	175	87.5	199	180	90.5	248	229	92.3	316	297	94.0	94	92	97.9
	Newark	12	10	83.3	181	153	84.5	798	670	84.0	901	779	86.5	1,208	1,056	87.4	1,511	1,358	89.9	658	634	96.4
New York	Nassau–Suffolk	3	3	100.0	93	86	92.5	117	102	87.2	137	122	89.1	271	252	93.0	332	325	97.9	197	193	98.0
	New York	17	15	88.2	719	602	83.7	4,754	4,031	84.8	5,248	4,544	86.6	6,466	5,667	87.6	7,445	6,691	89.9	3,253	3,070	94.4
North Carolina	Charlotte ^a	0	—	—	173	152	87.9	913	796	87.2	710	617	86.9	754	690	91.5	617	573	92.9	158	153	96.8
Ohio	Cleveland	1	1	100.0	128	99	77.3	493	411	83.4	450	392	87.1	633	586	92.6	734	686	93.5	301	293	97.3
	Columbus	20	20	100.0	188	159	84.6	940	811	86.3	832	747	89.8	829	764	92.2	689	650	94.3	216	212	98.1
Oregon	Portland ^a	0	—	—	26	19	73.1	243	216	88.9	342	298	87.1	325	299	92.0	278	261	93.9	74	70	94.6
Pennsylvania	Philadelphia ^a	29	29	100.0	477	394	82.6	2,112	1,782	84.4	2,191	1,934	88.3	2,977	2,696	90.6	3,590	3,353	93.4	1,369	1,302	95.1
Puerto Rico	San Juan	1	1	100.0	107	79	73.8	538	461	85.7	745	638	85.6	1,389	1,254	90.3	1,873	1,731	92.4	868	820	94.5

Table 29b. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by age group and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	<13 yrs			13–24 yrs			25–34 yrs			35–44 yrs			45–54 yrs			55–64 yrs			≥65 yrs		
		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
			No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Tennessee	Memphis ^a	6	5	83.3	158	130	82.3	738	548	74.3	737	574	77.9	743	614	82.6	577	505	87.5	186	171	91.9
	Nashville	15	14	93.3	187	161	86.1	1,013	867	85.6	1,091	957	87.7	1,322	1,214	91.8	1,228	1,167	95.0	343	332	96.8
Texas	Austin	0	—	—	101	83	82.2	635	548	86.3	689	623	90.4	662	587	88.7	620	573	92.4	188	180	95.7
	Dallas	21	20	95.2	390	318	81.5	2,293	1,862	81.2	2,351	1,991	84.7	2,189	1,917	87.6	1,686	1,533	90.9	491	472	96.1
	Ft. Worth	0	—	—	134	108	80.6	683	544	79.6	578	495	85.6	417	374	89.7	271	247	91.1	38	37	97.4
	Houston	5	5	100.0	525	409	77.9	2,922	2,371	81.1	3,062	2,590	84.6	2,856	2,498	87.5	2,214	2,019	91.2	614	580	94.5
	San Antonio	2	2	100.0	133	103	77.4	620	493	79.5	503	394	78.3	391	318	81.3	208	180	86.5	28	23	82.1
Virginia	Norfolk ^a	0	—	—	112	86	76.8	604	487	80.6	506	434	85.8	497	436	87.7	625	569	91.0	211	198	93.8
Washington	Seattle	0	—	—	80	70	87.5	584	534	91.4	804	735	91.4	1,033	963	93.2	971	920	94.7	323	315	97.5

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 30a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2020—United States and 3 territories

State	American Indian/ Alaska Native			Asian			Black/African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races		
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Alabama	11	11	100.0	18	13	72.2	3,628	2,732	75.3	182	141	77.5	9	8	88.9	1,317	1,020	77.4	33	25	75.8
Alaska	3	1	33.3	11	8	72.7	36	31	86.1	23	16	69.6	1	1	100.0	63	51	81.0	1	1	100.0
Arizona	110	91	82.7	86	69	80.2	845	706	83.6	1,866	1,643	88.0	6	6	100.0	2,035	1,688	82.9	160	127	79.4
Arkansas	1	1	100.0	6	1	16.7	628	472	75.2	105	71	67.6	2	2	100.0	385	242	62.9	13	12	92.3
California	175	130	74.3	1,317	1,052	79.9	6,122	4,790	78.2	16,622	13,762	82.8	131	101	77.1	8,738	6,888	78.8	294	229	77.9
Colorado	37	21	56.8	55	43	78.2	575	401	69.7	1,849	1,258	68.0	2	1	50.0	1,745	1,176	67.4	64	38	59.4
Connecticut	1	0	0.0	18	12	66.7	1,324	1,071	80.9	1,325	1,099	82.9	4	2	50.0	514	403	78.4	24	19	79.2
Delaware	0	—	—	3	2	66.7	968	777	80.3	127	99	78.0	1	1	100.0	418	339	81.1	4	3	75.0
District of Columbia	5	4	80.0	16	10	62.5	2,676	2,292	85.7	287	218	76.0	3	3	100.0	71	48	67.6	4	3	75.0
Florida	29	24	82.8	202	170	84.2	14,070	11,010	78.3	7,646	6,270	82.0	20	13	65.0	5,853	4,580	78.3	255	187	73.3
Georgia	21	16	76.2	129	112	86.8	15,243	12,732	83.5	1,308	1,144	87.5	7	6	85.7	2,970	2,554	86.0	192	159	82.8
Hawaii	6	6	100.0	27	20	74.1	19	18	94.7	45	38	84.4	69	58	84.1	143	98	68.5	28	15	53.6
Idaho	8	7	87.5	7	5	71.4	84	61	72.6	138	111	80.4	2	1	50.0	532	408	76.7	8	7	87.5
Illinois	32	26	81.3	264	186	70.5	8,716	6,534	75.0	3,667	2,843	77.5	10	8	80.0	3,013	2,088	69.3	131	103	78.6
Indiana	2	1	50.0	97	91	93.8	1,359	1,116	82.1	338	296	87.6	2	1	50.0	739	575	77.8	37	31	83.8
Iowa	8	7	87.5	55	42	76.4	455	359	78.9	143	116	81.1	6	4	66.7	822	653	79.4	21	18	85.7
Kansas	3	3	100.0	7	7	100.0	131	102	77.9	59	34	57.6	3	3	100.0	354	261	73.7	12	6	50.0
Kentucky	11	7	63.6	48	38	79.2	1,348	937	69.5	333	256	76.9	8	5	62.5	2,310	1,771	76.7	43	27	62.8
Louisiana	3	2	66.7	16	9	56.3	5,409	4,100	75.8	264	192	72.7	7	5	71.4	1,276	918	71.9	33	24	72.7
Maine	4	3	75.0	3	1	33.3	93	89	95.7	29	24	82.8	0	—	—	313	244	78.0	19	14	73.7
Maryland	12	9	75.0	83	68	81.9	7,983	6,532	81.8	467	378	80.9	6	6	100.0	1,339	1,068	79.8	74	62	83.8
Massachusetts	17	11	64.7	152	119	78.3	1,641	1,327	80.9	2,302	1,898	82.5	7	4	57.1	2,496	1,976	79.2	78	60	76.9
Michigan	14	8	57.1	53	34	64.2	3,723	2,537	68.1	329	229	69.6	1	1	100.0	1,692	1,159	68.5	89	54	60.7
Minnesota	78	36	46.2	54	27	50.0	1,713	891	52.0	419	244	58.2	6	4	66.7	976	498	51.0	96	31	32.3
Mississippi	9	9	100.0	7	6	85.7	3,204	2,684	83.8	54	44	81.5	1	0	0.0	611	496	81.2	9	7	77.8
Missouri	13	10	76.9	42	36	85.7	2,343	1,857	79.3	294	233	79.3	7	4	57.1	1,391	1,096	78.8	82	68	82.9
Montana	29	24	82.8	5	5	100.0	18	12	66.7	27	18	66.7	0	—	—	310	243	78.4	6	4	66.7
Nebraska	10	6	60.0	20	15	75.0	211	149	70.6	146	119	81.5	0	—	—	285	216	75.8	10	8	80.0
Nevada	22	8	36.4	84	62	73.8	733	448	61.1	981	715	72.9	23	11	47.8	932	647	69.4	48	25	52.1
New Hampshire	1	0	0.0	18	12	66.7	105	64	61.0	98	68	69.4	0	—	—	463	303	65.4	0	—	—
New Jersey	7	7	100.0	133	116	87.2	5,812	4,839	83.3	3,528	3,103	88.0	13	10	76.9	1,420	1,158	81.5	36	33	91.7
New Mexico	101	90	89.1	17	16	94.1	116	104	89.7	710	637	89.7	9	8	88.9	892	803	90.0	19	13	68.4
New York	87	69	79.3	769	652	84.8	13,864	11,771	84.9	10,159	8,710	85.7	53	45	84.9	4,533	3,787	83.5	197	168	85.3
North Carolina	137	114	83.2	90	65	72.2	7,728	6,085	78.7	1,178	973	82.6	9	6	66.7	2,539	1,990	78.4	62	52	83.9
North Dakota	1	1	100.0	0	—	—	34	30	88.2	4	4	100.0	0	—	—	35	29	82.9	1	1	100.0
Ohio	11	9	81.8	74	56	75.7	4,265	3,074	72.1	629	446	70.9	5	3	60.0	3,431	2,470	72.0	109	75	68.8
Oklahoma	145	108	74.5	62	54	87.1	706	520	73.7	327	271	82.9	6	5	83.3	1,523	1,188	78.0	133	99	74.4
Oregon	10	7	70.0	26	19	73.1	114	93	81.6	274	210	76.6	1	1	100.0	679	500	73.6	115	86	74.8
Pennsylvania	19	18	94.7	203	170	83.7	9,774	7,896	80.8	2,843	2,384	83.9	14	13	92.9	4,917	3,896	79.2	135	119	88.1
Rhode Island	10	8	80.0	32	27	84.4	415	340	81.9	459	378	82.4	1	1	100.0	767	624	81.4	13	11	84.6
South Carolina	25	20	80.0	36	34	94.4	7,541	6,367	84.4	446	385	86.3	5	3	60.0	2,373	1,978	83.4	89	70	78.7
South Dakota	15	7	46.7	2	2	100.0	83	57	68.7	20	11	55.0	0	—	—	81	56	69.1	2	2	100.0
Tennessee	13	10	76.9	73	63	86.3	4,774	3,786	79.3	481	385	80.0	6	5	83.3	3,177	2,397	75.4	49	44	89.8
Texas	54	37	68.5	380	313	82.4	13,241	10,172	76.8	11,369	9,005	79.2	30	21	70.0	5,569	4,342	78.0	156	121	77.6

Table 30a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2020—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			
	Total No.	Retained No. %		Total No.	Retained No. %		Total No.	Retained No. %		Total No.	Retained No. %		Total No.	Retained No. %		Total No.	Retained No. %		Total No.	Retained No. %		
State																						
Utah	14	11	78.6	33	24	72.7	112	84	75.0	347	268	77.2	8	4	50.0	535	398	74.4	7	6	85.7	
Vermont	2	2	100.0	13	8	61.5	53	41	77.4	21	18	85.7	0	—	—	345	247	71.6	5	3	60.0	
Virginia	6	6	100.0	112	87	77.7	3,599	2,630	73.1	726	611	84.2	8	6	75.0	1,270	965	76.0	60	38	63.3	
Washington	71	41	57.7	190	125	65.8	1,120	769	68.7	617	402	65.2	34	24	70.6	1,853	1,151	62.1	61	34	55.7	
West Virginia	7	6	85.7	3	1	33.3	229	180	78.6	30	26	86.7	0	—	—	901	611	67.8	13	6	46.2	
Wisconsin	12	10	83.3	23	18	78.3	744	612	82.3	299	255	85.3	2	1	50.0	639	487	76.2	15	9	60.0	
Wyoming	0	—	—	1	1	100.0	5	0	0.0	10	5	50.0	0	—	—	23	3	13.0	0	—	—	
Subtotal	1,422	1,063	74.8	5,175	4,126	79.7	159,732	126,281	79.1	75,950	62,064	81.7	548	415	75.7	81,608	62,787	76.9	3,145	2,357	74.9	
Territory																						
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Puerto Rico	1	1	100.0	1	1	100.0	23	19	82.6	9,062	8,239	90.9	0	—	—	104	83	79.8	32	28	87.5	
U.S. Virgin Islands	0	—	—	0	—	—	100	72	72.0	70	53	75.7	0	—	—	11	6	54.5	0	—	—	
Subtotal	1	1	100.0	1	1	100.0	123	91	74.0	9,132	8,292	90.8	0	—	—	115	89	77.4	32	28	87.5	
Total	1,423	1,064	74.8	5,176	4,127	79.7	159,855	126,372	79.1	85,082	70,356	82.7	548	415	75.7	81,723	62,876	76.9	3,177	2,385	75.1	

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

2020 data for Guam are unavailable.

^a Hispanics/Latinos can be of any race.

Table 30b. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico

State/Territory	EMA/TGA	American Indian/ Alaska Native			Asian			Black/African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White		
		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
			No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Arizona	Phoenix	71	59	83.1	74	60	81.1	775	651	84.0	1,430	1,280	89.5	*	—	—	1,339	1,117	83.4
California	Los Angeles	46	35	76.1	621	520	83.7	3,743	2,994	80.0	9,314	7,854	84.3	40	32	80.0	2,847	2,307	81.0
	Oakland	*	—	—	76	57	75.0	346	221	63.9	303	246	81.2	5	4	80.0	167	98	58.7
	Orange County	*	—	—	41	25	61.0	25	16	64.0	715	587	82.1	*	—	—	114	77	67.5
	Riverside—San Bernardino	*	—	—	16	13	81.3	166	118	71.1	605	508	84.0	*	—	—	205	151	73.7
	Sacramento	25	18	72.0	81	73	90.1	546	470	86.1	558	485	86.9	13	12	92.3	1,020	843	82.6
	San Diego	27	23	85.2	150	116	77.3	649	510	78.6	2,571	2,135	83.0	19	15	78.9	1,822	1,408	77.3
	San Francisco	17	9	52.9	111	75	67.6	358	260	72.6	757	573	75.7	19	10	52.6	684	508	74.3
	San Jose	6	4	66.7	160	119	74.4	152	96	63.2	607	406	66.9	7	5	71.4	277	165	59.6
Colorado	Denver	29	17	58.6	45	36	80.0	582	403	69.2	1,716	1,178	68.6	*	—	—	1,476	985	66.7
Connecticut	Hartford	*	—	—	8	5	62.5	520	410	78.8	694	582	83.9	*	—	—	265	212	80.0
	New Haven	*	—	—	10	7	70.0	829	682	82.3	660	536	81.2	*	—	—	227	169	74.4
District of Columbia	Washington ^b	7	6	85.7	115	90	78.3	5,017	4,161	82.9	1,010	845	83.7	5	4	80.0	509	396	77.8
Florida	Ft. Lauderdale	5	4	80.0	54	48	88.9	4,197	3,121	74.4	2,076	1,645	79.2	5	1	20.0	1,394	1,056	75.8
	Jacksonville	*	—	—	28	23	82.1	1,483	1,149	77.5	131	105	80.2	*	—	—	436	304	69.7
	Miami	5	5	100.0	12	11	91.7	2,505	2,047	81.7	2,967	2,490	83.9	*	—	—	347	277	79.8
	Orlando	*	—	—	24	22	91.7	1,198	1,026	85.6	960	842	87.7	*	—	—	485	394	81.2
	Tampa—St. Petersburg	5	5	100.0	39	29	74.4	1,518	1,161	76.5	841	674	80.1	*	—	—	1,012	802	79.2
	West Palm Beach	*	—	—	9	8	88.9	835	706	84.6	301	261	86.7	*	—	—	176	138	78.4
Georgia	Atlanta	15	12	80.0	111	96	86.5	10,047	8,280	82.4	1,048	906	86.5	7	6	85.7	1,473	1,262	85.7
Illinois	Chicago	30	24	80.0	260	183	70.4	8,425	6,337	75.2	3,626	2,820	77.8	9	7	77.8	2,706	1,876	69.3
Indiana	Indianapolis	*	—	—	100	94	94.0	1,442	1,180	81.8	350	307	87.7	*	—	—	845	655	77.5
Louisiana	Baton Rouge	*	—	—	6	4	66.7	2,405	1,919	79.8	110	77	70.0	*	—	—	491	347	70.7
	New Orleans	*	—	—	8	4	50.0	2,782	2,077	74.7	224	162	72.3	*	—	—	814	580	71.3
Maryland	Baltimore	12	9	75.0	74	63	85.1	7,331	6,059	82.6	342	274	80.1	5	5	100.0	1,327	1,067	80.4
Massachusetts	Boston ^b	14	9	64.3	144	115	79.9	1,446	1,206	83.4	1,668	1,440	86.3	7	4	57.1	2,253	1,810	80.3
Michigan	Detroit	*	—	—	13	8	61.5	3,113	2,126	68.3	139	104	74.8	*	—	—	440	288	65.5
Minnesota	Minneapolis—St. Paul ^b	79	36	45.6	54	27	50.0	1,755	920	52.4	437	257	58.8	6	4	66.7	1,010	511	50.6
Missouri	Kansas City ^b	8	6	75.0	14	10	71.4	717	531	74.1	173	127	73.4	*	—	—	510	382	74.9
	St. Louis ^b	10	8	80.0	41	39	95.1	2,198	1,765	80.3	273	222	81.3	*	—	—	1,302	1,057	81.2
Nevada	Las Vegas ^b	16	6	37.5	77	57	74.0	780	483	61.9	897	634	70.7	14	7	50.0	633	385	60.8
New Jersey	Bergen—Passaic	*	—	—	12	12	100.0	540	476	88.1	584	520	89.0	*	—	—	123	101	82.1
	Jersey City	*	—	—	34	32	94.1	490	431	88.0	640	597	93.3	*	—	—	133	110	82.7
	Middlesex	*	—	—	29	25	86.2	486	423	87.0	439	402	91.6	*	—	—	123	111	90.2
	Newark	5	5	100.0	36	32	88.9	3,326	2,723	81.9	1,250	1,032	82.6	9	6	66.7	403	332	82.4
New York	Nassau—Suffolk	*	—	—	29	23	79.3	554	410	74.0	228	174	76.3	*	—	—	256	199	77.7
	New York	70	55	78.6	713	606	85.0	12,382	10,557	85.3	9,702	8,332	85.9	51	43	84.3	3,141	2,605	82.9
North Carolina	Charlotte ^b	9	7	77.8	27	23	85.2	2,147	1,625	75.7	336	280	83.3	*	—	—	527	398	75.5
Ohio	Cleveland	*	—	—	12	10	83.3	1,535	1,176	76.6	304	227	74.7	*	—	—	809	655	81.0
	Columbus	*	—	—	40	29	72.5	1,651	1,158	70.1	245	157	64.1	*	—	—	1,734	1,185	68.3
Oregon	Portland ^b	10	7	70.0	28	20	71.4	127	103	81.1	292	227	77.7	*	—	—	726	535	73.7
Pennsylvania	Philadelphia ^b	9	8	88.9	156	133	85.3	8,528	6,852	80.3	1,922	1,602	83.4	8	7	87.5	2,151	1,676	77.9
Puerto Rico	San Juan	*	—	—	*	—	—	19	15	78.9	5,420	4,916	90.7	*	—	—	65	54	83.1

Table 30b. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	American Indian/ Alaska Native			Asian			Black/African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White		
		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
			No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Tennessee	Memphis ^b	*	—	—	6	5	83.3	2,797	2,379	85.1	90	79	87.8	*	—	—	229	198	86.5
	Nashville	*	—	—	64	55	85.9	2,291	1,771	77.3	344	269	78.2	*	—	—	2,139	1,626	76.0
Texas	Austin	9	5	55.6	40	34	85.0	759	609	80.2	1,047	854	81.6	*	—	—	885	714	80.7
	Dallas	12	9	75.0	122	99	81.1	4,781	3,844	80.4	2,419	2,071	85.6	13	11	84.6	1,691	1,381	81.7
	Ft. Worth	*	—	—	29	29	100.0	963	800	83.1	516	465	90.1	*	—	—	375	317	84.5
	Houston	18	10	55.6	138	109	79.0	5,714	4,164	72.9	3,798	2,920	76.9	6	5	83.3	1,346	937	69.6
	San Antonio	*	—	—	15	11	73.3	314	238	75.8	1,157	861	74.4	*	—	—	258	178	69.0
Virginia	Norfolk ^b	*	—	—	18	9	50.0	1,730	1,100	63.6	121	89	73.6	5	4	80.0	432	291	67.4
Washington	Seattle	69	38	55.1	180	115	63.9	1,009	662	65.6	577	362	62.7	27	17	63.0	1,698	1,013	59.7

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

* To ensure confidentiality, calculations with a denominator less than (<) 5 have been suppressed; in addition, all data for clients of multiple races have been suppressed.

^a Hispanics/Latinos can be of any race.

^b The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 31a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2020—United States and 3 territories

State	American Indian/ Alaska Native			Asian			Black/African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races		
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Alabama	11	10	90.9	19	19	100.0	3,588	3,105	86.5	194	183	94.3	9	8	88.9	1,324	1,194	90.2	28	25	89.3
Alaska	3	3	100.0	12	12	100.0	39	38	97.4	26	23	88.5	1	1	100.0	59	54	91.5	1	1	100.0
Arizona	117	104	88.9	97	95	97.9	898	818	91.1	1,985	1,867	94.1	7	6	85.7	2,139	1,995	93.3	169	156	92.3
Arkansas	2	1	50.0	5	5	100.0	695	580	83.5	120	108	90.0	3	3	100.0	433	392	90.5	14	13	92.9
California	179	154	86.0	1,329	1,255	94.4	6,166	5,294	85.9	16,829	15,403	91.5	124	109	87.9	8,679	7,910	91.1	300	269	89.7
Colorado	32	30	93.8	57	56	98.2	538	479	89.0	1,749	1,603	91.7	2	2	100.0	1,508	1,407	93.3	47	43	91.5
Connecticut	1	1	100.0	18	16	88.9	1,299	1,187	91.4	1,284	1,197	93.2	5	3	60.0	485	460	94.8	22	21	95.5
Delaware	0	—	—	3	3	100.0	1,030	942	91.5	141	132	93.6	1	1	100.0	449	425	94.7	6	6	100.0
District of Columbia	5	4	80.0	16	16	100.0	2,633	2,292	87.0	308	283	91.9	4	3	75.0	76	66	86.8	5	5	100.0
Florida	33	29	87.9	225	211	93.8	14,754	12,426	84.2	8,003	7,278	90.9	23	21	91.3	6,224	5,654	90.8	268	241	89.9
Georgia	24	20	83.3	133	128	96.2	16,034	13,790	86.0	1,378	1,264	91.7	6	6	100.0	3,094	2,829	91.4	205	180	87.8
Hawaii	6	6	100.0	32	27	84.4	19	16	84.2	49	43	87.8	70	61	87.1	147	131	89.1	26	22	84.6
Idaho	11	11	100.0	10	10	100.0	92	87	94.6	151	142	94.0	2	2	100.0	589	573	97.3	9	9	100.0
Illinois	31	30	96.8	272	257	94.5	8,602	7,325	85.2	3,672	3,398	92.5	11	11	100.0	3,101	2,892	93.3	119	102	85.7
Indiana	3	3	100.0	102	97	95.1	1,376	1,207	87.7	323	297	92.0	2	2	100.0	750	690	92.0	39	37	94.9
Iowa	8	7	87.5	60	56	93.3	474	414	87.3	155	150	96.8	6	6	100.0	880	841	95.6	22	21	95.5
Kansas	3	3	100.0	9	9	100.0	143	121	84.6	67	55	82.1	3	3	100.0	369	349	94.6	14	14	100.0
Kentucky	10	10	100.0	47	47	100.0	1,334	1,180	88.5	337	317	94.1	5	5	100.0	2,273	2,136	94.0	44	43	97.7
Louisiana	4	4	100.0	17	16	94.1	5,806	5,106	87.9	310	285	91.9	6	6	100.0	1,414	1,300	91.9	34	28	82.4
Maine	4	4	100.0	3	3	100.0	94	90	95.7	28	27	96.4	0	—	—	313	303	96.8	19	18	94.7
Maryland	13	11	84.6	85	80	94.1	7,842	7,122	90.8	490	439	89.6	7	7	100.0	1,322	1,246	94.3	68	60	88.2
Massachusetts	13	12	92.3	144	140	97.2	1,592	1,488	93.5	2,278	2,131	93.5	6	6	100.0	2,370	2,281	96.2	71	65	91.5
Michigan	20	19	95.0	57	57	100.0	4,092	3,595	87.9	368	348	94.6	1	1	100.0	1,867	1,768	94.7	96	90	93.8
Minnesota	80	58	72.5	56	52	92.9	1,736	1,574	90.7	442	413	93.4	7	7	100.0	988	919	93.0	95	88	92.6
Mississippi	11	10	90.9	8	7	87.5	3,411	2,941	86.2	56	51	91.1	1	1	100.0	662	616	93.1	8	8	100.0
Missouri	13	12	92.3	45	43	95.6	2,522	2,202	87.3	333	307	92.2	7	7	100.0	1,481	1,368	92.4	91	82	90.1
Montana	28	26	92.9	5	4	80.0	18	16	88.9	29	27	93.1	0	—	—	315	294	93.3	9	7	77.8
Nebraska	10	7	70.0	22	20	90.9	237	206	86.9	157	142	90.4	0	—	—	309	286	92.6	11	9	81.8
Nevada	27	23	85.2	92	88	95.7	812	711	87.6	1,042	969	93.0	27	23	85.2	985	919	93.3	54	52	96.3
New Hampshire	1	1	100.0	18	17	94.4	106	100	94.3	103	95	92.2	0	—	—	501	478	95.4	0	—	—
New Jersey	8	8	100.0	137	133	97.1	6,043	5,204	86.1	3,680	3,400	92.4	12	11	91.7	1,470	1,372	93.3	37	34	91.9
New Mexico	101	86	85.1	18	17	94.4	120	106	88.3	696	656	94.3	9	9	100.0	889	851	95.7	19	17	89.5
New York	93	82	88.2	783	738	94.3	14,130	12,222	86.5	10,379	9,314	89.7	55	48	87.3	4,652	4,355	93.6	206	183	88.8
North Carolina	143	117	81.8	92	87	94.6	8,150	7,149	87.7	1,260	1,174	93.2	8	7	87.5	2,650	2,468	93.1	67	58	86.6
North Dakota	1	1	100.0	0	—	—	35	34	97.1	4	4	100.0	0	—	—	37	37	100.0	2	2	100.0
Ohio	11	8	72.7	76	74	97.4	4,374	3,817	87.3	618	566	91.6	3	3	100.0	3,410	3,175	93.1	105	99	94.3
Oklahoma	152	121	79.6	63	58	92.1	752	625	83.1	344	311	90.4	6	6	100.0	1,573	1,401	89.1	137	104	75.9
Oregon	10	6	60.0	26	25	96.2	117	104	88.9	276	254	92.0	1	1	100.0	652	592	90.8	111	101	91.0
Pennsylvania	22	20	90.9	204	193	94.6	9,586	8,571	89.4	2,826	2,587	91.5	16	16	100.0	4,998	4,750	95.0	142	134	94.4
Rhode Island	12	12	100.0	35	35	100.0	419	390	93.1	463	434	93.7	1	1	100.0	787	751	95.4	13	13	100.0
South Carolina	23	21	91.3	37	36	97.3	7,952	7,094	89.2	480	436	90.8	6	6	100.0	2,482	2,325	93.7	92	80	87.0
South Dakota	15	15	100.0	2	2	100.0	87	81	93.1	23	22	95.7	0	—	—	81	79	97.5	3	3	100.0
Tennessee	15	13	86.7	80	78	97.5	4,952	4,164	84.1	507	462	91.1	6	6	100.0	3,370	3,139	93.1	53	50	94.3
Texas	59	51	86.4	416	397	95.4	14,241	11,865	83.3	12,181	10,824	88.9	31	28	90.3	5,938	5,186	87.3	165	142	86.1

Table 31a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and state, 2020—United States and 3 territories (cont.)

	American Indian/ Alaska Native			Asian			Black/African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White			Multiple races			
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		
		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%		No.	%	No.
State																						
Utah	18	17	94.4	34	32	94.1	118	110	93.2	373	351	94.1	10	7	70.0	586	545	93.0	8	8	100.0	
Vermont	1	1	100.0	12	11	91.7	50	46	92.0	23	22	95.7	0	—	—	326	312	95.7	5	5	100.0	
Virginia	8	6	75.0	118	113	95.8	3,913	3,412	87.2	766	706	92.2	8	8	100.0	1,344	1,244	92.6	63	56	88.9	
Washington	72	66	91.7	207	197	95.2	1,143	1,066	93.3	629	586	93.2	35	34	97.1	1,872	1,711	91.4	66	61	92.4	
West Virginia	6	6	100.0	5	4	80.0	252	230	91.3	33	28	84.8	0	—	—	966	875	90.6	14	11	78.6	
Wisconsin	14	13	92.9	24	22	91.7	774	676	87.3	317	294	92.7	2	2	100.0	678	646	95.3	17	16	94.1	
Wyoming	1	0	0.0	1	1	100.0	3	3	100.0	12	10	83.3	0	—	—	29	27	93.1	0	—	—	
Subtotal	1,488	1,283	86.2	5,368	5,099	95.0	165,193	143,421	86.8	78,297	71,418	91.2	555	504	90.8	83,896	77,617	92.5	3,219	2,892	89.8	
Territory																						
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Puerto Rico	1	1	100.0	1	1	100.0	23	18	78.3	9,131	8,354	91.5	0	—	—	115	95	82.6	27	23	85.2	
U.S. Virgin Islands	0	—	—	0	—	—	115	96	83.5	66	58	87.9	0	—	—	14	14	100.0	0	—	—	
Subtotal	1	1	100.0	1	1	100.0	138	114	82.6	9,197	8,412	91.5	0	—	—	129	109	84.5	27	23	85.2	
Total	1,489	1,284	86.2	5,369	5,100	95.0	165,331	143,535	86.8	87,494	79,830	91.2	555	504	90.8	84,025	77,726	92.5	3,246	2,915	89.8	

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

2020 data for Guam are unavailable.

^a Hispanics/Latinos can be of any race.

Table 31b. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico

State/Territory	EMA/TGA	American Indian/ Alaska Native			Asian			Black/African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White		
		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
			No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Arizona	Phoenix	74	64	86.5	82	80	97.6	825	746	90.4	1,499	1,411	94.1	*	—	—	1,392	1,277	91.7
California	Los Angeles	48	42	87.5	617	593	96.1	3,760	3,194	84.9	9,418	8,576	91.1	39	32	82.1	2,878	2,575	89.5
	Oakland	*	—	—	79	76	96.2	369	327	88.6	330	299	90.6	5	2	40.0	178	161	90.4
	Orange County	*	—	—	35	32	91.4	22	18	81.8	682	643	94.3	*	—	—	71	60	84.5
	Riverside—San Bernardino	*	—	—	21	19	90.5	176	150	85.2	652	588	90.2	*	—	—	208	186	89.4
	Sacramento	22	17	77.3	75	69	92.0	514	437	85.0	534	469	87.8	11	8	72.7	926	840	90.7
	San Diego	28	25	89.3	158	143	90.5	662	588	88.8	2,524	2,361	93.5	19	18	94.7	1,867	1,739	93.1
	San Francisco	19	13	68.4	121	110	90.9	376	317	84.3	803	749	93.3	19	18	94.7	693	622	89.8
	San Jose	7	7	100.0	159	154	96.9	154	145	94.2	622	582	93.6	7	6	85.7	263	247	93.9
Colorado	Denver	25	23	92.0	46	45	97.8	538	474	88.1	1,571	1,439	91.6	*	—	—	1,177	1,085	92.2
Connecticut	Hartford	*	—	—	8	7	87.5	468	433	92.5	629	586	93.2	*	—	—	216	205	94.9
	New Haven	*	—	—	10	9	90.0	850	774	91.1	682	634	93.0	*	—	—	245	229	93.5
District of Columbia	Washington ^b	7	6	85.7	121	118	97.5	5,137	4,558	88.7	1,074	986	91.8	6	5	83.3	536	495	92.4
Florida	Ft. Lauderdale	6	5	83.3	68	62	91.2	4,682	3,877	82.8	2,293	2,114	92.2	6	5	83.3	1,561	1,397	89.5
	Jacksonville	*	—	—	31	30	96.8	1,555	1,278	82.2	139	124	89.2	*	—	—	472	429	90.9
	Miami	6	4	66.7	12	12	100.0	2,433	1,965	80.8	2,990	2,644	88.4	*	—	—	355	321	90.4
	Orlando	*	—	—	25	23	92.0	1,247	1,059	84.9	1,004	934	93.0	*	—	—	507	472	93.1
	Tampa—St. Petersburg	6	5	83.3	43	42	97.7	1,681	1,456	86.6	944	873	92.5	*	—	—	1,113	985	88.5
	West Palm Beach	*	—	—	10	10	100.0	832	732	88.0	296	280	94.6	*	—	—	176	165	93.8
Georgia	Atlanta	18	16	88.9	112	108	96.4	10,501	8,844	84.2	1,106	1,008	91.1	6	6	100.0	1,521	1,368	89.9
Illinois	Chicago	30	29	96.7	269	254	94.4	8,266	7,045	85.2	3,631	3,361	92.6	10	10	100.0	2,759	2,579	93.5
Indiana	Indianapolis	*	—	—	105	100	95.2	1,463	1,282	87.6	335	308	91.9	*	—	—	853	786	92.1
Louisiana	Baton Rouge	*	—	—	6	6	100.0	2,510	2,232	88.9	130	124	95.4	*	—	—	541	512	94.6
	New Orleans	*	—	—	9	8	88.9	3,115	2,720	87.3	266	246	92.5	*	—	—	952	878	92.2
Maryland	Baltimore	13	11	84.6	77	73	94.8	7,159	6,485	90.6	353	320	90.7	6	6	100.0	1,315	1,241	94.4
Massachusetts	Boston ^b	11	10	90.9	132	128	97.0	1,401	1,309	93.4	1,631	1,536	94.2	6	6	100.0	2,103	2,024	96.2
Michigan	Detroit	*	—	—	14	14	100.0	3,406	2,970	87.2	155	143	92.3	*	—	—	495	459	92.7
Minnesota	Minneapolis—St. Paul ^b	82	60	73.2	56	52	92.9	1,785	1,616	90.5	462	432	93.5	7	7	100.0	1,026	952	92.8
Missouri	Kansas City ^b	8	8	100.0	14	13	92.9	750	663	88.4	196	175	89.3	*	—	—	547	487	89.0
	St. Louis ^b	10	9	90.0	44	43	97.7	2,396	2,061	86.0	297	279	93.9	*	—	—	1,401	1,296	92.5
Nevada	Las Vegas ^b	20	18	90.0	84	80	95.2	875	751	85.8	955	892	93.4	17	16	94.1	687	644	93.7
New Jersey	Bergen—Passaic	*	—	—	13	13	100.0	555	483	87.0	611	576	94.3	*	—	—	124	115	92.7
	Jersey City	*	—	—	34	33	97.1	509	447	87.8	671	626	93.3	*	—	—	134	124	92.5
	Middlesex	*	—	—	31	31	100.0	496	432	87.1	450	423	94.0	*	—	—	128	122	95.3
	Newark	6	6	100.0	36	35	97.2	3,493	2,998	85.8	1,310	1,219	93.1	8	8	100.0	411	390	94.9
New York	Nassau—Suffolk	*	—	—	31	31	100.0	576	540	93.8	255	236	92.5	*	—	—	278	268	96.4
	New York	75	66	88.0	722	678	93.9	12,650	10,836	85.7	9,913	8,879	89.6	52	45	86.5	3,252	3,015	92.7
North Carolina	Charlotte ^b	10	8	80.0	31	30	96.8	2,338	2,077	88.8	356	328	92.1	*	—	—	564	515	91.3
Ohio	Cleveland	*	—	—	14	13	92.9	1,574	1,370	87.0	303	280	92.4	*	—	—	827	784	94.8
	Columbus	5	3	60.0	37	37	100.0	1,657	1,466	88.5	229	207	90.4	*	—	—	1,661	1,536	92.5
Oregon	Portland ^b	10	6	60.0	28	27	96.4	130	116	89.2	294	271	92.2	*	—	—	702	632	90.0
Pennsylvania	Philadelphia ^b	9	9	100.0	156	151	96.8	8,356	7,428	88.9	1,890	1,720	91.0	9	9	100.0	2,190	2,049	93.6
Puerto Rico	San Juan	*	—	—	*	—	—	20	16	80.0	5,405	4,886	90.4	*	—	—	71	61	85.9

Table 31b. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by race/ethnicity and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	American Indian/ Alaska Native			Asian			Black/African American			Hispanic/Latino ^a			Native Hawaiian/ Pacific Islander			White		
		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
			No.	%		No.	%		No.	%		No.	%		No.	%		No.	%
Tennessee	Memphis ^b	*	—	—	6	6	100.0	2,781	2,224	80.0	89	74	83.1	*	—	—	234	212	90.6
	Nashville	*	—	—	67	64	95.5	2,466	2,161	87.6	370	344	93.0	*	—	—	2,266	2,113	93.2
Texas	Austin	11	10	90.9	41	37	90.2	795	684	86.0	1,086	988	91.0	*	—	—	917	835	91.1
	Dallas	13	11	84.6	127	124	97.6	4,985	4,150	83.2	2,526	2,274	90.0	14	12	85.7	1,737	1,526	87.9
	Ft. Worth	5	5	100.0	31	28	90.3	1,070	896	83.7	553	494	89.3	*	—	—	429	352	82.1
	Houston	16	13	81.3	160	157	98.1	6,321	5,267	83.3	4,134	3,685	89.1	6	6	100.0	1,515	1,308	86.3
	San Antonio	5	5	100.0	22	17	77.3	338	261	77.2	1,249	1,012	81.0	*	—	—	264	213	80.7
Virginia	Norfolk ^b	*	—	—	19	17	89.5	1,899	1,618	85.2	130	121	93.1	5	5	100.0	465	417	89.7
Washington	Seattle	69	63	91.3	194	185	95.4	1,025	962	93.9	588	550	93.5	28	27	96.4	1,710	1,576	92.2

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

* To ensure confidentiality, calculations with a denominator less than (<) 5 have been suppressed; in addition, all data for clients of multiple races have been suppressed.

^a Hispanics/Latinos can be of any race.

^b The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 32a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and state, 2020—United States and 3 territories

State	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
		No.	%		No.	%		No.	%		No.	%		No.	%
Alabama	3,538	2,676	75.6	554	421	76.0	680	541	79.6	323	250	77.4	71	57	80.3
Alaska	70	56	80.0	22	16	72.7	32	24	75.0	14	10	71.4	8	8	100.0
Arizona	2,472	2,098	84.9	582	496	85.2	1,116	977	87.5	685	584	85.3	210	160	76.2
Arkansas	612	436	71.2	112	87	77.7	230	168	73.0	116	69	59.5	64	40	62.5
California	21,316	17,124	80.3	3,578	3,019	84.4	5,271	4,329	82.1	2,077	1,662	80.0	683	547	80.1
Colorado	2,894	2,001	69.1	344	251	73.0	408	286	70.1	195	136	69.7	151	98	64.9
Connecticut	2,167	1,770	81.7	340	273	80.3	525	422	80.4	144	117	81.3	19	16	84.2
Delaware	674	534	79.2	188	144	76.6	283	240	84.8	225	186	82.7	123	96	78.0
District of Columbia	2,312	1,982	85.7	162	138	85.2	335	287	85.7	160	126	78.8	57	46	80.7
Florida	17,188	13,542	78.8	3,287	2,667	81.1	4,674	3,817	81.7	1,935	1,539	79.5	130	102	78.5
Georgia	12,580	10,559	83.9	2,275	1,990	87.5	3,204	2,756	86.0	1,114	930	83.5	194	150	77.3
Hawaii	270	209	77.4	26	20	76.9	37	24	64.9	5	3	60.0	0	—	—
Idaho	242	178	73.6	83	69	83.1	178	144	80.9	123	106	86.2	97	79	81.4
Illinois	9,549	7,212	75.5	1,078	832	77.2	2,257	1,659	73.5	1,170	835	71.4	1,399	1,000	71.5
Indiana	1,673	1,358	81.2	233	207	88.8	487	408	83.8	119	93	78.2	5	4	80.0
Iowa	564	454	80.5	119	95	79.8	312	249	79.8	263	209	79.5	129	100	77.5
Kansas	320	232	72.5	49	33	67.3	89	68	76.4	71	54	76.1	40	29	72.5
Kentucky	2,203	1,597	72.5	442	351	79.4	738	570	77.2	470	349	74.3	164	130	79.3
Louisiana	3,452	2,616	75.8	922	700	75.9	1,216	944	77.6	461	366	79.4	80	53	66.3
Maine	242	206	85.1	58	49	84.5	92	66	71.7	35	27	77.1	14	10	71.4
Maryland	5,632	4,617	82.0	913	772	84.6	1,521	1,248	82.1	687	577	84.0	301	245	81.4
Massachusetts	4,209	3,434	81.6	590	492	83.4	873	699	80.1	505	399	79.0	483	376	77.8
Michigan	3,104	2,106	67.8	622	430	69.1	1,114	762	68.4	634	427	67.4	354	254	71.8
Minnesota	2,122	1,123	52.9	315	158	50.2	629	333	52.9	274	116	42.3	20	3	15.0
Mississippi	2,656	2,173	81.8	397	338	85.1	600	520	86.7	189	173	91.5	44	39	88.6
Missouri	2,684	2,102	78.3	392	314	80.1	747	609	81.5	316	252	79.7	28	24	85.7
Montana	155	112	72.3	49	41	83.7	103	80	77.7	55	49	89.1	31	23	74.2
Nebraska	330	242	73.3	78	60	76.9	182	140	76.9	85	68	80.0	7	3	42.9
Nevada	1,410	912	64.7	351	260	74.1	701	489	69.8	345	248	71.9	13	5	38.5
New Hampshire	179	115	64.2	54	39	72.2	114	75	65.8	83	57	68.7	63	42	66.7
New Jersey	6,635	5,596	84.3	1,208	1,065	88.2	1,887	1,613	85.5	797	662	83.1	307	240	78.2
New Mexico	727	639	87.9	232	208	89.7	366	337	92.1	238	224	94.1	119	109	91.6
New York	18,859	16,209	85.9	3,288	2,765	84.1	4,690	3,845	82.0	1,454	1,239	85.2	762	663	87.0
North Carolina	6,818	5,393	79.1	1,432	1,163	81.2	2,239	1,776	79.3	825	637	77.2	179	154	86.0
North Dakota	24	19	79.2	12	12	100.0	16	14	87.5	22	20	90.9	2	1	50.0
Ohio	4,566	3,357	73.5	877	642	73.2	1,268	879	69.3	768	528	68.8	291	193	66.3
Oklahoma	1,763	1,297	73.6	281	238	84.7	564	461	81.7	235	202	86.0	59	47	79.7
Oregon	754	589	78.1	99	80	80.8	193	146	75.6	114	77	67.5	45	28	62.2
Pennsylvania	10,517	8,519	81.0	1,810	1,476	81.5	2,885	2,345	81.3	1,622	1,328	81.9	831	652	78.5
Rhode Island	1,244	1,000	80.4	89	82	92.1	163	136	83.4	128	108	84.4	64	56	87.5
South Carolina	5,949	4,920	82.7	1,117	966	86.5	1,935	1,676	86.6	1,087	933	85.8	427	363	85.0
South Dakota	63	33	52.4	30	25	83.3	71	45	63.4	34	27	79.4	6	5	83.3
Tennessee	4,716	3,671	77.8	833	661	79.4	1,519	1,194	78.6	1,272	994	78.1	195	144	73.8
Texas	19,005	14,681	77.2	3,353	2,689	80.2	5,380	4,285	79.6	1,595	1,217	76.3	260	189	72.7

Table 32a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and state, 2020—United States and 3 territories (cont.)

	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
	Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
		No.	%		No.	%		No.	%		No.	%		No.	%
State															
Utah	617	453	73.4	94	78	83.0	254	193	76.0	75	51	68.0	16	11	68.8
Vermont	134	95	70.9	63	49	77.8	98	69	70.4	83	61	73.5	62	46	74.2
Virginia	2,768	2,018	72.9	707	554	78.4	1,260	992	78.7	735	578	78.6	229	177	77.3
Washington	1,982	1,371	69.2	460	299	65.0	763	451	59.1	573	327	57.1	305	188	61.6
West Virginia	561	382	68.1	206	152	73.8	237	185	78.1	105	69	65.7	11	9	81.8
Wisconsin	895	717	80.1	135	117	86.7	274	220	80.3	213	170	79.8	104	83	79.8
Wyoming	16	3	18.8	7	2	28.6	9	3	33.3	3	0	0.0	4	1	25.0
Subtotal	195,432	154,738	79.2	34,548	28,085	81.3	54,819	43,799	79.9	24,856	19,469	78.3	9,260	7,098	76.7
Territory															
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	7,934	7,133	89.9	455	435	95.6	551	532	96.6	184	178	96.7	80	77	96.3
U.S. Virgin Islands	129	98	76.0	11	7	63.6	26	20	76.9	11	6	54.5	4	0	0.0
Subtotal	8,063	7,231	89.7	466	442	94.8	577	552	95.7	195	184	94.4	84	77	91.7
Total	203,495	161,969	79.6	35,014	28,527	81.5	55,396	44,351	80.1	25,051	19,653	78.5	9,344	7,175	76.8

Abbreviation: FPL, federal poverty level.

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals.

2020 data for Guam are unavailable.

Table 32b. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico

State/Territory	EMA/TGA	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
			No.	%		No.	%		No.	%		No.	%		No.	%
Arizona	Phoenix	1,968	1,685	85.6	402	355	88.3	821	724	88.2	490	424	86.5	106	80	75.5
California	Los Angeles	10,730	8,764	81.7	1,599	1,412	88.3	2,668	2,277	85.3	1,190	978	82.2	352	289	82.1
	Oakland	610	440	72.1	139	82	59.0	120	89	74.2	27	19	70.4	14	9	64.3
	Orange County	405	317	78.3	101	88	87.1	266	204	76.7	109	85	78.0	24	17	70.8
	Riverside–San Bernardino	681	545	80.0	127	101	79.5	148	116	78.4	37	29	78.4	6	4	66.7
	Sacramento	1,270	1,103	86.9	318	272	85.5	357	302	84.6	128	103	80.5	65	54	83.1
	San Diego	3,929	3,171	80.7	475	395	83.2	562	446	79.4	155	131	84.5	42	35	83.3
	San Francisco	1,338	980	73.2	261	202	77.4	306	233	76.1	80	52	65.0	22	16	72.7
	San Jose	677	430	63.5	160	111	69.4	222	152	68.5	135	90	66.7	27	21	77.8
Colorado	Denver	2,833	1,947	68.7	220	164	74.5	326	221	67.8	156	107	68.6	67	49	73.1
Connecticut	Hartford	1,060	868	81.9	141	109	77.3	224	184	82.1	62	52	83.9	3	2	66.7
	New Haven	1,154	935	81.0	199	162	81.4	292	231	79.1	79	62	78.5	13	11	84.6
District of Columbia	Washington ^a	3,976	3,325	83.6	580	480	82.8	1,150	960	83.5	663	555	83.7	231	187	81.0
Florida	Ft. Lauderdale	5,385	4,048	75.2	764	596	78.0	1,187	955	80.5	407	301	74.0	21	15	71.4
	Jacksonville	1,448	1,114	76.9	188	137	72.9	315	240	76.2	139	104	74.8	9	6	66.7
	Miami	3,438	2,849	82.9	781	666	85.3	940	803	85.4	299	230	76.9	5	5	100.0
	Orlando	1,715	1,461	85.2	337	298	88.4	447	375	83.9	177	158	89.3	10	9	90.0
	Tampa–St. Petersburg	2,157	1,670	77.4	408	321	78.7	582	474	81.4	304	237	78.0	7	5	71.4
	West Palm Beach	954	816	85.5	119	106	89.1	161	139	86.3	49	36	73.5	5	3	60.0
Georgia	Atlanta	8,311	6,896	83.0	1,485	1,278	86.1	2,177	1,845	84.7	669	541	80.9	104	85	81.7
Illinois	Chicago	9,208	6,958	75.6	1,018	790	77.6	2,117	1,579	74.6	1,073	778	72.5	1,385	991	71.6
Indiana	Indianapolis	1,838	1,485	80.8	257	227	88.3	510	426	83.5	118	92	78.0	4	3	75.0
Louisiana	Baton Rouge	1,347	1,040	77.2	304	244	80.3	594	470	79.1	267	216	80.9	23	17	73.9
	New Orleans	1,943	1,452	74.7	676	496	73.4	804	610	75.9	304	225	74.0	52	29	55.8
Maryland	Baltimore	5,307	4,399	82.9	793	685	86.4	1,329	1,105	83.1	577	486	84.2	241	194	80.5
Massachusetts	Boston ^a	3,427	2,892	84.4	527	448	85.0	747	619	82.9	433	346	79.9	441	344	78.0
Michigan	Detroit	2,296	1,564	68.1	384	259	67.4	660	447	67.7	315	222	70.5	88	56	63.6
Minnesota	Minneapolis–St. Paul ^a	2,201	1,167	53.0	317	160	50.5	638	340	53.3	279	118	42.3	20	3	15.0
Missouri	Kansas City ^a	901	660	73.3	136	105	77.2	282	214	75.9	122	92	75.4	10	9	90.0
	St. Louis ^a	2,479	1,983	80.0	395	320	81.0	685	574	83.8	304	250	82.2	24	19	79.2
Nevada	Las Vegas ^a	1,304	815	62.5	305	214	70.2	589	390	66.2	258	174	67.4	9	4	44.4
New Jersey	Bergen–Passaic	776	675	87.0	141	133	94.3	226	197	87.2	87	80	92.0	30	25	83.3
	Jersey City	776	698	89.9	156	148	94.9	233	212	91.0	100	88	88.0	38	30	78.9
	Middlesex	638	560	87.8	124	108	87.1	162	153	94.4	100	93	93.0	44	39	88.6
	Newark	3,183	2,609	82.0	581	489	84.2	818	684	83.6	342	270	78.9	108	83	76.9
New York	Nassau–Suffolk	515	407	79.0	118	79	66.9	186	126	67.7	132	96	72.7	124	103	83.1
	New York	17,042	14,684	86.2	3,019	2,560	84.8	3,924	3,195	81.4	1,047	910	86.9	589	518	87.9
North Carolina	Charlotte ^a	1,775	1,363	76.8	282	222	78.7	687	516	75.1	265	203	76.6	51	46	90.2
Ohio	Cleveland	1,778	1,387	78.0	316	264	83.5	292	217	74.3	215	169	78.6	62	48	77.4
	Columbus	1,537	1,111	72.3	378	243	64.3	700	457	65.3	384	240	62.5	74	41	55.4
Oregon	Portland ^a	828	646	78.0	100	81	81.0	199	151	75.9	115	78	67.8	45	28	62.2
Pennsylvania	Philadelphia ^a	8,469	6,857	81.0	1,181	954	80.8	1,825	1,459	79.9	887	706	79.6	375	297	79.2
Puerto Rico	San Juan	4,809	4,302	89.5	276	271	98.2	313	309	98.7	84	81	96.4	29	28	96.6

Table 32b. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained		Total No.	Retained	
			No.	%		No.	%		No.	%		No.	%		No.	%
Tennessee	Memphis ^a	2,120	1,796	84.7	284	247	87.0	474	411	86.7	269	230	85.5	6	6	100.0
	Nashville	2,532	1,949	77.0	444	351	79.1	845	637	75.4	870	678	77.9	175	130	74.3
Texas	Austin	1,579	1,245	78.8	277	232	83.8	595	509	85.5	262	210	80.2	69	53	76.8
	Dallas	5,008	4,003	79.9	855	743	86.9	1,593	1,365	85.7	434	372	85.7	44	38	86.4
	Ft. Worth	1,173	995	84.8	214	187	87.4	373	330	88.5	116	98	84.5	18	14	77.8
	Houston	7,719	5,803	75.2	1,203	896	74.5	1,607	1,159	72.1	417	253	60.7	56	36	64.3
	San Antonio	1,115	818	73.4	203	150	73.9	352	272	77.3	69	51	73.9	13	4	30.8
Virginia	Norfolk ^a	1,288	788	61.2	277	186	67.1	493	347	70.4	241	163	67.6	44	27	61.4
Washington	Seattle	1,806	1,204	66.7	419	265	63.2	676	374	55.3	537	290	54.0	296	179	60.5

Abbreviations: EMA, eligible metropolitan area; FPL, federal poverty level; TGA, transitional grant area.

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 33a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and state, 2020—United States and 3 territories

State	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
		No.	%		No.	%		No.	%		No.	%		No.	%
Alabama	3,539	3,047	86.1	531	487	91.7	693	624	90.0	323	309	95.7	67	63	94.0
Alaska	74	69	93.2	21	20	95.2	32	29	90.6	13	12	92.3	8	8	100.0
Arizona	2,598	2,359	90.8	596	564	94.6	1,170	1,114	95.2	750	729	97.2	223	214	96.0
Arkansas	671	563	83.9	133	119	89.5	264	241	91.3	132	119	90.2	67	57	85.1
California	21,318	18,842	88.4	3,589	3,356	93.5	5,397	5,072	94.0	2,108	2,010	95.4	692	667	96.4
Colorado	2,665	2,409	90.4	342	325	95.0	413	390	94.4	199	194	97.5	165	162	98.2
Connecticut	2,070	1,885	91.1	346	326	94.2	527	507	96.2	144	140	97.2	20	20	100.0
Delaware	730	656	89.9	201	188	93.5	294	280	95.2	240	227	94.6	131	131	100.0
District of Columbia	2,270	1,970	86.8	168	148	88.1	342	308	90.1	167	155	92.8	58	52	89.7
Florida	18,142	15,470	85.3	3,488	3,147	90.2	4,929	4,532	91.9	2,072	1,939	93.6	138	130	94.2
Georgia	13,323	11,352	85.2	2,354	2,130	90.5	3,281	2,989	91.1	1,172	1,076	91.8	211	203	96.2
Hawaii	279	246	88.2	25	21	84.0	40	33	82.5	5	4	80.0	0	—	—
Idaho	275	262	95.3	90	88	97.8	191	184	96.3	136	133	97.8	121	118	97.5
Illinois	9,531	8,187	85.9	1,049	979	93.3	2,260	2,086	92.3	1,194	1,123	94.1	1,400	1,323	94.5
Indiana	1,698	1,483	87.3	235	223	94.9	485	458	94.4	124	120	96.8	7	7	100.0
Iowa	593	528	89.0	122	114	93.4	335	317	94.6	280	274	97.9	133	131	98.5
Kansas	344	305	88.7	50	46	92.0	97	90	92.8	75	73	97.3	42	40	95.2
Kentucky	2,192	1,956	89.2	439	414	94.3	733	706	96.3	457	442	96.7	160	158	98.8
Louisiana	3,794	3,287	86.6	1,028	907	88.2	1,323	1,216	91.9	506	480	94.9	80	73	91.3
Maine	240	228	95.0	61	60	98.4	93	93	100.0	34	33	97.1	14	14	100.0
Maryland	5,628	5,051	89.7	877	827	94.3	1,489	1,372	92.1	689	640	92.9	305	290	95.1
Massachusetts	4,065	3,787	93.2	585	565	96.6	842	814	96.7	491	477	97.1	459	451	98.3
Michigan	3,427	2,978	86.9	671	619	92.3	1,226	1,151	93.9	695	665	95.7	403	397	98.5
Minnesota	2,157	1,936	89.8	318	293	92.1	642	602	93.8	279	266	95.3	25	25	100.0
Mississippi	2,847	2,436	85.6	412	368	89.3	640	585	91.4	206	195	94.7	45	44	97.8
Missouri	2,889	2,528	87.5	413	382	92.5	817	759	92.9	337	316	93.8	30	30	100.0
Montana	160	142	88.8	50	45	90.0	102	97	95.1	58	58	100.0	33	31	93.9
Nebraska	358	314	87.7	87	79	90.8	196	181	92.3	98	90	91.8	7	6	85.7
Nevada	1,541	1,359	88.2	368	352	95.7	750	711	94.8	363	347	95.6	15	14	93.3
New Hampshire	186	171	91.9	53	50	94.3	128	124	96.9	91	89	97.8	67	65	97.0
New Jersey	6,897	5,984	86.8	1,242	1,147	92.4	1,965	1,808	92.0	841	798	94.9	328	318	97.0
New Mexico	714	642	89.9	234	218	93.2	369	359	97.3	241	235	97.5	126	125	99.2
New York	19,132	16,625	86.9	3,380	3,040	89.9	4,941	4,581	92.7	1,500	1,434	95.6	778	743	95.5
North Carolina	7,223	6,285	87.0	1,498	1,367	91.3	2,362	2,203	93.3	879	837	95.2	181	169	93.4
North Dakota	27	27	100.0	12	12	100.0	16	16	100.0	23	22	95.7	2	2	100.0
Ohio	4,676	4,079	87.2	867	807	93.1	1,242	1,160	93.4	771	743	96.4	296	288	97.3
Oklahoma	1,859	1,533	82.5	290	273	94.1	570	529	92.8	248	234	94.4	61	58	95.1
Oregon	726	642	88.4	96	87	90.6	194	184	94.8	124	119	96.0	47	43	91.5
Pennsylvania	10,362	9,231	89.1	1,784	1,664	93.3	2,918	2,741	93.9	1,641	1,584	96.5	839	823	98.1
Rhode Island	1,251	1,177	94.1	95	88	92.6	169	163	96.4	134	129	96.3	72	70	97.2
South Carolina	6,302	5,524	87.7	1,152	1,068	92.7	2,029	1,893	93.3	1,143	1,083	94.8	446	429	96.2
South Dakota	66	61	92.4	33	33	100.0	72	70	97.2	35	33	94.3	6	6	100.0
Tennessee	4,890	4,118	84.2	874	798	91.3	1,614	1,486	92.1	1,349	1,265	93.8	229	220	96.1
Texas	20,443	17,088	83.6	3,571	3,231	90.5	5,802	5,283	91.1	1,701	1,561	91.8	284	267	94.0

Table 33a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and state, 2020—United States and 3 territories (cont.)

	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
		No.	%		No.	%		No.	%		No.	%		No.	%
State															
Utah	664	606	91.3	99	98	99.0	281	269	95.7	80	76	95.0	22	21	95.5
Vermont	130	114	87.7	60	59	98.3	92	89	96.7	78	78	100.0	58	58	100.0
Virginia	3,020	2,589	85.7	754	688	91.2	1,338	1,236	92.4	784	730	93.1	254	245	96.5
Washington	2,012	1,799	89.4	469	428	91.3	770	745	96.8	591	574	97.1	319	309	96.9
West Virginia	614	523	85.2	215	202	94.0	256	249	97.3	107	105	98.1	12	12	100.0
Wisconsin	941	832	88.4	139	135	97.1	286	265	92.7	223	210	94.2	105	100	95.2
Wyoming	18	18	100.0	10	8	80.0	11	10	90.9	4	2	50.0	3	3	100.0
Subtotal	201,571	175,303	87.0	35,576	32,693	91.9	57,028	53,004	92.9	25,935	24,587	94.8	9,594	9,233	96.2
Territory															
Guam	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerto Rico	8,038	7,294	90.7	453	426	94.0	542	518	95.6	178	173	97.2	78	74	94.9
U.S. Virgin Islands	128	106	82.8	15	13	86.7	32	29	90.6	15	15	100.0	5	5	100.0
Subtotal	8,166	7,400	90.6	468	439	93.8	574	547	95.3	193	188	97.4	83	79	95.2
Total	209,737	182,703	87.1	36,044	33,132	91.9	57,602	53,551	93.0	26,128	24,775	94.8	9,677	9,312	96.2

Abbreviation: FPL, federal poverty level.

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals. 2020 data for Guam are unavailable.

Table 33b. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico

State/Territory	EMA/TGA	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
			No.	%		No.	%		No.	%		No.	%		No.	%
Arizona	Phoenix	2,062	1,866	90.5	411	388	94.4	857	812	94.7	520	499	96.0	99	91	91.9
California	Los Angeles	10,739	9,348	87.0	1,610	1,503	93.4	2,759	2,594	94.0	1,223	1,164	95.2	357	341	95.5
	Oakland	650	582	89.5	153	142	92.8	130	120	92.3	29	24	82.8	15	14	93.3
	Orange County	394	356	90.4	80	75	93.8	233	223	95.7	92	88	95.7	15	15	100.0
	Riverside–San Bernardino	725	629	86.8	133	130	97.7	164	149	90.9	39	38	97.4	7	7	100.0
	Sacramento	1,170	1,002	85.6	301	271	90.0	331	301	90.9	129	123	95.3	71	68	95.8
	San Diego	3,860	3,549	91.9	476	452	95.0	584	558	95.5	160	157	98.1	45	45	100.0
	San Francisco	1,401	1,239	88.4	270	246	91.1	322	305	94.7	80	73	91.3	22	22	100.0
	San Jose	689	631	91.6	159	153	96.2	219	214	97.7	134	132	98.5	24	24	100.0
Colorado	Denver	2,570	2,320	90.3	198	188	94.9	316	294	93.0	150	146	97.3	60	60	100.0
Connecticut	Hartford	921	848	92.1	136	128	94.1	210	202	96.2	58	56	96.6	4	4	100.0
	New Haven	1,194	1,075	90.0	208	198	95.2	301	289	96.0	84	82	97.6	13	13	100.0
District of Columbia	Washington ^a	4,052	3,556	87.8	617	563	91.2	1,204	1,110	92.2	702	659	93.9	242	227	93.8
Florida	Ft. Lauderdale	5,956	5,045	84.7	866	789	91.1	1,322	1,213	91.8	471	440	93.4	26	24	92.3
	Jacksonville	1,528	1,258	82.3	201	180	89.6	336	302	89.9	148	134	90.5	8	8	100.0
	Miami	3,439	2,879	83.7	799	684	85.6	957	847	88.5	298	270	90.6	5	4	80.0
	Orlando	1,790	1,552	86.7	353	335	94.9	465	434	93.3	189	181	95.8	11	11	100.0
	Tampa–St. Petersburg	2,383	2,057	86.3	460	417	90.7	644	605	93.9	343	319	93.0	8	8	100.0
	West Palm Beach	957	851	88.9	123	116	94.3	164	153	93.3	51	49	96.1	4	4	100.0
Georgia	Atlanta	8,782	7,320	83.4	1,510	1,355	89.7	2,199	1,969	89.5	694	629	90.6	105	101	96.2
Illinois	Chicago	9,151	7,867	86.0	981	917	93.5	2,104	1,945	92.4	1,081	1,019	94.3	1,385	1,309	94.5
Indiana	Indianapolis	1,865	1,630	87.4	258	246	95.3	508	480	94.5	123	119	96.7	6	6	100.0
Louisiana	Baton Rouge	1,420	1,239	87.3	324	301	92.9	636	598	94.0	295	283	95.9	20	19	95.0
	New Orleans	2,242	1,943	86.7	773	675	87.3	896	821	91.6	346	335	96.8	53	49	92.5
Maryland	Baltimore	5,280	4,732	89.6	758	719	94.9	1,288	1,188	92.2	575	533	92.7	241	231	95.9
Massachusetts	Boston ^a	3,270	3,057	93.5	518	501	96.7	705	680	96.5	412	400	97.1	415	409	98.6
Michigan	Detroit	2,526	2,163	85.6	409	370	90.5	707	647	91.5	366	343	93.7	104	100	96.2
Minnesota	Minneapolis–St. Paul ^a	2,248	2,015	89.6	322	297	92.2	651	610	93.7	284	271	95.4	25	25	100.0
Missouri	Kansas City ^a	951	821	86.3	144	132	91.7	311	292	93.9	130	119	91.5	10	10	100.0
	St. Louis ^a	2,696	2,339	86.8	416	387	93.0	745	685	91.9	332	313	94.3	27	27	100.0
Nevada	Las Vegas ^a	1,446	1,264	87.4	326	311	95.4	638	607	95.1	272	262	96.3	10	9	90.0
New Jersey	Bergen–Passaic	806	709	88.0	147	143	97.3	233	219	94.0	88	88	100.0	29	29	100.0
	Jersey City	809	720	89.0	159	151	95.0	242	227	93.8	104	100	96.2	40	38	95.0
	Middlesex	645	580	89.9	126	113	89.7	170	155	91.2	107	103	96.3	49	48	98.0
	Newark	3,344	2,880	86.1	595	547	91.9	857	788	91.9	355	332	93.5	116	111	95.7
New York	Nassau–Suffolk	552	510	92.4	127	118	92.9	201	194	96.5	142	139	97.9	128	122	95.3
	New York	17,326	14,940	86.2	3,097	2,777	89.7	4,178	3,851	92.2	1,073	1,020	95.1	598	570	95.3
North Carolina	Charlotte ^a	1,931	1,673	86.6	304	283	93.1	738	687	93.1	288	277	96.2	56	54	96.4
Ohio	Cleveland	1,814	1,591	87.7	319	303	95.0	300	275	91.7	230	225	97.8	61	59	96.7
	Columbus	1,535	1,342	87.4	356	332	93.3	658	622	94.5	361	348	96.4	72	70	97.2
Oregon	Portland ^a	803	707	88.0	97	88	90.7	199	189	95.0	126	121	96.0	47	43	91.5
Pennsylvania	Philadelphia ^a	8,283	7,313	88.3	1,165	1,071	91.9	1,832	1,708	93.2	903	867	96.0	381	374	98.2
Puerto Rico	San Juan	4,825	4,323	89.6	272	254	93.4	304	292	96.1	78	77	98.7	28	26	92.9

Table 33b. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by federal poverty level and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico (cont.)

State/Territory	EMA/TGA	0–100% FPL			101–138% FPL			139–250% FPL			251–400% FPL			>400% FPL		
		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
			No.	%		No.	%		No.	%		No.	%		No.	%
Tennessee	Memphis ^a	2,125	1,676	78.9	284	243	85.6	468	398	85.0	261	224	85.8	6	5	83.3
	Nashville	2,665	2,320	87.1	475	435	91.6	913	860	94.2	941	899	95.5	205	198	96.6
Texas	Austin	1,633	1,401	85.8	285	268	94.0	627	594	94.7	273	257	94.1	76	73	96.1
	Dallas	5,255	4,381	83.4	881	806	91.5	1,651	1,496	90.6	456	407	89.3	51	46	90.2
	Ft. Worth	1,316	1,091	82.9	232	200	86.2	404	362	89.6	121	113	93.4	19	18	94.7
	Houston	8,468	7,060	83.4	1,312	1,190	90.7	1,816	1,664	91.6	465	434	93.3	60	58	96.7
	San Antonio	1,217	933	76.7	213	177	83.1	372	331	89.0	70	64	91.4	13	8	61.5
Virginia	Norfolk ^a	1,422	1,177	82.8	296	266	89.9	525	477	90.9	260	241	92.7	52	49	94.2
Washington	Seattle	1,818	1,646	90.5	428	390	91.1	682	660	96.8	556	540	97.1	309	300	97.1

Abbreviations: EMA, eligible metropolitan area; FPL, federal poverty level; TGA, transitional grant area.

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 34a. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and state, 2020—United States and 3 territories

	Stable			Temporary			Unstable		
	Total No.	Retained		Total No.	Retained		Total No.	Retained	
		No.	%		No.	%		No.	%
State									
Alabama	4,885	3,732	76.4	193	142	73.6	101	75	74.3
Alaska	142	111	78.2	1	1	100.0	3	2	66.7
Arizona	4,833	4,130	85.5	47	40	85.1	197	135	68.5
Arkansas	1,089	778	71.4	38	17	44.7	8	6	75.0
California	28,246	23,259	82.3	2,248	1,618	72.0	2,519	1,832	72.7
Colorado	3,233	2,334	72.2	236	162	68.6	156	84	53.8
Connecticut	2,982	2,440	81.8	111	77	69.4	111	90	81.1
Delaware	1,468	1,182	80.5	26	21	80.8	27	18	66.7
District of Columbia	2,666	2,266	85.0	51	28	54.9	336	292	86.9
Florida	24,782	19,844	80.1	1,709	1,288	75.4	1,119	812	72.6
Georgia	18,621	15,832	85.0	191	148	77.5	691	534	77.3
Hawaii	283	209	73.9	30	26	86.7	24	20	83.3
Idaho	679	550	81.0	25	17	68.0	34	16	47.1
Illinois	13,967	10,454	74.8	1,150	811	70.5	565	420	74.3
Indiana	2,315	1,917	82.8	184	134	72.8	84	62	73.8
Iowa	1,413	1,131	80.0	51	35	68.6	39	29	74.4
Kansas	531	390	73.4	18	13	72.2	18	11	61.1
Kentucky	3,765	2,827	75.1	188	114	60.6	101	72	71.3
Louisiana	6,155	4,736	76.9	300	205	68.3	144	89	61.8
Maine	424	341	80.4	14	13	92.9	22	20	90.9
Maryland	8,762	7,196	82.1	173	135	78.0	159	113	71.1
Massachusetts	5,025	4,006	79.7	375	310	82.7	140	110	78.6
Michigan	5,667	3,884	68.5	96	60	62.5	102	63	61.8
Minnesota	2,777	1,450	52.2	376	191	50.8	197	90	45.7
Mississippi	3,788	3,170	83.7	43	27	62.8	62	49	79.0
Missouri	3,665	2,953	80.6	296	217	73.3	153	96	62.7
Montana	363	286	78.8	11	6	54.5	23	16	69.6
Nebraska	617	472	76.5	14	7	50.0	51	34	66.7
Nevada	2,495	1,742	69.8	154	79	51.3	173	94	54.3
New Hampshire	633	419	66.2	34	18	52.9	23	13	56.5
New Jersey	9,216	7,911	85.8	1,465	1,156	78.9	230	169	73.5
New Mexico	1,779	1,603	90.1	94	78	83.0	71	57	80.3
New York	26,464	22,508	85.1	2,425	2,013	83.0	979	803	82.0
North Carolina	11,044	8,806	79.7	384	275	71.6	230	166	72.2
North Dakota	73	63	86.3	—	—	—	1	1	100.0
Ohio	6,366	4,692	73.7	746	498	66.8	309	208	67.3
Oklahoma	2,782	2,165	77.8	59	41	69.5	61	39	63.9
Oregon	1,033	786	76.1	111	79	71.2	72	52	72.2
Pennsylvania	16,237	13,230	81.5	988	763	77.2	563	434	77.1
Rhode Island	1,491	1,225	82.2	154	125	81.2	52	39	75.0
South Carolina	10,184	8,601	84.5	259	199	76.8	71	57	80.3
South Dakota	201	134	66.7	2	1	50.0	1	0	0.0
Tennessee	7,942	6,221	78.3	481	368	76.5	112	75	67.0
Texas	24,522	19,254	78.5	3,754	2,864	76.3	2,003	1,473	73.5
Utah	945	709	75.0	82	62	75.6	26	17	65.4
Vermont	419	310	74.0	14	6	42.9	7	4	57.1
Virginia	5,536	4,227	76.4	79	39	49.4	92	57	62.0
Washington	3,492	2,274	65.1	161	106	65.8	362	216	59.7
West Virginia	1,109	791	71.3	30	18	60.0	44	21	47.7
Wisconsin	1,415	1,151	81.3	70	51	72.9	174	137	78.7
Wyoming	33	6	18.2	4	2	50.0	2	1	50.0
Subtotal	288,554	230,708	80.0	19,745	14,704	74.5	12,844	9,323	72.6
Territory									
Guam	—	—	—	—	—	—	—	—	—
Puerto Rico	9,039	8,211	90.8	128	109	85.2	29	27	93.1
U.S. Virgin Islands	177	128	72.3	1	0	0.0	3	3	100.0
Subtotal	9,216	8,339	90.5	129	109	84.5	32	30	93.8
Total	297,770	239,047	80.3	19,874	14,813	74.5	12,876	9,353	72.6

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.
 Notes: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column subtotals and totals. 2020 data for Guam are unavailable.

Table 34b. Retention in care among Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico

State/Territory	EMA/TGA	Stable			Temporary			Unstable		
		Total No.	Retained No.	%	Total No.	Retained No.	%	Total No.	Retained No.	%
Arizona	Phoenix	3,555	3,084	86.8	52	42	80.8	192	132	68.8
California	Los Angeles	14,980	12,573	83.9	433	317	73.2	1,246	905	72.6
	Oakland	718	501	69.8	104	73	70.2	100	70	70.0
	Orange County	839	667	79.5	30	23	76.7	36	21	58.3
	Riverside—San Bernardino	891	714	80.1	66	51	77.3	45	32	71.1
	Sacramento	1,599	1,397	87.4	141	123	87.2	277	226	81.6
	San Diego	4,166	3,402	81.7	528	401	75.9	533	398	74.7
	San Francisco	1,326	1,030	77.7	493	324	65.7	178	125	70.2
	San Jose	920	624	67.8	211	126	59.7	90	54	60.0
Colorado	Denver	2,817	2,020	71.7	260	178	68.5	168	100	59.5
Connecticut	Hartford	1,349	1,114	82.6	61	41	67.2	88	68	77.3
	New Haven	1,632	1,321	80.9	70	52	74.3	36	29	80.6
District of Columbia	Washington ^a	6,076	5,079	83.6	135	87	64.4	415	350	84.3
Florida	Ft. Lauderdale	6,390	4,892	76.6	1,066	803	75.3	313	210	67.1
	Jacksonville	1,942	1,478	76.1	74	58	78.4	83	64	77.1
	Miami	5,150	4,308	83.7	76	57	75.0	322	253	78.6
	Orlando	2,311	2,012	87.1	220	177	80.5	154	111	72.1
	Tampa—St. Petersburg	3,006	2,379	79.1	251	181	72.1	202	147	72.8
	West Palm Beach	1,147	973	84.8	92	78	84.8	73	60	82.2
Georgia	Atlanta	11,648	9,789	84.0	166	127	76.5	756	585	77.4
Illinois	Chicago	13,302	9,998	75.2	1,154	816	70.7	576	431	74.8
Indiana	Indianapolis	2,453	2,028	82.7	237	171	72.2	103	77	74.8
Louisiana	Baton Rouge	2,847	2,233	78.4	77	56	72.7	46	35	76.1
	New Orleans	3,470	2,596	74.8	239	165	69.0	110	67	60.9
Maryland	Baltimore	7,935	6,585	83.0	171	138	80.7	176	124	70.5
Massachusetts	Boston ^a	3,924	3,239	82.5	400	331	82.8	129	104	80.6
Michigan	Detroit	3,595	2,455	68.3	71	46	64.8	77	47	61.0
Minnesota	Minneapolis—St. Paul ^a	2,834	1,484	52.4	396	202	51.0	215	100	46.5
Missouri	Kansas City ^a	1,211	927	76.5	111	72	64.9	88	52	59.1
	St. Louis ^a	3,473	2,834	81.6	270	214	79.3	143	97	67.8
Nevada	Las Vegas ^a	2,116	1,399	66.1	177	99	55.9	172	99	57.6
New Jersey	Bergen—Passaic	1,184	1,046	88.3	33	27	81.8	43	37	86.0
	Jersey City	1,240	1,129	91.0	30	24	80.0	33	23	69.7
	Middlesex	933	844	90.5	86	72	83.7	63	49	77.8
	Newark	3,488	2,923	83.8	1,390	1,091	78.5	154	121	78.6
New York	Nassau—Suffolk	989	742	75.0	77	61	79.2	9	8	88.9
	New York	23,286	19,862	85.3	2,153	1,787	83.0	1,006	827	82.2
North Carolina	Charlotte ^a	2,927	2,255	77.0	79	57	72.2	51	36	70.6
Ohio	Cleveland	2,417	1,902	78.7	147	107	72.8	104	76	73.1
	Columbus	2,233	1,555	69.6	312	213	68.3	109	75	68.8
Oregon	Portland ^a	1,076	824	76.6	125	89	71.2	96	68	70.8
Pennsylvania	Philadelphia ^a	11,698	9,485	81.1	529	407	76.9	502	377	75.1
Puerto Rico	San Juan	5,380	4,880	90.7	98	80	81.6	25	23	92.0
Tennessee	Memphis ^a	3,050	2,615	85.7	69	53	76.8	35	23	65.7
	Nashville	4,281	3,294	76.9	484	377	77.9	101	74	73.3
Texas	Austin	2,573	2,115	82.2	106	63	59.4	104	72	69.2
	Dallas	4,741	3,981	84.0	2,417	1,927	79.7	1,396	1,111	79.6
	Ft. Worth	1,631	1,415	86.8	164	132	80.5	101	78	77.2
	Houston	9,549	7,157	75.0	1,112	787	70.8	406	234	57.6
	San Antonio	1,585	1,191	75.1	80	53	66.3	87	51	58.6
Virginia	Norfolk ^a	2,245	1,460	65.0	48	24	50.0	50	27	54.0
Washington	Seattle	3,142	1,957	62.3	156	99	63.5	367	215	58.6

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Retention in care was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit by September 1 of the measurement year, with a second visit at least 90 days after.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

Table 35a. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and state, 2020—United States and 3 territories

	Stable			Temporary			Unstable		
	Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
		No.	%		No.	%		No.	%
State									
Alabama	4,843	4,282	88.4	219	169	77.2	99	84	84.8
Alaska	143	134	93.7	2	2	100.0	3	2	66.7
Arizona	5,066	4,762	94.0	54	49	90.7	224	173	77.2
Arkansas	1,211	1,056	87.2	44	33	75.0	13	10	76.9
California	28,421	26,142	92.0	2,277	1,960	86.1	2,551	1,979	77.6
Colorado	3,153	2,944	93.4	215	191	88.8	140	108	77.1
Connecticut	2,886	2,691	93.2	119	103	86.6	109	91	83.5
Delaware	1,568	1,457	92.9	29	25	86.2	33	27	81.8
District of Columbia	2,660	2,367	89.0	50	40	80.0	326	255	78.2
Florida	26,132	23,164	88.6	1,847	1,526	82.6	1,199	870	72.6
Georgia	19,519	17,099	87.6	216	173	80.1	750	604	80.5
Hawaii	290	261	90.0	31	25	80.6	26	16	61.5
Idaho	762	735	96.5	29	27	93.1	40	40	100.0
Illinois	13,976	12,530	89.7	1,160	958	82.6	560	437	78.0
Indiana	2,326	2,128	91.5	185	151	81.6	96	64	66.7
Iowa	1,496	1,404	93.9	58	49	84.5	43	34	79.1
Kansas	568	522	91.9	19	16	84.2	19	14	73.7
Kentucky	3,736	3,476	93.0	174	149	85.6	106	80	75.5
Louisiana	6,726	6,006	89.3	327	257	78.6	160	120	75.0
Maine	422	412	97.6	15	15	100.0	23	18	78.3
Maryland	8,711	7,974	91.5	177	129	72.9	162	119	73.5
Massachusetts	4,947	4,674	94.5	379	346	91.3	131	112	85.5
Michigan	6,235	5,673	91.0	113	94	83.2	119	85	71.4
Minnesota	2,822	2,608	92.4	379	349	92.1	205	156	76.1
Mississippi	4,022	3,536	87.9	59	44	74.6	75	53	70.7
Missouri	3,907	3,562	91.2	340	282	82.9	186	125	67.2
Montana	368	347	94.3	11	9	81.8	28	21	75.0
Nebraska	673	612	90.9	17	14	82.4	56	44	78.6
Nevada	2,663	2,497	93.8	180	147	81.7	195	140	71.8
New Hampshire	673	646	96.0	38	32	84.2	25	20	80.0
New Jersey	9,572	8,650	90.4	1,543	1,313	85.1	241	166	68.9
New Mexico	1,759	1,682	95.6	99	90	90.9	76	47	61.8
New York	27,120	24,482	90.3	2,492	2,042	81.9	1,005	711	70.7
North Carolina	11,635	10,473	90.0	414	330	79.7	253	199	78.7
North Dakota	76	75	98.7	1	1	100.0	1	1	100.0
Ohio	6,465	5,921	91.6	781	661	84.6	339	249	73.5
Oklahoma	2,897	2,533	87.4	62	46	74.2	69	48	69.6
Oregon	1,009	934	92.6	107	88	82.2	75	58	77.3
Pennsylvania	16,127	14,853	92.1	1,003	885	88.2	544	447	82.2
Rhode Island	1,515	1,446	95.4	159	143	89.9	56	47	83.9
South Carolina	10,702	9,705	90.7	292	237	81.2	75	54	72.0
South Dakota	208	199	95.7	3	3	100.0	1	1	100.0
Tennessee	8,331	7,381	88.6	515	430	83.5	111	76	68.5
Texas	26,365	22,993	87.2	3,991	3,311	83.0	2,113	1,715	81.2
Utah	1,035	975	94.2	84	75	89.3	27	19	70.4
Vermont	395	379	95.9	16	14	87.5	7	5	71.4
Virginia	5,944	5,336	89.8	102	73	71.6	110	79	71.8
Washington	3,561	3,340	93.8	173	156	90.2	365	298	81.6
West Virginia	1,192	1,091	91.5	35	30	85.7	49	33	67.3
Wisconsin	1,475	1,356	91.9	79	64	81.0	180	160	88.9
Wyoming	38	34	89.5	6	5	83.3	2	2	100.0
Subtotal	298,346	269,539	90.3	20,720	17,361	83.8	13,401	10,316	77.0
Territory									
Guam	—	—	—	—	—	—	—	—	—
Puerto Rico	9,127	8,353	91.5	127	107	84.3	27	17	63.0
U.S. Virgin Islands	191	166	86.9	1	1	100.0	3	1	33.3
Subtotal	9,318	8,519	91.4	128	108	84.4	30	18	60.0
Total	307,664	278,058	90.4	20,848	17,469	83.8	13,431	10,334	76.9

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes: Data are based on provider location. Clients receiving services in multiple states were not included in state-specific totals or column 2020 data for Guam are unavailable.

Table 35b. Viral suppression among Ryan White HIV/AIDS Program clients (non-ADAP), by housing status and eligible metropolitan area and transitional grant area, 2020—United States and Puerto Rico

State/Territory	EMA/TGA	Stable			Temporary			Unstable		
		Total No.	Viral suppression		Total No.	Viral suppression		Total No.	Viral suppression	
			No.	%		No.	%		No.	%
Arizona	Phoenix	3,676	3,439	93.6	59	55	93.2	219	166	75.8
California	Los Angeles	15,109	13,751	91.0	432	341	78.9	1,272	977	76.8
	Oakland	771	709	92.0	114	100	87.7	104	81	77.9
	Orange County	750	706	94.1	31	28	90.3	33	23	69.7
	Riverside—San Bernardino	947	858	90.6	71	63	88.7	51	33	64.7
	Sacramento	1,501	1,357	90.4	132	117	88.6	267	205	76.8
	San Diego	4,159	3,926	94.4	517	464	89.7	548	453	82.7
	San Francisco	1,374	1,282	93.3	522	445	85.2	191	151	79.1
	San Jose	926	890	96.1	209	192	91.9	89	71	79.8
Colorado	Denver	2,658	2,474	93.1	238	212	89.1	149	111	74.5
Connecticut	Hartford	1,188	1,112	93.6	64	59	92.2	83	73	88.0
	New Haven	1,685	1,565	92.9	78	66	84.6	38	27	71.1
District of Columbia	Washington ^a	6,291	5,702	90.6	137	107	78.1	419	329	78.5
Florida	Ft. Lauderdale	7,161	6,276	87.6	1,144	979	85.6	356	261	73.3
	Jacksonville	2,051	1,751	85.4	81	68	84.0	91	65	71.4
	Miami	5,163	4,437	85.9	80	61	76.3	339	248	73.2
	Orlando	2,416	2,204	91.2	228	185	81.1	163	123	75.5
	Tampa—St. Petersburg	3,324	3,002	90.3	287	240	83.6	228	164	71.9
	West Palm Beach	1,153	1,053	91.3	94	80	85.1	67	55	82.1
Georgia	Atlanta	12,120	10,436	86.1	185	140	75.7	806	646	80.1
Illinois	Chicago	13,229	11,871	89.7	1,165	973	83.5	572	442	77.3
Indiana	Indianapolis	2,462	2,255	91.6	236	197	83.5	120	81	67.5
	Baton Rouge	3,022	2,725	90.2	78	65	83.3	50	45	90.0
Louisiana	New Orleans	3,945	3,553	90.1	268	203	75.7	130	96	73.8
	Baltimore	7,844	7,170	91.4	179	137	76.5	178	133	74.7
Maryland	Baltimore	7,844	7,170	91.4	179	137	76.5	178	133	74.7
Massachusetts	Boston ^a	3,810	3,612	94.8	405	371	91.6	118	100	84.7
Michigan	Detroit	3,942	3,497	88.7	81	64	79.0	89	62	69.7
Minnesota	Minneapolis—St. Paul ^a	2,888	2,668	92.4	404	371	91.8	223	170	76.2
Missouri	Kansas City ^a	1,284	1,174	91.4	123	100	81.3	99	67	67.7
	St. Louis ^a	3,733	3,371	90.3	310	258	83.2	172	121	70.3
Nevada	Las Vegas ^a	2,298	2,146	93.4	203	171	84.2	191	136	71.2
New Jersey	Bergen—Passaic	1,226	1,132	92.3	37	28	75.7	41	28	68.3
	Jersey City	1,288	1,186	92.1	30	28	93.3	36	22	61.1
	Middlesex	959	886	92.4	87	78	89.7	65	49	75.4
	Newark	3,655	3,306	90.5	1,453	1,236	85.1	159	116	73.0
New York	Nassau—Suffolk	1,054	995	94.4	86	79	91.9	10	9	90.0
	New York	23,921	21,456	89.7	2,211	1,796	81.2	1,038	729	70.2
North Carolina	Charlotte ^a	3,147	2,845	90.4	100	74	74.0	67	54	80.6
	Cleveland	2,457	2,240	91.2	156	128	82.1	116	90	77.6
Ohio	Columbus	2,221	2,042	91.9	319	286	89.7	111	81	73.0
	Portland ^a	1,056	978	92.6	121	99	81.8	99	76	76.8
Pennsylvania	Philadelphia ^a	11,550	10,531	91.2	525	432	82.3	483	386	79.9
Puerto Rico	San Juan	5,375	4,868	90.6	98	79	80.6	26	17	65.4
Tennessee	Memphis ^a	3,036	2,474	81.5	74	51	68.9	35	22	62.9
	Nashville	4,563	4,192	91.9	524	439	83.8	112	81	72.3
Texas	Austin	2,661	2,420	90.9	118	97	82.2	116	77	66.4
	Dallas	4,935	4,310	87.3	2,503	2,095	83.7	1,443	1,249	86.6
	Ft. Worth	1,803	1,552	86.1	183	154	84.2	111	82	73.9
	Houston	10,526	9,156	87.0	1,220	996	81.6	451	320	71.0
	San Antonio	1,717	1,401	81.6	86	65	75.6	82	47	57.3
Virginia	Norfolk ^a	2,434	2,120	87.1	62	46	74.2	59	44	74.6
Washington	Seattle	3,201	3,021	94.4	169	152	89.9	360	301	83.6

Abbreviations: EMA, eligible metropolitan area; TGA, transitional grant area.

Viral suppression was based on data for people with HIV who had at least 1 outpatient ambulatory health services visit during the measurement year and whose most recent viral load test result was <200 copies/mL.

Notes: EMAs/TGAs are listed according to the primary state in which the jurisdiction resides. EMA/TGA delineations are based on provider location.

Data shown for individual EMAs and TGAs are not mutually exclusive; clients may have received services from providers in multiple EMAs and/or TGAs.

^a The EMA/TGA service area crosses state boundaries. See Technical Notes for more information.

This page intentionally left blank